

PROCOPY RESOLUTION TEST CHART

	1		PHOTOGRAPH TH	IS SHEFT	1
			FINAL SUMMARY	REPORI	
1		j	SYNTHESIS OF NE	EW AGENTS	
7	×		FOR DRUG-RESISTA	ant	
171	MBE	LEVEL	MALARIAS		INVENTORY
15	DTIC ACCESSION NUMBER		Dec. 1983		
AD-A175	TIC ACCE		DOCUMENT IDENTIFICATION		
AD	Σ		DISTRIBUTIO	ON STATEMENT A	
		QUALITY INSPECTED 4	Approved in	or public releases tion Unlimited	
	_		DISTRIBU	JTION STATEMENT	
ACCESSION FOR NTIS GRA&I					
DTIC TAB UNANNOUNCED JUSTIFICATION BY DISTRIBUTION / AVAILABILITY CODE		SPECIAL		S DEC 1	
A -1				DATE ACCE	SSIONED
DISTRIBU		AMT		DATE RET	URNED
					_
		86 1	מל ו		
	DA	TE RECEIVED IN	DTIC	REGISTERED OR C	ERTIFIED NO.
		PHOTOGR	APH THIS SHEET AND RETURN TO D	PTIC-FDAC	
DTIC FORM 70A MAR 86			DOCUMENT PROCESSING SHEET	PREVIOUS EDITION STOCK IS EXHAUST	MAY BE USED UNTIL

FINAL SUMMARY REPORT

SYNTHESIS OF NEW AGENTS FOR DRUG-RESISTANT MALARIAS

BY

LESLIE M. WERBEL, Ph.D.

December 1983

(FOR THE PERIOD 3 JANUARY 1972 - 30 NOVEMBER 1982)

SUPPORTED BY

US ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND FORT DETRICK, FREDERICK, MARYLAND 21701

CONTRACTS NO. DADA17-72-C-2077 AND DAMD 17-79-C-9115

WARNER-LAMBERT COMPANY ANN ARBOR, MICHIGAN 48106

DOD Distribution Statement

Approved for public release; distribution unlimited

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents

REPORT D	OCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188 Exp. Date. Jun 30, 1986
la REPORT SECURITY CLASSIFICATION		1b. RESTRICTIVE	MARKINGS		
N <u>iclassified</u>		<u> </u>			
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION	AVAILABILITY O	F REPORT	
2b. DECLASSIFICATION/DOWNGRADING SCHEDU	LE		or public re on Unlimited		
4 PERFORMING ORGANIZATION REPORT NUMBE	R(S)		ORGANIZATION R		IMBER(S)
					(4,
6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL	7a. NAME OF M	ONITORING ORGA	NIZATION	
Warner-Lambert Company	(If applicable)	ļ			
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (Cit	ty, State, and ZIP	Code)	
Ann Arbor		j			
Michigan 48106					
8a. NAME OF FUNDING/SPONSORING	8b. OFFICE SYMBOL		T INSTRUMENT ID		
ORGANIZATION U.S. Army Medical Research & Development Command	(If applicable)	1	ct No. DADA] ct No. DAMD]		
8c. ADDRESS (City, State, and ZIP Code)	L		CLINICING NUMBER		-911)
oc. Addition (City, state, and zir code)		PROGRAM	PROJECT NO. 3M1-	TASK	WORK UNIT
Fort Detrick		ELEMENT NO.	NO. 3M1-	NO.	ACCESSION NO
Frederick, Maryland 21701-5012		62770A	62770A871	А	F 060
11. TITLE (Include Security Classification)					
Synthesis of New Agents for Drug	g-Resistant Mala	arias			
PERSONAL AUTHOR(S)					
slie M. Werbel, Ph.D.	_				
13a TYPE OF REPORT 13b TIME CO Final Report FROM 72/	OVERED 1/3 TO <u>82/11/</u> 3	14 DATE OF REPO 1983 D	ORT (<i>Year, Month,</i> ecember	Day) 15	PAGE COUNT
16 SUPPLEMENTARY NOTATION					
17 COSATI CODES	18. SUBJECT TERMS (Continue on revers	se if necessary and	d identify	by block number)
FIELD GROUP SUB-GROUP					
07 03					
06 03		and the same			
19 ABSTRACT (Continue on reverse if necessary	and identify by block r	number)			
				 	
DISTRIBUTION/AVAILABILITY OF ABSTRACT		21 ABSTRACT SE Unclass	CURITY CLASSIFIC	ATION	
UNCLASSIFIED/UNLIMITED SAME AS R	PT DTIC USERS	<u> </u>	S11100 (Include Area Code	1 225 0	FICE SYMBOL
22a NAME OF RESPONSIBLE INDIVIDUAL Mrs. Virginia Miller		301/663-7			RD-RM1-S
المسام والمساور والمراجع والمساور والمساور والمساور والمساور والمساور والمساور والمساور والمساور والمساور	R edition may be used ur				
	R edition may be used ur			CLASSIFIC	ATION OF THIS PAGE

		<u>. F</u>	AGE
Ι.	INT	RODUCTION	1
II.	SUM	MARIES OF BIOLOGICAL DATA BY STRUCTURAL CLASS	
	Α.	Folid Acid Inhibitors	1
		 Diaminoquinazolines 5,6,7,8-Tetrahydro-2,4-Diaminoquinazolines 2,4-Diamino-6-[anilinomethyl]quinazolines 2,4-Pteridinediamines 	1 10 17 26
	В.	8-Aminoquinolines	27
	С.	Basically-Substituted Trichloromethylheterocycles	28
		 2-Aryl-4-(aminoalkylamino)-6-(trichloromethyl) pyrimidines 	28
		 2-(Aminoalkylamino)-4-aryl-6-(trichloromethyl) pyrimidines 	32
		 2-(Aminoalkylamino)-4-(trichloromethyl)pyrimidines 4-(Aminoalkylamino)-2-anilino-6-(trichloromethyl) pyrimidines 	39 41
		5. 2-[(Aryl and Benzyl)thio]-4-amino-6-(trichloromethyl)-s-triazines and 2-Amino-4-[(Aryl and Benzyl)thio]-3-(trichloromethyl)pyrimidines	43
	D.	Amodiaquine Related Structures	44
	Ε.	Diaminopyrimidines	56
		 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidines Other 2,4-Diaminopyrimidines as Potential Inhibitors of Pyrimidine Biosynthesis 	56 60
	F.	7-Chloro-3-substituted-3,4-dihydro-10-hydroxy-1,9-(2H, 10H)-acridinediones	67
		 Imines Acridinedione Hydrazones Isoxazolo[3,2,5-kl]acridines 	67 87 92
	G.	Indologuinolines	94

III. TABLES OF BIOLOGICAL DATA

TABLE NUMBER	TITLE	PAGE
1.	Summary of Comparative Oral and Subcutaneous Rane Screen Data for Diaminoquinazolines	5
2.	Effects of 2,4-Diamino-6-[(anilino)methyl]-5,6,7,8-tetrahydroquinazolines Against Trophozoite-Induced P. berghei in Mice	12
3.	Effects of N-(2,4-Diamino-5,6,7,8-Tetrahydro-6-Quinazolinyl)-N-(benzyl)Amides Against Plasmodium berghei in Mice and Plasmodium Gallinaceum in Chicks	14
4.	Effects of 2,4-Diamino-6-[(benzyl)nitrosamino]-5,6,7,8-tetrahydroquinazolines Against Plasmodium berghei in Mice and Plasmodium Gallinaceum in Chicks	16
5.	Effects of 2,4-Diamino-6-[(anilino and naphthylamino)methyl]quinazolines Against Plasmodium berghei on Mice and Plasmodium Gallinaceum in Chicks	19
6.	Effects of 2,4-Diamino-6-[(N-nitrosoanilino and naphthylamino)methyl]quinazolines Against Plasmodium berghei in Mice and Plasmodium gallinaceum in Chicks	23
7.	Effects of 2,4-Diamino-6-{[(acyl)anilino and naphthylamino]methyl}quinazolines Against Plasmodium berghei in Mice and Plasmodium gallinaceum in Chicks	25
8.	Effects of 2-(Substituted phenyl)-4- {[(dialkylamino)alkyl]amino}-6-(trichloro- methyl)pyrimidines Aginst Trophozoite-Induced P. berghei in Mice	29
9.	Effect of 2-(2-naphthyl)-4-{[(dialkylamino)-alkyl]amino}-6-(trichloromethyl)pyrimidines Against Trophozoite-Induced P. berghei in Mice	31
10.	Effects of 2-{[(Dialkylamino)alkyl]amino}-4-(2-naphthyl)-6-(trichloromethyl)-pyrimidines Against Trophozoite-Induced P. berghei in Mice	33

TABLE NUMBER	TITLE	PAGE
11.	Effects of 2-{[(Dialkylamino)alkyl]amino}-4-(4-chlorophenyl)-6-(trichloromethyl)-pyrimidines Against Trophozoite-Induced P. Berghei in Mice	35
12.	Effect of 2-{[(Dialkylamino)alkyl]amino}-4-(3,4-dichlcrophenyl)-6-(trichloromethyl)-pyrimidines Against Trophozoite-Induced P. Berghei in Mice	36
13.	Effects of 2-{[(Dialkylamino)alkyl]amino}-4-(substituted phenyl)-6-(trichloromethyl)-pyrimidines Against Trophozoite-Induced P. Berghei in Mice	37
14.	Effects of 2-(Aminoalkylamino)-4-(trichloro-methyl)pyrimidines Against Trophozoite-Induced P. Berghei in Mice	40
15.	Effects of 4-(Aminoalkylamino)-2-anilino-6- (trichloromethyl)pyrimidines Against Trophozoite- Induced P. berghei in Mice	. 42
16.	Effects of 5-[(7-Chloro-4-quinolinyl)amino]-3- [(alkyl amino)methyl]-6-[1,1'-biphenyl]-2-ols and N ω -oxides Against Trophozoite-Induced P berghei in Mice	45 i
17.	Effects of 4-[(7-Chloro-4-quinolinyl)amino-2-[(alkyl-amino)methyl]-6-(aryl-spacer) Phenols and N ω -oxides Against Trophozoite-Induced P. berghei in Mice	51
18.	Effects of 4-[(7-Chloro-4-quinolinyl)amino]-2- [(alkylamino)methyl]-6-(alkyl) Phenols and Nω-oxides Against Trophozoite-Induced P. berghei in Mice	53
19.	Effects of 44-46 Against Trophozoite-Induced P. Berghei in Mice	54
20.	Effects of 2,4-Diamino-5-{p-[(benzyl)amino]-phenyl}pyrimidines Against Plasmodium berghein Mice and Plasmodium gallinaceum in Chicks	58
21.	Effects of 2,4-Diamino-5{p-[(benzyl)amino]-phenyl}-6-ethylpyrimidines Against Plasmodium berghei in Mice and Plasmodium gallinaceum in Chicks	59

ij.

reserved speriose (expenses assesses assesses regresses

TABLE	NUMBER	TITLE	PAGE
22	•	Effects of AM-870 Against P. berghei in Mice	56
23	•	Effects of 6-Substituted-2,4,5- Triaminopyrimidines Against Trophozoite- Induced P. berghei in Mice	61
24	•	Effects of 7-Chloro-3-substituted-3,4-dihydro- 10-substituted-1,9(2H, 10H)-acridinediones Against Trophozoite-Induced <u>P. berghei</u> in Mice	69
25	•	Effects of Imines of 7-Chloro-3-substituted-3,4-Dihydro-10-hydroxy-1,9(2H, 10H)-acridinediones Against Trophozoite-Induced P. berghei in Mice	74
26	•	Effects of Imines of 7-Substituted-3,4-dihydro-3-substituted-1,9(2H, 10H)-acridinediones Against Trophozoite-Induced P. berghei in Mice	79 t
27	•	Comparison of the Biological Activities of 7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1,9(2H,10H)-acridinedione Enantiomers and Their 1-Imines With Their Corresponding Racemic Analogs	84
28	•	Effects of Hydrazine Derivatives of Acridinediones Against Trophozoite-Induced P. berghei in Mice	88
29	•	Effects of Isoxazolo[3,2,5-kl]acridines Against Trophozoite-Induced P. berghei in Mice	92
30	•	Effects of 7,8,9,10-unsubstituted-11- Substituted-indolo[3,2-c]-quinolines Against Trophozoite-Induced P. berghei in Mice	95
31	•	Effects of 8-methoxy-11-Substituted-indolo- [3,2-c]quinolines Against Trophozoite-Induced P. berghei in Mice	99
32	•	Effects of 8-Chloro-11-Substituted-indolo[3,2-c] quinolines Against Trophozoite-Induced P. berghei in Mice	10 1
33	•	Effects of 7,8,9,10-Tetrahydro-11-Substituted-indolo[3,2-c]quinolines Against Trophozoite-Induced P. berghei in Mice	102

				PAGE
REF	EREI	NCES		104
APP	END	IX I	Cumulative List of Compounds Submitted 1972-1982	
I.	FOL	LIC AC	CID INHIBITORS	I-1
	Α.	2,4	-Diamino-pyrido[3,2-d]pyrimidines	I-1
		2. 3. 4.	6-(arylthio) 6-(aryloxy) 6-[(benzyl)amino] 6-[anilino and arylthio)methyl] 6-(piperidino and pyrrolidinyl)	I-1 I-3 I-3 I-5 I-5
	В.	2,4	-Diamino-6-[(anilino)methyl]pyrido[2,3-d] pyrimidines	I-6
	С.		-Diamino-3-[(apilino and arylthio)methyl]pyrimido- 4-e] as triazines	I-7
	D.	Misc	cellaneous Pyrimidines	1-8
	Ε.	2,4	-Diaminoquinazolines	I-9
		9. 10. 11.	6-thio 6-amino 6-benzamido 6-[(anilino)methyl] 6-[(anilino)methyl]-5,6,7,8-tetrahydro 6-[[(aryl)thio, sulfinyl, and sulfonyl]methyl 6-sulfonamides 6-(aryloxy) 6-(2-thiazolyl) N'-(Quinazolinyl)-N,N-dialkylformamidines 6-Thiourea 6,6'-[alkanediylbis(oxy) and thio] Thioquinazoline Analogs of folic Acid Miscellaneous Fused Ring Quinazolines Miscellaneous Quinazolines	I-9 I-12 I-13 I-16 I-18 I-19 I-20 I-20 I-21 I-22 I-23 I-24 I-24 I-24
	F.	Dian	ninopteridines	I-28
		3. 4.	6-Amino 6-[(aryl)thio] 6-[(anilino)methyl] 6-[(arylthio)methyl] 6-[(aryloxy)methyl]	I-28 I-30 I-31 I-34 I-34
	C	∆ni1	inoquinazolines	1-25

H. 2-Amino-4-Hydroxyquinazolines and Analogs II. PURINE/PYRIMIDINE INHIBITORS A. Purines 1. S-Purin-6-yl Esters 2. Nucleosides and Related Compounds B. Pyrimidines 1. 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidi 2. Miscellaneous Pyrimidines III. AMINOQUINOLINES AND RELATED COMPOUNDS A. 8-Aminoquinolines	
II. PURINE/PYRIMIDINE INHIBITORS A. Purines 1. S-Purin-6-yl Esters 2. Nucleosides and Related Compounds B. Pyrimidines 1. 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidi 2. Miscellaneous Pyrimidines III. AMINOQUINOLINES AND RELATED COMPOUNDS	PAGE
A. Purines 1. S-Purin-6-yl Esters 2. Nucleosides and Related Compounds B. Pyrimidines 1. 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidi 2. Miscellaneous Pyrimidines III. AMINOQUINOLINES AND RELATED COMPOUNDS	I-38
 S-Purin-6-yl Esters Nucleosides and Related Compounds Pyrimidines 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidi Miscellaneous Pyrimidines AMINOQUINOLINES AND RELATED COMPOUNDS 	I-39
 Nucleosides and Related Compounds Pyrimidines 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidi Miscellaneous Pyrimidines AMINOQUINOLINES AND RELATED COMPOUNDS 	I - 39
 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidi Miscellaneous Pyrimidines AMINOQUINOLINES AND RELATED COMPOUNDS 	I-39 I-40
2. Miscellaneous Pyrimidines III. AMINOQUINOLINES AND RELATED COMPOUNDS	I-47
•	nes I-47 I-48
A. 8-Aminoquinolines	I-55
7. O minioquino i inco	I-55
 7-Methylprimaquine Quinocide 0xygen Isostere of Primaquine Miscellaneous Analogs 8-Aminoquinoline N-oxides 	I-55 I-55 I-56 I-56 I-57
B. 4-aminoquinolines	I-58
C. Camoform Analogs	I-69
D. Indoloquinolines	I-71
IV. TETRAZINES	I-80
 3-Amino-6-aryl-1,2,4,5-tetrazines and 3-amino- 5-aryl-4H-1,2,4-triazoles 	1-80
2. 3,6-Dithio-1,2,4,5-Tetrazines and Derivatives 3. 5-(3,4-Dichlorophenyl)-1,2,4-triazin-3-amines 4. 6-(3,4-Dichlorophenyl)-1,2,4-triazin-3-amines 5. 3-Amino-6-phenylpyridazines 6. 5-Amino-1-(4-chlorophenyl)-1H-tetrazoles 7. 6-(3,4-Dichlorophenyl)-1,2,4-triazolo[3,4-b]- [1,2,4,5]-tetrazine-3-amines 8. 5-Amino-2-phenylpyrimidines	I-88 I-89 I-90 I-91 I-92

			PAGE
٧.	Acr	idinediones	1-93
		1. 7-Chloro-3-substituted-3,4-dihydro-10-hydroxy-1,9-(2H, 10H) acridones	I-93
		 Isoxazoloacridines and pyrazoloacridines Xanthene and Thioxanthenediones Novel Related Structures 	I-126 I-128 I-130
۷Ι.	Bas	ically Substituted Trichloromethylheterocycles	I-132
	Α.	2-Aryl-4-amino-6-(trichloromethyl)pyrimidines	I-132
	В.	2-(aminoalkylamino)-4-aryl-6-(trichloromethyl) pyrimidines	I-134
	С.	4-(Aminoalkylamino)-6-aryl-2-(trichloromethyl) pyrimidines	I-138
	D.	2-(Aminoalkylamino)-4-(trichloromethyl)pyrimidines	I-139
	Ε.	(Aminoalkylamino)anilino(trichloromethyl)pyrimidines	I-140
	F.	4-(Aminoalkylamino)-2-anilino-6-(trichloromethyl) pyrimidines	I-141
	G.	2-[(Aryl and benzyl)thio]-4-amino-6-(trichloromethyl)-s-triazines and 2-amino-4-[(aryl and benzyl)thio]-6-(trichloromethyl)pyrimidines	I-142
	н.	N-oxides of Basically Substituted (Trichloromethyl) heterocycles	I-143
	I.	1-(Aminoalkylamino)-4-(trichloromethyl)phthalazines	I-143
VII.	Mis	cellaneous Classes	I-144
	Α.	5,5-Bis(Benzyl)-2-(Aryl and Heterocyclic)-1,4,5,6-tetrahydropyrimidines	I-144
	В.	Guanidines	I-146
		 1-Aryl-3-(1-alkyl-4,5-dioxo-2-imidazolidinylidene) guanidines 	I-146
		2. [(Benzylidene)amino]guanidines	I-148

		PAGE
С.	Benzimidazoles	I-149
	 2-[[(Dialkylamino)alkylamino]phenyl]benzimidazoles 2-[(Dialkylaminoalkoxy)phenyl]benzimidazoles (2-Benzimidazolyl)guanidines 	I-149 I-150 I-151
D.	2,2'-(1,2-Ethandiylidene)bis[N'-(aryl)hydrazine-carboximidamides	I-153
Ε.	<pre>1,3-Bis[[4-(hydroxy or alkoxy)-3-(aminomethyl) benzylidene]amino]guanidines</pre>	I-155
F.	N,N'-Bis(dialkylaminoalkyl)-N,N'-dialkyl-p-phenyl-enediamines	I-157
G.	Ureas	I-157
	 Amidinoureas Thioureas 1-alkyl-3-(2-thiazolyl)-2-thioureas 	I-157 I-158 I-158
н.	Quinolone Analogs	I-159
I.	Intermediates	I-160

I. INTRODUCTION

Under contract DADA 17-72-C- 2077 (January 1972 - September, 1979) and DAMD 17-79-C-9115 (1 October 1979 - 30 November 1982) a total of one thousand five hundred and sixty two (1,562) compounds have been synthesized and submitted to Walter Reed for antimalarial evaluation.

Since the details of all work has been reported in annual reports this final summary report will review the current status of the major structural classes of compounds and will include summaries of biological data and brief text to clarify the tables. In particular we have included those series in which future effort may still be beneficial towards the development of antimalarial drugs.

We have also included (Appendix 1) a tabulation organized by chemical class which lists the WRAIR BN, our AM designation, the name and specific reference to an annual report.

Also included (Appendix 2) is a tabulation of our AM number and the chemical structure for all compounds submitted.

II. SUMMARIES OF BIOLOGICAL DATA BY STRUCTURAL CLASS

A. Folid Acid Inhibitors

1. Diaminoquinazolines

Some years ago, our efforts under Walter Reed sponsorship resulted in the development of a variety of 2,4-diaminoquinazolines among which were perhaps the most potent antimalarial compounds known in experimental models. A brief abortive trial in man with WR 158122 (1) and the retrospective realization that this compound and certain analogs were not active orally either in man or in the rodent model led to abandonment of this class of compounds.

Unfortunately, the biological studies to determine the reason for the lack of oral efficacy, i.e., rapid metabolism, excretion, first pass effect, etc, were never performed, so that adequate basis for the design of a related compound without this shortcoming was never attained. Moreover, the extensive battery of analogs of WR 158122 resulting from our synthetic efforts had never until recently been examined exhaustively to determine if a better compound might already exist in the files.

As we have pointed out previously, there would seem to be ample evidence to justify continued examination of this class of compounds. In one series, for example, the 2,4-diamino-6-[(anilino)-methyl]quinazolines both 2 and 3 have been shown in a direct comparison to be as active orally as subcutaneously in suppressing parasitemia in the mouse test. These two compounds are among those in this series most active in the Rane test. However, clearly this data alone does not correlate well with oral potency for although 4 had a quinine equivalent

C1
$$\longrightarrow$$
 NCH₂ \longrightarrow NHCH₂ \longrightarrow

of 846 when given orally for six days to mice infected with P. berghei, 2 had a quinine equivalent of only 65. The only member of this series which I could find to have been evaluated in monkeys in the past was $\underline{5}$, which was a relatively poor actor in the Rane test (C 3/5 at 160) and orally had only a modest Q (81). Even so this material had CD₅₀ = 10.0 PO in the rhesus and CD₅₀ = 6.25 PO in the Aotus (Falciparum) against the Vietnam Oak Knoll strain and CD₅₀ = 25 PO in the Aotus against the Malayan Camp strain.

The knowledge that oral activity in primates apparently did not predict well for activity in man for the diaminoquinazolines, and the realizaton that key compounds such as WR 158122 were not active orally in the rodent led Walter Reed during the past several years to an investigation of the available diaminoquinazoline types for their oral rodent activity. Such studies were of course limited by lack of availability of samples. Though the available data does not lead to any obvious earth shaking conclusions, it is of interest to include here a brief tabular summary of what we know thus far (Table 1). We are indebted to Col. David E. Davidson, Jr. for digging out and summarizing much of this data for us.

Clearly none of the compounds which have been evaluated thus far exhibit an oral potency in the rodent anywhere near the subcutaneous potency of the better members of this series. This leads one to two questions: 1) is the potency demonstrated orally sufficient to lead to an effective drug in man, 2) could even greater potency be achieved either by further screening (which would require resynthesis) or by further molecular modification. Clear cut answers are not available.

The two compounds which emerge as most dose potent thus far are 6 and 7. Interestingly the N-nitrosocompound (6) was one that we explored early in this work and dropped because later compounds exhibited


superior potency and because of its apparent capacity to damage hematopoietic and adrenal tissues. It is also the compound which the Chinese workers are reported to be studying quite extensively. The other analog (7) was one requested by Col. Canfield last year upon his perusal of the background information.

TABLE I Summary of Comparative Oral and Subcutaneous Rane Screen Data for Diaminoquinazolines

bayyan edasawan, yediledile restation assintasi

egeten sopranel sossessal becomme sopranel proporti sossessa

:333



				CD50	CD50	AMST O	CD ₅₀ AMST or C After Single PO Dose, mg/kg	Single	PO Dose	, mg/kg
WR#	AM/PD#	R	X	sc	PO	049	640 320 160	160	80	40
125643	65,469	3,4-C12-C6H3-CH2N-NO	Н	80-160	091	25	25	S C	2C	1C (10.01)
135403	743	4-C1-C ₆ H ₄ -S	Ξ	160	079<					
141871	810	3 ,4- 6 1 2 - 6 8 3 -NIICH 2	Ŧ	160	079					
148114	860	3,4-C1 ₂ C ₆ H ₃ -S	æ		>320					
148800	871	4-Br-C ₆ H ₄ -S	Ŧ	07	>160			10.0		7.2
150643	910	4-MeO-C ₆ H ₄ -S	=		>80					
150644	116	4-c1-c ⁶ H ₄ -so	=		>80				1C (8.5)	5.5

TABLE 1. Summary of Comparative Oral and Subcutaneous Rane Screen Data for Diaminoquinazolines

and species, assesses escapes

prophetic masses assesse baseses prophetical prophetics.

				CD50	CD50	O LENV	r C Afte	CD50 AMST or C After Single PO Dose, mg/kg	PO Dose	, mg/kg
WR#	AM/PD#	~	×	SC	2	079	320	160	80	40
151340	919	4-F-C ₆ H ₄ -S	=		320		3C	1C (9.7)	7.7	5.5
151341	920	4-C1-C6H4-SO2	¥	07	320	2.9	74C) 1C	6.01	10
	929	3-Br-C ₆ H ₄ -NHCH ₂	СНЗ		079<	1.7	6.7	5.9	2.5	
152134	933	2-Me-C ₆ H ₄ -S	×		>320	!	2C	7.3	3.9	
154907	647	c ₆ n ₅ -s	=		640					
154928	076	2-Naphthyl-S	Ŧ		>640			··· ·		
157384	973	4-C1-C ₆ H ₄ -CH ₂ NEt	I	20	>640		! ! !	9.0	lc (1.2)	1C (6.3)
158121	766	2-Naphthyl-SO	=		>640	,				
158122	966	2 -Naphthyl- ${ m SO}_2$	z	20	320					
	1,011	3,4-C1 ₂ -C ₆ H ₃ NHCH ₂	13		>320		0.7	1C (0.5)	8.7	6.3

TABLE | Summary of Comparative Oral and Subcutaneous Rane Screen Data for Diaminoquinazolines

				CD50	CD50	AMST o	CD50 AMST or C After Single PO Dose, mg/kg	Single	PO Dose	, mg/kg
ER.	AM/PD#	×	×	SC	8	079	320	160	80	40
159412	1,024	3-CF ₃ -C ₆ II ₄ -S	=	04	079<					
159547	1,031	3-4-C ₆ H ₄ -S	Ξ		>160	!	!	8.9	6.4 5.8	5.8
159680	1,038	4-Me2N-C6H4-S	Ŧ	. 80	079<					
159940	1,049	4-F-C ₆ H ₄ SO ₂	=	20-80	>320			1C (2.8)	9.2 7.2	7.2
160454	1,054	4-Br-C ₆ H ₄ SO	±	07	091<			lc (8.1)	7.2 5.2	5.2
162021	1,083	$2-(4-C1-C_6H_4)(CH_2)_4N$	æ	07	>80				5.2	2.4



TABLE I Summary of Comparative Oral and Subcutaneous Rane Screen Data for Diaminoquinazolines

				0\$g2	CD50	AMST OI	C After	CD ₅₀ AMST or C After Single PO Dose, mg/kg	PO Dose	, mg/kg
WR.	AM/PD#	¥	×	SC	PO	940	320	160	80	40
162877	1,114	C ₆ H ₅ SO ₂	Ξ	40-80	079<					
162878	1,100	3-CF3-C6H4-SO2	=	20-40	049					
162892	1,102	3-4-C ₆ H ₄ SO ₂	=	20	>80	l !		! !	9.9	5.1
701791	1,125	$^{3,4-Cl_2-C_6H_3-SO_2}$	=	07	079<					
164119	1,129	3-4-C ₆ H ₄ SO	Ξ	40	>80	1	!	 - 	9.9	6.8
164329	1,136	3-CF3-C ₆ H ₄ SO	=	20-40	1607	7 4C	1	8.6		1
BK12455 2,653	2,653	4-CF3-C6H4SO2	×	20	160	3C 2T	20	2c	2C (9.1)	21

Recently data has become available from Walter Reed on the evaluation of 8 and 9 in primates. Thus against the Vietnam Oak Knoll strain (pyrimethamine sensitive) infections were cleared at 1.0, 4.0, and

16.0 mg/kg (x3 days) of 8 with one of two animals being cured at 4.0 mg/kg. Against the $\overline{\text{V}}$ ietnam Smith (chloroquine-, quinine-, and pyrimethamine-resistant) strain, no suppressive activity was evident at 1.0 and 4.0 mg/kg (x3 days). A dose of 16.0 mg/kg cleared parasitemia in one of two animals. Apparent fat deposition in the liver of an animal that died, and a body weight loss of 18% between the first day of treatment and the day of death suggested possible drug toxicity.

Against the Vietnam Oak Knoll strain doses of 9 of 1.0, 4.0, and 16.0 mg/kg cleared parasitemias. However one animal died on the 7th day after treatment at 4.0 mg and two animals died subsequent to termination (Days 7 and 5, respectively) of treatment at a dose of 16.0 mg/kg (x3). In all instances the liver appeared granular and yellowish in color. In two monkeys gastro-intestinal hemorrhages were noted, and the body weight loss from day of treatment initiation to day of death was 22%, 23%, and 15% respectively, again suggesting drug toxicity. Against the Vietnam Smith strain suppressive activity only was observed at doses of 1.0 mg/kg (x3) with clearance in one of two animals at 4.0 mg/kg. Two animals that received 16.0 mg/kg (x3) died on Days 5 and 6 respectively after completion of treatment, a pattern of death similar to that observed with the Oak Knoll strain.

The other aspect of the diaminoquinazolines which deserves consideration is their potential as long acting agents. We have known for some time that WR 158122 and related compounds demonstrate protection against malarial challenge in experimental animals for extended periods.

A variety of analogs has now been screened in the Ager repository test sequence in mice. This is divided into three phases. In Phase 1 the drug is given at 80 mg/kg subcutaneous and orally and the mice are challenged three or seven days later and observed to determine whether they become infected (patent). In Phase 2 the drug is given at 80 mg/kg SC and PO and the animals are challenged at Days 7, 14, and 21. Phase 3 consists of separate SC and oral administration of 80 mg/kg and challenge at Day 21.

Only very limited Phase 3 data has been received, but AM-1038 (cf Table $\underline{1}$) protected all animals when given subcutaneously as did 10.

10 AM-1370; BC-08634

In Phase 2 11, 12a,b,c, 13a,b were protective completely at 21 days, and a variety of analogs protected partially through 21 days and/or were protective completely through 14 days.

HO S NH₂ NH₂

$$\frac{11}{AM-1040}$$

$$\frac{12}{AM-1040}$$

$$\frac{12}{AM-1040}$$

a. X = Br; AM-1055

b. X = 3-MeO; AM-1094

c. X = H; AM-1114

<u>13</u>

	<u>R</u>	<u>AM</u>
а.	3,4-C1 ₂ -C ₆ H ₃ CH ₂ NCH ₃	1269
	1-Naphthyl CH2NH	1423

All of this data certainly suggests at the least, further exploration of this very potent class of compounds, and may well suggest that WR 158122 itself (1) administered subcutaneously could be both an effective curative agent and a long acting protectant.

2. 5,6,7,8-Tetrahydro-2,4-Diaminoquinazolines

Also of interest for further follow-up are the tetrahydroquinazolines because of their potential for activity in a novel portion of the folic acid cycle.

A major effect of most known folic acid antimetabolites appears to be on the enzyme dihydrofolate reductase with their effect on thymidylate synthetase being indirect. However, tetrahydro derivatives, in contrast to the parent compounds in the case of amethopterin and aminopterin, have been shown to inhibit thymidylate synthetase directly.

A variety of 2,4-diamino-6-[(benzyl)amino]-5,6,7,8-tetra-hydroquinazolines^{3,4} (14) and 2,4-diamino-6-[(aryl)thio]-5,6,7,8-tetrahydroquinazolines³ (15) exhibit potent antimalarial activity. Moreover, it has been shown recently⁶ that the latter class as

Arch₂N
$$Z$$
 NH₂

$$14$$
Ary Z NH₂

$$15 \text{ Y= S, SO}_2$$

exemplified by 16, acts at a different site within the folic acid pathway than does its aromatic analog 17, a potent dihydrofolate reductase

inhibitor, thus once again providing strong implication for thymidylate synthetase inhibition by the saturated analogs.

This information taken together with the antimalarial activity of tetrahydrohomopteroic acid (18) strongly encouraged the synthesis of representative 2,4-diamino-6-[(anilino)methyl]-5,6,7,8-tetrahydroquinazolines (19) as potential inhibitors of thymidylate synthetase.

HO₂C
$$\longrightarrow$$
 NH(CH₂)₂ \longrightarrow NH₂ \longrightarrow NH₂

The data now available on the halogenated analog (AM-2175, Table 2) strikingly confirms our conviction that this type of substitution, not available through our early synthetic methodology, would be important towards optimizing activity.

It should be noted that AM-2175 is more potent than AM-810 (AU-26558) the aromatic analog, and compares quite favorably in potency with $\underline{20}$ a,b, which, in addition, have oral activity when administered for six days in the diet to mice infected with P. berghei, corresponding to a quinine equivalent of 226 and 846 respectively.

TABLE 2 Effects of 2,4-Diamino-6-[(anilino)methyl]-5,6,7,8-tetrahydro-quinazolines Against Trophozoite-Induced P. berghei in Mice

AM	BN	x,Y	R	Aor	L		After : e, mg/l	_
				В	640	320	160	80
1757	BG-03880	4-0CH3	COCF3	В	9.3			
1867	BG-47337	4-0CH3	COCF3	A	8.1	5.1	2.1	
1871	BG-47373	4-0CH3	н	A	5C	8.9	5.5	
1705	BE-58714	3,4-CH ₃	сосн3	A	10.2 (2C)		1.7	0.5
1677	BE-66752	3,4-CH ₃	соснз	В	6.3	3.7	1.9	0.3
2175	ВН-38235	3,4-Cl ₂	н	A	2C (T) (3C a	3C (T)	5C 3C at	5C 20;
	ļ			İ	!	-	s at 5)	•
810	AU-26558	3,4-Cl ₂	н	В	1	D ₁₄ 8 Day:	s at 2	D ₁₄

It should also be recalled that a reverse analog 21 (AM-894, AV-25412) (Tables 3,4) has been shown to be curative through 20 mg/kg subcutaneously in the Rane model with a Δ MST at 10 mg/kg of 6.5 days.

21

In addition, it is 68 times as potent as quinine orally against P. berghei and has been shown to be fully active against a chloroquine-resistant line of P. berghei, and showed only a marginal (3-fold) cross-resistance against a cycloguanil-resistant line. Cures were obtained with two monkeys infected with P. cynomolgi when 27 was administered at 3.16 mg/kg and marked suppression was observed in another monkey dosed at 1.0 mg/kg.

Despite the unquestioned potency of these compounds: a) the lack of supporting biochemical evidence for a mode of action differing from that of the dihydrofolate reductase inhibitors such as WR-158122 (1): b) the unavailability of a model which would explain the shortcomings experienced with 1 in man; c) and the inability to predict whether a related structural type would behave differently in man; make further progress with these agents extremely difficult. Studies are underway at WRAIR to devise predictive test methodology to answer these questions and to determine which compounds will afford optimum oral activity and improved activity against pyrimethamine-resistant strains. It is felt that further synthetic effort would most profitably be deferred until meaningful structure-activity relationships can be developed through additional biological testing.

TABLE 3

ESSESSE TOLORIA TERRESE TERRESET DIFFERE MARIEN MARIEN PROPERTY APPRILITY PROPERTY PROPERTY PROPERTY.

Effects of H-(2,4-Dismino-5,6,7,8-tetrahydro-6-quinazolinyi)-N-(benzyl)smides Against Plasmodium berghet in Nice and Plasmodium gailinaceum in Chicks

I Becera	.c. dose	1 or C					 E	10.0	6
P. gellinsceum	Single e.c. dose	, ,					8	91	81
		~				0 .5			
		2	8.9	1.5	?	3.1	5.3	2.9	. o
		& ::	£.5	2.5	5.5 5.7	5.5	6.5	4.5 5.5	0.7
	dose	after mg/kg: ko	6.3	11.1 014	7.9	13.7	11.9;c1	12.1 DI4	4.9 5.1
			11.3	12.1 D1k	10.5	15.9;c2 15.6;c2	19.9;c4 25.9;c4	20.6;c2 014	5.9
P. berghet	310	MST; T or C. 160 80	17.9;ck 914	21.9;c2 bi 4	18.9;c5 11.9;c4	នន	នន	53 815	
ě.		88	ខ្មុំ	ខ្ម	ខន	8	ชช	ទ	20.4,c3 12.9 016 014
		9	ε	8	ខ	ت			
				J	0	· ·	S.	ស	ε
	blet, 6 days	/ts/4sy 0							
		10. of							
		Pormula	Clefl,TCl2M50	C17N1gC12N50	C17H18C12N50	C17N2OCIN50	C17R20FN50	C18M21Cl2M50	C1eHe1Cl2M50
		4	3	Ĩ	E S	ž	Ę	ě	E
			*	9	8	€	င်	*	94.8.20
		Ar	<u></u>	Ö.			Ċ	تت	تَ نَ
		WR (BH) No.	AX-26606 -	AX-26160 -	AX-21469 -	₩-41699 →	AL-25190	AX-26197 -	AX -26240 -
		3	1011	9901	0901	8 6	1072	1601	9601

Single e.c. dose Mrs; Myst; 24.0,CL 17.0;01 15.6 228333 8 8 প্র 6.5 6.6 6.6 3.5 ٥. د 6.0 °. 6.0 2 15.1;c1 15.7;c1 15.1;c1 8 10.1 014 1.7 Single s.c. dose \$MST; T or C efter mg/kg: 160 80 40 26.9;c3 D14 7.9;c} 16.2;c2 10.7 10.9 2.5 ខាធ 11.7 15.5 15.3 C2 **B1**¢ -6 ಬಬ ខន 6.4;c1 6.4;c1 P. berghei ಬಕ್ಷ ខន ಬಬ ಬಬ Cb, Tl 7.4;Cl 7.5;Cl 8 ಶಕ್ಷ ខ្មុំ ಬಬ ಒಬ ಬಬ C3, T2 3 દ છ ઈ r 8 blec, 6 days

lo. of \$000,

mice ag/kg/day = 8 CLOHRICI 2NSO2 MRCOCH CIBN21CL2M502 ENCOCHS CLOREZCINSOR CLOH24CIN50 Pormule C22H25N502 Cal Ras No 뙲 Ę ř Ē CH2CH2CH CH_eOCH₂ CH₂OCH₃ C.F. Ę ŧ Ç. Ç ¥ VR (BR) Ro. AX-26179 VR-162443 M-26151 AX-21487 VR-160438 4V-25412 AR-25896 WR-162019 AK-25207 WR-161481 ¥ **6**6 5 Š 300 ٥ **₫**

TABLE 3 - page 2

TABLE 4

The statement assessed

SOCIOLE INTERESTA MONORAN ASSESSA INCOMENTAL MANAGES

Effects of 2,4-Dismino-6-[(beuryl)nitrosamino]-5,6,7,8-tetrahydroquinasolines Against Plasmodium berghel in Nice and Plasmodium gallinaceum in Chicks

3. 2,4-Diamino-6-[anilinomethyl]quinazolines

It should also be pointed out that a member of another series of 2,4-diaminoquinazoline antimetabolites which exhibited potent antimalarial activity, namely the 2,4-diamino-6-[anilinomethyl]-quinazolines is being groomed for clinical trial against cancer. Data on this series has been summarized recently.⁷ Thus pharmacokinetic

$$\begin{array}{c} \text{CH}_{30} \\ \text{CH}_{30} \\ \text{CH}_{30} \end{array} \begin{array}{c} \text{NHCH}_{2} \\ \text{CH}_{3} \\ \text{NH}_{2} \\ \end{array}$$

22

and pharmacologic data to be generated on trimetrexate (22) should be quite useful in the development of a related compound as a clinical antimalarial agent.

These "reverse" analogs of PAM-1392 (23) as a class were considerably more potent than PAM-1392, and the more active members of the

23

series were curative against P. berghei in mice at single doses ranging from 10 to 640 mg/kg (Table 5). AM-899 (AV-25467) (24) is the most potent

C1
$$\sim$$
 NHCH₂ \sim CH₃ NH₂ NH₂

24 AM-899 (AV-25,467)

compound in the series; orally it is approximately 850 times as potent as quinine, and SC it is curative through 10 mg/kg. A less potent member of the series (AM-810, WR-141,871, 25) has been shown to have only a small degree of cross-resistance against a cycloguanil-resistant strain of P. berghei. 8

Once again in a series exhibiting this degree of potency the synthesis of little more than a dozen compounds can hardly be considered to be a thorough exploration of the structure activity relationships, and further synthetic efforts should be undertaken.

25 AM-810

TABLE 5

Effects of 2, h-Diamino-6-[(smilino and naphthyleatno)methyl]quinasolines Against Plasmodium berghei in Mice and Plasmodium gallinaceum in Chicks

₹_	
$\sqrt{}$	
() ~
	AFRHCH2

P. gollinace."	Slagle o. c. d.v.e) 10 1		-2,-				15 16.5;C2 13.6 9.8
ă.	51081	ž						85858
		2.5 1.25	2.9	 •	2.1	0.5		
			4.1 2.9	4.7 1.5 0.5	1.9	9 .		
		~	3	£.	6.9	9.6		
		9	11.5	7.5 7.5	10.7 D14	1.8	6.3	4 .0
	MST, f or CC steer mg/kg:	8	នឧន	စာ ရာ ရာ လုံးများလုံ	16.9;c5 16.9;c3 014	× × & &	0.5	 2. 4.
	Single s.c. dose	3	ឧឧឧ	11.5 11.5 9.9	និខខ	914 914	6.0	3.1
P. berghet	Si Justi, 1	8	នន	នន	នន	110	F-6.	10.1
≈ i	١	3	ខន	ខន	នន	410	6.9 9.9	9.2;c3 8.8;c3
	2	2	ь ь	5,59 5,59	££	11	12.9	9.2;¢3 9.8;¢3
	1	}	ħ.	æ	t	1	13.7	€.
	40	,				.	1.5	5
	10, 6 day	Î				0.92	12	0.6
	10. of		•			2	±	88
	Pormula	•	CzsBzel3N s	C18 M13 BrC1 N5	C15H13C12N5	Cashasciris	C15H13C12N5	C19 M14 BTMs
	N	1	2	ថ	ច	=	=	-
	ă				Ö (تت ت	2 O.	
	VR (8H) No.		M-49775	AX-21441 VR-160391	ar-24197 Wr-160974	AU-26558	M-92647	AV-86933
	ş		101	1058	5901	810	&	156

									-	P. berghet						-	P. Rellineceum	5
AN UR (BB) No.) 110. Ar	*	Pormula	10. of	Diet, b day	-0	95	380	91	81ng 100 100 100 100	Tor C after mg/kg:	r mg/kg:	9	~	2.5 1.	1.3 1.4		MST.
831 46-9	60-32656 Oct.	•	ClefteCing	=	6 0	9.3		9.9;03	6.4;c1	7.9 7.1	3.8	1.3	0.5	0.1				
G 8 6	W-00599	•	C15 R14C1M5	=	8.5	6	9.9;c	20.6;c2 16.4;c3	8.9 7.9	55	11	0.7	6.3					
6)2 AU-9	AB-92865 - O	-	CISRIGCINS	2	1.9	39	દ	ឧឧ	40:6.6 40:6.6	7.1	6.9	5.5	5.1					
1075 AI-26251 VR-162446	12-0-11	F 0	CaeMascifans					ស	29.9;ct	27.2;c2 D14	18.4;c1 014	10.3 DIA	4.9 5.1	2.1		23	13.0	-2 o
Pert AV-2	AV-25449 C1	f	CleMisClaws	%	0.33	×	ħ.	££	64,71 11,42	នន	8.88 9.83 9.	15.5;c2 15.9;c2 15.6;c3	11.2 11.6;c1	9.6		6. 0		0~
959 AV-8	AV-86915 O	f	C. C	88	6.20	572	ي .	2,13 82,13	ខន	29.7;C5 21.8;C4	9.2;c3 9.3;c3 11.2;c3	12.7 12.6 12.7	11.2	7.7		0.5 320	0.0	
B99 AV-2	13-C2 - 19452-AV	.	CleMicCins	2	9.098	36	•		r	នន	នន	21.8;c4 20.9;c4	19.8;c4 25.9;c3	69.69 €0.1–	0.1			
8-0 4 169	A87-92918 (CC14, CC14,	•	C10#21W5O3	2	8	- -	ខ	7.9;c1 7.9;c1	6.6	# # W.W.	0.1 0.1	0.9	6.3					

~
ž
<u>a</u>
,
2
œ,
BL
Ţ

9C 6 UM	dose		1		80.0	1.6,9 €	7.4.T.6	€.	4.	D		13.2			-21-
P. gellinaceun	Single s.c. dos	7 91/3e		<u> </u>					2.5			021			
				6 .9											
		5 2.5 1.25		6.5 4.7 1.9											
		~	•	6.5											10
		9	,	0 -								3.3			10.5 014
	986	8	;	11.5	11.7							8.3	8.5		11.9;c2 10.3 Bik Dik
	9 . C. de	9	;	16.3.5	14.7.02	•						20.6;03	014 8.5		ខ្មុ
P. berghel	Single e.c. dose		;	10.8:ck 16.3:cl									110		्र इ.स.
3 1		9		ខន									910		ខ្មុំ
!		320	;	8, 8 5, 5								S	110		ប
		95	1	t.								ខ			
		•	3	\$											
	C. 6 days	/kg/dey	;	3											
	Diec		;	35											
		Formula	:	CH ₈ C ₁ o H ₂₃ N ₅ O ₅							,	CLEBLECING) }		CLEMICINS
		~	i	.								=			=
:		4	8	St.	8						()))	0	
•		AN VR (811) Bo.		AV-58233								44-26259	WR-162439		AX-26633 WR-162889
		1	;	8								1001			100

minus the mean survivel time (days) of control chicks (MSIC). In the present study the MSIC ranged from 3.0 to 4.0 days. C designates the number of chicks surviving to 30 days post infection and termed "cured"; data to establish parasitological cure based on sub-inoculation is unavailable. I indicates the number of énathe occurring within he hours after infection which are attributed to drug action and are counted as toxic deaths. Control birds do not die before 48 hours. Each entry at each dose level represents results with a 5 animal CANST is the mean survival time (days) of trested mice (MSTT) minus the mean survival time (days) of control mice (MSTC). In the present study the MSTC ranged from fill logarithmic paper. The quinina equivalent Q is the ratio of the SDgo of quinina hydrochloride (74.5 mg base/kg/day) to the SDgo of the test substance under comparable experimental to 6.5 days. I signifies the number of toxic deaths occurring on days 2-5 after infection which are attributed to drug action. C indicates the number of mice surviving at 60 days post infection and cermed "cured"; data to astablish parasitological cure based on sub-inoculation is unavailable. MST is the mean survival time (days) of treated chicks (MSII) "Sobo represents the daily dose (mg/kg) required for 90% suppression of the parasitemis in treated mice relative to control mice. The Sobo was estimated graphically using semiconditions.

Strong antimalarial effects are also evident among a very limited series of 2,4-diamino-6-[(N-nitrosoanilino and naphthylamino)-methyl]quinazolines (26) (Table 6).

The most potent member of this series was AM-946 (AV-95,610) (27).

27 **AM-**946

AM-946 was curative for mice through 10 mg/kg SC, and was active against P. gallinaceum in chicks through 10 mg/kg. Since the structure of 27 more closely resembles the architecture of the tetrahydrofolate coenzymes, one might predict that AM-946 should have an appreciable inhibitory effect on the metabolic interconversions of tetrahydrofolate coenzymes and perhaps have a broader action against drugresistant malarias.

TABLE 6

THE ESCENSE WARRANT CONTRACT CONTRACTOR

COURSES TO PROPERTY OF THE PRO

Effects of 2,4-Diamino-6-[(H-microscanilino and naphthylamino)methyl]quinazolines Against Plasmodium berghel in Mice and Plasmodium gallineceum in Chicks

Ę	
- -	.
₹)}- Ē
\nearrow	₹
C)/"
_	٠,
	₩- <u>₽</u>

										<u>~</u> 1	P. berghet						P. gellineceun	Inece up
					٦	let, 6 days							6.c. dose				Single e.c. dose	C. 6084
¥	WR (BH) No.	*	•	Pormula	Mo. of st	/\text{1} \\ \text{1} \\ \text{1} \\ \text{2} \\ \text{3} \\ \text{4} \\ \text{5} \\ \text{4} \\ \text{5} \\ \text{6} \\ \text	~	3	350	8	8 80 1	ပ ္ခ	/ R &	<u>2</u>	~	2.5 1.25	7	2 0 C
1001	AX-25181 WR-161476	Ö	ជ	C15H11Cl3NgO				ន	នន	21.9;¢k 65	21.9;ck 13.4;c1 c5 13.4;c1	90.1	6.1	3.5			120	9.1
\$	AU-73726	Ö,	a	C15H12Cl2NeO	82	%	%		S	28.7;c3 22.8;c4	12.5	9.9 8.9	6.8	5.4 0.4	%			
1115	AX -26740		=	CleRlECIPSN60				8, 5,	62,73 Ct,711	ខត្ត	14.9;c1 10.9 bla bla		5.1	5				
*	AV-95610	Q [*]	S S)—CI GM ₉ C ₁₆ M ₁₄ Cl ₂ M ₆ O :1	12	1.15	4 5			ស	ឧឧ	នន	21.7;c4 24.9;c4	12.0;c1 9.9 11.9;c1 10.5	9.9	7	8883	15.8;c1 15.6 10.0
0111	17.65-34	ÖÖ	=	C. SHASCINGO				410	11	410	~ v.	% i.	6.0 5.0	6 .9				⊙

The 2,4-diamino-6-[[(acyl)anilino and naphthylamino]methyl]-quinazolines (28) (Table 7) are even more closely related in structure to the tetrahydrofolate coenzymes and might be expected to display strong inhibition within the interconversion cycle. Once again potent antimalarial activity is observed within this relatively limited series.

AM-954 (AV-95,996) (29) administered SC cured P. berghei through 20 mg/kg, and allowed treated mice to survive 3.9 days longer than control mice at

2.5 mg/kg. Against P. gallinaceum in chicks the drug was curative through 80 mg/kg and active through 10 mg/kg, the lowest dose tested. Once again data on drug-resistant malarias would allow a decision as to whether additional synthetic effort should be expended.

TABLE 7

Effects of 2, 4-Dismino-6-[1(acyl)snilino and nephthyleminojesthyl]quinesolines Against Plasmodium berghet in Mice and Plasmodium gallinaceum in Chicks

P. gellinece.m.	D.C. dose	T or C	8 .5;cı		19.1;02 16.1;02 18.5;01 15.0	15.0,12 15.6 6.6 6.8	;
	Blag le	3	8		ទីខិ ទិនមិត	88838	}
		1.3			÷.		
		2.5 1.25			5.3 3.9 0.3		
		~			\$.		
		2	9.5	9.3	7.9	6.9	6.3
	900	fter 4 /4	21.2;02	0.5 5.5	9-9:03 9-9:03 9-4:03	1.5	0.5 0.5
	Ingle s.c	0 0 10 10	23.9.53 23.9.53	. 1.5	3.8.5 3.8.5 3.8.5	to se 1 1 Had	2:1 5:1
2	~	61; 80	ខន	6.3	នន	6 , 6 ,	- #\ - = =
P. berghet		7 091	ឧឧ	7.5	នន	11.7	10.9 014
		330	5,2 5,13	12.5 914	5,5 5,7	C1, T4 C1, T4	13.9
		640	r.	9.9;ct	r	r.	16.9;cy 13.9 014
		*				6. •	
	lat, 6 days	(× 15.1	
	ř	6. of				23	
		Pormula	C.eM.zClsNgO	C17A1SC1F3K5O	CNe CirHisClaMsO	C1,W15C12N5O	Caon ecingo
		*	៊		5	=	=
		=	*	=		5	=
		7	Ö		ٿ ٽ	ت ن	Ö
		VR (84) No.	AL-25225 WR-161478	48-26759 WR-162884	AV-95996	AV-95585	AX-26786 WR-162899
		1	1076	9111	\$	â	6111

4. 2,4-Pteridinediamines

Ţ.,

The 6-[(arylamino)methyl]-2,4-pteridinediamines (30) prepared as nonclassical analogs of aminopterin and methotrexate, while displaying potent prophylactic effects against P. gallinaceum infections, were generally poorly active against trophozoite-induced P. berghei infections in mice. 9

However the 6-[(aralkyl)amino]-2,4-diaminopteridines (31) were found to possess extremely potent suppressive antimalarial effects against drug-sensitive lines of P. berghei in mice, and this data has been summarized. 10

Unlike the corresponding quinazoline analogs however, the 6-(arylthio)-2,4-pteridinediamines (32) were devoid of antimalarial activity.

B. 8-Aminoquinolines

A critical need in current malaria chemotherapy is for a causal prophylactic or curative agent superior to compounds such as primaquine, chlorguanide, and pyrimethamine. The disadvantages inherent in the latter two folic acid antagonist types argue for continuing efforts towards modification of the 8-aminoquinoline structures.

We have explored briefly several avenues towards a superior tissue stage agent. Unfortunately the inability to obtain primate data on our compounds coupled with the on again-off again attitude of Walter Reed toward this structural class allowed little progress in this area.

Our efforts to synthesize N-oxides of 8-aminoquinolines related to primaquine in an effort to obtain a less toxic, curative drug have been summarized in a manuscript which has been submitted to the Journal of Heterocyclic Chemistry by J. L. Johnson, D. F. Worth, N. L. Colbry, and L. M. Werbel entitled Studies on 8-Aminoquinoline-1-Oxide Antimalarial Agents.

Only fragmentary progress was made on several other approaches to the variations of the 8-aminoquinoline structure which we have proposed and details are found in the various annual reports.

Heteroatom bioisosteres of primaquine also provide a viable approach to alternative structures. We were able to prepare the oxygen isostere of primaquine, 33, but biological data could not be obtained.

33 (BH 27358, AM-2114)

C. Basically-Substituted Trichloromethylheterocycles

As part of our overall effort under previous Contract DA-49-193-MD-2754 a variety of basically-substituted trichloromethylheterocycles was synthesized that exhibited significant antimalarial effects. Although none of the compounds developed during that period reached clinical trial, it is noteworthy that representative substances from the various series were uniformly active against cycloguanil-, pyrimethamine-, dapsone-, and chloroquine-resistant lines of P. berghei in mice (vide infra). Among the several types of trichloromethylheterocycles examined, certain pyrimidines exhibited superior potential, and since these had been given only cursory attention earlier it was decided to extend the scope of these studies.

1. 2-Ary1-4-(aminoalkylamino)-6-(trichloromethyl)pyrimidines

During our work under previous Contract DA-49-193-MD-2754, several prototype compounds were prepared in the 2-(3,4-dichlorophenyl)-4-(aminoalkylamino)-6-(trichloromethyl)pyrimidine series. The most potent member of this limited series, namely AM-975 (AW 22,603) (34) was curative or active over the dose range 160-640 mg/kg.

The preparation of an additional group of these compounds was completed and structures and biological data are included in Tables 8 and 9. It is clear that suitable improvement in potency has not been achieved even among a wide variation of analogs.

TABLE 8

ASSESSED RESIDENCE RESIDENCE PROPERTY VILLEGAL REPORTED REPORTS OF THE PROPERTY OF THE PROPERT

Effect of 2-(Substituted phenyl)-4-[[(dialkylemino)alkyl]amino]-6-(trichloromethyl)-

Pyrimidines Against Trophozoite-Induced P. berghei in Mice

C13C NR-Y-NR ₁ R _P
--

				AMST or	C after	AMST or C after single s.c. dose, mg/kg	dose,	mg/kg
됩	M	×í	NR-Y-NR1R2	049	320	091	&	O 1
1707	BE-58732	ال- NO ₂	N N-CH ₃					
21.71	BE.76374	ار - NO	ин(сн ₂) _з и(сн ₃) ₂	17(e.t)		ls s		6.1
1753	BC-01046	3-CF3	N NCH ₃	5.1	2.3	0.5	0.3	0.1
1762	BG-03933	3-cF ₃	ин(сн ₂) ₃ N(сн ₃) ₂	9.1	6.9	3.1	6.0	0.1
1810	BG-32185	4-CF3	N NCH ₃	7.8	4.7	0.5	6.0	0.1

9	0.3	0.5	0.5	0.3	0.3	0.5	0.5	0.3	0.1	0.5	0.5
&	0.3	1.1	0.5	0.5	0.7	0.5	7.0	1.1	0.3	0.5	0.5
160	3.0	7.4	3.7	4.5	3.5	1.1	1.1	2.1	2.3	1.1	1.1
320	6.5	6.6	13.5	12.4;c 1	14.9	3.9	6.4	5.5	3.9	4.1	3.3
049	6.6) 2C	;	}	}	D14	11.1	12.9(3c)	11.4(3c)	13.6(2C)	11.9(2C)
NR-Y-NR1R2	N NCH ₃	NH(CH ₂) ₃ N(CH ₃) ₂	NH(CH ₂) ₂ N(C ₂ H ₅) ₂	NH(CH ₂) ₂ N CH ₃	NHCH ₂ C ₂ H ₅	NHCH ₂ CH ₃	nhch(ch ₃) ch ₂ n e t ₂	2 NHCH $_{\mathrm{E}}$ CH 2 CH 3) N 2 CH 3	NH N-Et	n(ch3)ch2ch2n(c2h5)2	NH(CH ₂) ₄ N(CH ₂) ₄
×ı	3,4-612	3,4-612	3,4-612	3,4-C12	3,4-C1 ₂	3,4-612	3,4-612	3,4-Cl ₂	3,4-C12	3,4-612	3,4-C12
BR	BG-37975	AW-22603	AX-58055	AX -58064	AX-58297	AX-58304	BG-58303	BC-60750	8 c-607 69	BG-60778	BC-60830
¥	1813	975	127.1	1128	= 2 2	1153	1898	1907	1908	6061	5161

legge signifie, substates substates apartable autopolics allegation copposits substates because appropri

TABLE 9

Effect of 2-(2-naphthyl)-4-{[(dialkylamino)alkyl]amino}-6-(tri-chloromethyl)pyrimidines Against Trophozoite-Induced P. berghei in Mice

AM	BN	NR-Y-NR ₁ R ₂	AMST or C	after	single	8. C.	dose mg/kg
			640	320	160	80	40 20
1818	BG-37519	N N-CH3	1.7		0.5		0.3
1852	BG-44621	$\mathrm{NHCH}(\mathrm{CH_3})\mathrm{CH_2N}(\mathrm{CH_3})_{2}$	5.5	2.9	0.5		0.3
1853	BG-44630	$N(CH_3)CH_2CH_2N(Et)_2$	5.3	2.9	0.7	0.3	0.1
1858	BG-46732	$N(CH_3)CH_2CH_2N(CH_3)_2$	1.1		0.5		0.5
1863	BG-46787	$NHCH_2CH(CH_3)N(CH_3)_2$	10.4(3c)	5 .3	2.3	0.3	0.1
1868	BG-47346	$N(C_2H_5)CH_2CH_2N(CH_3)_2$	5.1	1.9	0.3	0.3	0.1
1881	BG-56603	N(C2H5)CH2CH2N(Et)2	0.7		0.7		0.1

2. 2-(Aminoalkylamino)-4-aryl-6-(trichloromethyl)pyrimidines

In view of the early promise of the 2-aryl-4-(aminoalkyl-amino)-6-(trichloromethyl)pyrimidines we prepared representative examples of the isomeric 2-(aminoalkylamino)-4-aryl-6-(trichloromethyl)pyrimidines (35).

$$Ar = N \qquad N \qquad N \qquad NR-Y-NR_1R_2$$

$$\frac{35}{N}$$

Thirty compounds were prepared in this series, and their structures and biological data are summarized in Tables 10-13. Although early results appeared quite promising, we have been unable thus far to bring the potency of this class up to the desired level.

TABLE 10

esessoral processoral Necessoral proportion processoral

Effects of $2-\{(Dialkylamino)alkyl]amino\}-4-(2-naphthyl)-6-(trichloromethyl)-6-(trichloromethyl)-6-(finitello$ Pyrimidines Against Trophozoite-Induced P. Berghei in Mice

₆ 122		NR-Y-NR1R2

			AMST OF C	after sing	le s.c.	AMST or Cafter single s.c. dose, mg/kg	
₹I	EN	NR-Y-NRIR	049	320	160	&	04
1695	BE-58205	NH(CH ₂) ₄ N(CH ₃) ₂	j i	i i	!	;	ŀ
9691	BE -582 14	NHCH2 CH2	7.1	!	1.7	;	0.1
1703	BE- 58698	તા ₃ NH(CH _E), N(CH _E) 4	9.1	5.3	1.9	7.0	0.5
1678	B E- 66761	N NCH ₃	6.5	2.9	0.5	0.3	6.0
1758	BG-03899	NHCIP N-C2H5	0.3	;	0.1	ŀ	0.1
1763	BG-03942	инс н ь сн _в и(сн _з) ₂	7.6	6.9	5.9	0.5	0.5

۰,
o a g c d
1
<u> </u>
BLE
4

33

≱	Na	NR-Y-NR1R	640	320	91	&	₹,
1720	BE-76427	NH(CH ₂) ₃ N(CH ₃) ₂	(6.11) 37 70 (10.9)	<i>[</i> -7.	<u>े</u> र	770	ડી
1735	BE-79900	nhch _e ch _e n(c ₂ h ₅) ₂	13.4;30	6.7	4.7	6.0	0.
1736	BE-79919	NH(CH _E) ₃ N(C ₂ H ₅) ₂	11.9;30	6.7	3.3	1.7	0.

TABLE 11

Effects of $2-\{[(Dislkylamino) dkyl]$ anino}- μ - $(\mu$ -chlorophenyl)-6-

(trichloromethyl)pyrimidines Against Trophozoite Induced P. Berghei in Mice

			AMST or	AMST or C after single s.c. dose, mg/kg	ngle a.c.	109e, mg/kg	
₹	BN 	NR-Y-NR1R2	049	320	160	80	04
6171	8 E -76418	NHCH ₂ CH ₂ N CH ₃	10.4;30	5.5	2.1	0.3	0.3
1730	B E -79857	NHCH ₂ CH(CH ₃)N(CH ₃) ₂	2 ¢	9.5	6.3	2.9	7.0
1.5.1	B E -79875	NHCH ₂ CH ₂ N(C ₂ H ₅) ₂	2 c	11.9;3c	4.5	2.1	0.3
1734	BE -79893	NHCHe N-C2H5	9.0	;	7.0	;	0.2
1684	BE-67099	N NCH ₃	3.9	1.7	0.5	0.3	0.1

TABLE 12

 $\textbf{Effect of $2-\{[(Dislkylamino) * lkyl] ``mino} - 4-(3,4-dichlorophenyl) - 6-(trichloromethyl) - 6-(trichlo$ Pyrimidines Against Trophozoite-Induced P. Berghei in Mice

$$c_1 - \bigcirc \qquad cc1_3$$

$$c_1 - \bigcirc \qquad N$$

$$c_1 - \bigcirc \qquad NR-Y-NR_1R_2$$

			AMST or	AMST or C after single s.c. dose, mg/kg	gle s.c. d	08e, mg/kg	1
¥	BN	NR-Y-NR, Re	049	320	160	&	01
1675	BE-66734	N NCH ₃	9.1	5.5	2.9	0.5	0.3
1685	BE-67 106	NH(CH ₂) ₃ N(C ₂ H ₅) ₂	6.3	3.7	2.1	0.3	0.3
8691	BE-58545	NH(CH ₂) ₃ N(CH ₂) ₄	8.2	5.7	2.8	0.5	6.0
1731	38- 79866	инсн _е сн _е и(С ₂ н ₅) г	20	9.3	5.3	1.7	0.5
1733	8E-79884	NHCH ₂ N-C ₂ H ₅	1.0	}	9.0	1	9.0
1718	BE-76409	$NH(CH_2)_2 \left(\frac{N}{N} \right)$	11.9;3c 1T	8.9;10	5.3	1.9	0.3

TABLE 13

Effects of 2-{[(Dislkylamino)alkyl]amino}-L-(substituted phenyl)-6-(tri-chloromethyl)pyrimidines Against Trophozoite-Induced P. Berghei in Mice

$$X \xrightarrow{\text{CC1}_3} N$$

$$NR-Y-NR_1R_2$$

<u>AM</u>	BN	<u>x</u>	NR-Y-NR ₁ R ₂	_	or C &		mg/kg	
				640	320	160	80	40
1921	BG-63475	4-0CH3	$\mathrm{NH}(\mathrm{CH}_2)_2\mathrm{N}(\mathrm{Et})_2$	9.2	3.7	0.5	0.3	0.3
1928	BG-63546	4-0CH ₃	$N(CH_3)CH_2CH_2N(Et)_2$	4.9	1.9	0.5	0.3	0.1
1935	BG-66878	3-Br	$NH(CH_2)_2N(Et)_2$	4.2	1.1	0.5	0.5	0.5
1936	BG-66887	3-CF3	$NH(CH_2)_2N(Et)_2$	7.9	3.3	2.5	0.1	0.1
1937	BG-66896	3-Br	$N(CH_3)CH_2CH_2N(Et)_2$	3.9	2.1	0.3	0.3	0.1
1938	BG-66903	3-Br	$\mathrm{NH}(\mathrm{CH}_2)_{3}\mathrm{N}(\mathrm{CH}_3)_{2}$	6.5	3.5	2.1	0.3	0.3
1943	BG-70505	4-оснз	NHCH2CH(CH3)N(CH3)2	8.1	4.3	0.5	0.3	0.3
1944	BG-70514	3-CF3	$N(CH_3)(CH_2)_2N(Et)_2$					
1950	BG-70970	3-0CH ₃	$\mathrm{NH}(\mathrm{CH}_2)_3\mathrm{N}(\mathrm{CH}_3)_2$	3.9	0.7	0.1	0.1	0.1
1955	BG-71020	3-0CH ₃	$\mathrm{NHCH_{2}CH(CH_{3})N(CH_{3})_{2}}$	0.9 (2T)	~-	7.0		0.3
1960	BG-72456	4-F	$\mathrm{NHCH_{2}CH(CH_{3})N(CH_{3})_{2}}$	10.9;3C	6.1	5.1	0.5	0.5
1961	BG-72465	4-CF3	NHCH2CH2N(Et)2	10.4	5.9	4.5	0.9	0.3
1962	BG-72474	3-0CH ₃	$N(CH_3)CH_2CH_2N(Et)_2$	2.9;17	0.5	0.5	0.3	0.3
1963	BG-72483	4-F	N-CH3	0. 9	~ -	0.3		0.1
1964	BG-72492	4-F	NHCH2CH2 N	7.5	4.7	2.5	0.3	0.3
1945	B G - 70523	3-CF ₃	NH(CH2)2N(Et)2	6.7	5.5	0.7	0.1	0.1

TABLE 13 - page 2

AM	BN	X	NR-Y-NR1Re		rorca gles.c		, mg/i	rg	
				5 40	320	160	80	40	
1969	BG-74969	4-F	$\mathrm{NH}(\mathrm{CH}_2)_4\mathrm{N}(\mathrm{CH}_3)_2$	ó.9	4.7	0.7	0.3	0.3	
1984	BG-81508	4-CF3	N-CH3	3 c : 3 . 9	6.5	4.9	0.1	0.1	
1985	BG-81517	4-CF3	$\mathrm{NH}(\mathrm{CH}_2)_3\mathrm{N}(\mathrm{CH}_3)_2$	11.9:20	11.2;20	10.9	0.3	0.3	
1986	BG-81526	4-CF3	N(CH ₃)CH ₂ CH ₂ N(Et) ₂	11.9	10.3	8.7	0.3	0.1	

3. 2-(Aminoalkylamino)-4-(trichloromethyl)pyrimidines

The synthesis of 2-(aminoalkylamino)-4-(trichloromethyl)-pyrimdines 36 represented an attempt to simplify, rather than complicate, the structure of the potent 2-amino-4,6-bis(trichloromethyl)pyrimidine antimalarials.

The ten analogs prepared are listed along with the available biological data in Table 14. None of these compounds has shown evidence of significant antimalarial activity.

TABLE 14

Effects of 2-(Aminoalkylamino)-4-(trichloromethyl)pyrimidines
Against Trophozoite-Induced P. berghei in Mice

$$N$$
 $NR-Y-NR_1R_2$
 $CC1_3$

<u>AM</u>	BN	NR-Y-NR1R2	MST or (after	single s	.c. do	se, mg/kg
			640	320	160	80	40
1771	BG-10643	$N[(CH_2)_2]_2NCH_3$					
1775	BG-11551	NHCH ₂ - N-C ₂ H ₅	0.9(21)		0.3		0.3
1776	BG-11560	NHCH2CH2 N CH3					
18 28	BG-41522	NH-C ₆ H ₃ -3,4-Cl ₂	0.5		0.5		0.5
1829	BG-41531	NH -OCH3 CH2N(C2H5)2	0.9		0.3		0.3
1893	BG-58250	NHCH2CH(CH3)N(CH3)2	Т		0.3		0.1
1847	BG- 44578	NHCH2CH2N(C2H5)2	0.9(3 T)		0.3		0.1
1869	BG-47355	$NHCH_2CH_2CH_2N(CH_2)_4$	5 T		1T(0.4)		0.3
1872	BG-56014	$\mathrm{NHCH_{2}CH_{2}CH_{2}N(CH_{3})_{2}}$	0.3		0.1		0.1
1877	BG- 56569	NH- N-C2H5	0.3		0.1		0.1

4. 4-(Aminoalkylamino)-2-anilino-6-(trichloromethyl)pyrimidines

The promising antimalarial activity of the 2-(chloro-anilino)-4-amino-6-(trchloromethyl)-s-triazines against sensitive, chloro-quine-resistant, and cycloguanil-resistant lines of P. berghei stimulated the preparation of representative pyrimidine analogs. The 4-(aminoalkyl-amino)-2-anilino-6-(trichloromethyl)pyrimidines 37 prepared and the

$$\begin{array}{c}
NR-Y-NR_1R_2\\
N\\CC1_3\\
37
\end{array}$$

biological data available thus far are summarized in Table 15. The limited potency of the compounds tested to date do not offer much encouragement for additional effort.

TABLE 15

Effects of 4-(Aminoalkylamino)-2-anilino-6-(trichloromethyl)pyrimidines
Against Trophozoite-Induced P. berghei in Mice

AM	BN	NR-Y-NR1R2	MST or C	after	single	s.c.	dose, mg/kg
			640	320	160	30	40
1800	BG-22134	$N[(CH_2)_2]_2N-CH_3$	9•3	6.3	2.7	0.5	0.3
18 12	BG-37966	$\mathrm{NH(CH_2)_3N(CH_2)_4}$	12.3	7.1	2.9	0.5	0.5
1854	BG-46698	$\mathrm{NH}(\mathrm{CH}_2)_2\mathrm{N}(\mathrm{C}_2\mathrm{H}_5)_2$	11.1		2.3		0.3
1855	B3-46705	NH(CH ₂) ₂ CH ₃	12.4(3c)	9.9	2.9	0.5	0.5
1357	BG-46723	$NHCH(CH_3)CH_2N(CH_3)_2$	11.4(4c)	5.3	2.5	0.3	0.1
1866	BG-47323	$\mathrm{NHCH}_{2}\mathrm{CH}(\mathrm{CH}_{3})\mathrm{N}(\mathrm{CH}_{3})_{2}$	9.9	6. 7	2.9	0.3	0.1
1374	BG-56032	$\mathrm{NH}(\mathrm{CH}_2)_3\mathrm{N}(\mathrm{CH}_3)_2$	11.9(20)		4.3		0.1
1914	53-60821	NH - N-C2H5	9.9	3.9	1.5	0.3	0.3
1916	3G-60849	NH S N(C2H5)2	8.1.7.9	5.1	2.1, 1.9	0.5	0.3

5. 2-[(Aryl and Benzyl)thio]-4-amino-6-(trichloromethyl)-s-triazines and 2-Amino-4-[(Aryl and Benzyl)thio]-6-(trichloromethyl)pyrimidines

Various triazine and pyrimidine derivatives which violate structure-activity requirements among pyrimethamine and cycloguanil relatives have been shown to exhibit promising antimalarial activity against both drug-sensitive and drug-resistant lines of P. berghei in mice. These 1-(phenyl)-3-[4-amino-6-(trichloromethyl)-s-triazin-2-yl]-guanidines, 2-(anilino)-4-amino-6-(trichloromethyl)-s-triazines, 2-phenyl-4-amino-6-(trichloromethyl)-s-triazines and 2-amino-4,6-bis(trichloromethyl)pyrimidines were, therefore, of interest for reinvestigation in the light of the current problem of drug resistance.

Preliminary test results with representative compounds of the above chemical types in antifolic acid assays indicate that the compounds lack appreciable effects on the folic acid cycle, which clearly suggests that the mode of action of these substances is qualitatively different from the dihydrofolic reductase inhibitors.

The remarkable antimalarial effects of the above compounds against drug-resistant lines, together with the promising antimalarial profile of the 2,4-diamino-6-[(aryl)thio]quinazolines suggested the preparation of hybrids of these two basic structural types.

Although most of our synthetic efforts in this area were unsuccessful we were able to prepare 38a,b. Data on the trichloromethyl derivatives are most encouraging and suggest the preparation of other variations in this series with particular emphasis devoted to the synthesis of 38R = 4-Cl.

- a) $R = 4-NO_2$; 3-CF₃ AM-1878 (BG-56578)
- b) $R = 4-NO_2$ AM-1897 (BG-58296)

D. Amodiaquine Related Structures

A unique series of highly active amodiaquine related structures has been developed. Antimalarial data on the series is presented in Table $\underline{16}$.

Preclinical toxicology has been completed on WR-228528 (39, AM-1900) and a decision on further studies is awaited. The approved USAN name for this material is Tebuquine.

TABLE 16

Rffects of 5-[(7-Chloro-4-quinolinyl) amino]-5-[(sikylamino)methyl]-6-i1,1'-biphanyl]-2-ole and W -oxides Against Trophozoite-Induced P. berghei in Mice

							deter efte	MIST after single e.c. dose	c. 4000			
=	=	-	MRIP	×	049	320	991	æ	3	8	2	v
1716	16.163 (3)	Co.R.	H(Rc) ₂	0	દ્ર	X	8	88	% ×	5c 19.7	5c 2d(11.9) · 5.1 19.7 10.1 0.7	5.1 0.7
2007	MG-89273	C _o M _s	N(Bc) ₂	-	5	30(24.9)	8	2¢ 19.9)	1d 15.4) 2d 29.6)	13.9 10 17.4)	1.1	
1725	18. 19159	4-C1-Ceffs	N(Bt)2	o	10(11.9)	19 11.9) 29 11.2)	kg 11.9)	×	X	10(33.7)	193.7) 1930.2) 20.7	20.1
1739	BE-85739	4-C1-C9H4	H(Et)2 4 0	0								
1481	BG- 37573	4-CI-C ₆ H4	N(BE) p		25	×	ž	×	şç.	30 20.9)	3d 20.9) 2d 14.2)	
1900	BG-59793	k-C1-C ₆ H4	BRC- B	٥	16.7	16.7 10(16.4)	20(15.2)	30(14.9)	&c(19.9)	30(14.4)	40(19.9) 30(14.4) 20(14.9) 10(11.4)	id 11.4)
1933	DC-66AB50	4-C1-CoH	NHt - Bu	~	4c(13.9)	40(13.9) 40(13.0)		30 13.4) 20(20.6) 40(24.9) 40(28.9) 10(26.3) 10(10.3	40(24.9)	kg 28.9)	10(26.3)	10 10.3

15.5 -46-0.3 0.7 -0.1 13.1 1c(15.2) 23.7 15.5 9.7 **2.6** 0.7 15.7 20(17.2) 16.5 6.9 6.2 6.9 0.1 0.0 9.0 15.7 19.0 10.5 12.0 20(25.2) 30(29.4) 30(37.5) 20(25.3) 5c 3c(40.9) 10(25.9) 30(23.4) 20(28.9) 10(21.2) 10(19.9) 20.0 30(24.1) 9.1 4.6 6.3 7.9 6.9 3.5 3 20(25.6) 20(14.9) 20(31.9) 20(28.2) 20(14.9) 4c(33.4) 11.7 20(25.7) 10(30.2) 8.7 3.6 **8.8** 8.6 8 چ 4c(31.9) 40(21.9) 30(32) 21.1 20(18.7) **4c**(21.4) 5c 40(41.9) 50 2¢ 18.9) 2¢(18.9) 23.1 20(29.1) 30(38.6) 4c(27.4) 3c(31.6) 2¢(8.9) 11.9 6.5 6.0 6.9 20(25.1) 2 10(24.9) 40(41.9) 2c(§7.9) 4c(21.9) 30(21.9) 20(37.9) 10(36.2) 3¢(25.9) 30(24.4) 24.0 8.8 7.8 8 ß X 40(29) 30(17.9) 40(27.9) 40(50) 4C(21.9) 30(16.4) 30(33.9) 40(23.6) 10(27.1) 8.7 5c 4c(22.6) 10(13.9) 8.6 3¢(10.9) 17.2 30(37.4) 9 Š ပ္တ ñ 88 MR. Re N(Et)2 H(Bt)2 N(Bt)2 N(Bt) N(Et)2 H(Et)2 N(Bt)2 N(Et)2 H(Bt)2 N(Bt)2 H(Bt)2 H(Bt)2 2,5-(OMe)2-CeR3 2,5-(OMe)e-CoH3 3,4-Cle-Coll3 3, 4-Cle-CeRs 3,4-C12-CeH3 3,4 -C12-CeH3 3-CF3-CgH4 3-CF3-CeH4 2-0Me-C₆H₄ 2-0Me-C₆H₄ 2-C1-C9H4 3-C1-C.H. 3-C1-C.H. 2-C1-C.H. MG-94827 BG-89120 BG-89139 BC-89148 BC-94818 BH- 10586 IC-89157 IC-94836 ac-94845 MR-09118 MI-10620 M-10595 M-09127 BH-10675 2010 2 2012 803 ₹ 8 88 88 8 30,5 3041 6408 8 8 8 2058

TABLE 10 - page 2

TABLE 16 - page 3

ans comme, where were

₹		4	M. Ne	*	049	8	991	9	2	8	2	N
20%	BR-10684	3,4-C12-CoH3	NMC(CH ₃) 3	0	4c(16.4)	30(14.4)	40(13.4)	4c(30.4)	30(27.4)	10(10.5)	7.6	6.1
2051	BIF- 10602	3, 4-Cle-CeH3	NHC (CH ₃) ₃	-	50	30(25.9)	10(25.9)	10(23.2)	12.0	5.9	2.9	0.5
2060	BH- 10693		N(E¢)2	0	20(8.1) 8.4	10(11.2)	6.6 4.4	5.8	1.8	0.3	0.7	
3002	BR- 10719		M(Bt) 2	-	1 c (12.9) 9.8	1.6		3.0	40.4	0.0		
2061	BH- 10700	4-0CH3-CeH4	H(Et) ₂	0	%	3¢(28.9)	20(16.1)	10(12.4)	10.0	4.3	5.9	0.1
5063	DH-13416	4-OCH3-CeH4	N(B¢) ₂	-	40(27.4)		7.3 10.2		5.5	5.9	1.1	0.1
2118	BN-27394	4-CR3-CoH4	N(Bt)2	0	20.5	14.5	1c(9.8)	6.5	5.3	3.3	1.6	4.0
2120	BM-274 NO	k-CN3-C ₆ H₄	N(E¢)2	-	10.5	15.7	5.1 10.4	£:3	 	1.5		
2128	BH-30177	3, 4-(00Hs)2-CoHs	H(St) 2	0	ν.	*	*					
5129	BH-30186	3,4 (OCH ₅) ₂ -C ₆ H ₃	N(E¢)2		5A	4	3					
2167	DR-35216	k-c1-c _e H₄	CH ₃ - NHCHC ₂ H ₅	0	5c (14.2)	1C(12.5)	3c(11.9)	3c(14.0)	LC(30.1) LC(15.0)	3c(21.0)	23.6	11.0
21%	BR-35949	k-cl-CeH4	CH ₃ HRCHC ₂ H ₅	-	3c(16.6)	3c(17.1)	lc(17.6)	3c(23.6)	4c(28.6) 3c(24.3))c(22.6)	7.2	3.6
2174	BH-38226	4-C1-C ₆ H ₄	NHCHECH (CH ₃) ₂	0	3c(14.1)	20(11.3)	⊌ c(7.6)	50	kc(37.6)	SC(19.6)	14.8	5.5
2187	19067-He	C ₀ H ₅	NHC(CH ₃) ₃	0	1C(16.8)	10(12.3)	1c(12.8)	10(27.3)	æ(20.2)	10(14.8)	29.5 15.7	13.7
2168	ВИ-39036	CeMs	MHC(CH ₃) ₃		3C(14.0)	30(14.5)	20(23.2)	10(15.5)	10(21.0)	10(21.0)	12.5	ē.5
2199	BH- 48026	4-CP3-CoH4	H(Bt)2	0	10(17.0)	10.1	20(12.2)	20(17.5)	æ(21.9)	10(18.9) 11.0		8.0

-48-

									-4	8–						(9
~	11.8	13.6	3.8	14.2	17.6	0.5	•		;	5.1		8.9	<u></u>	•	•	10(10.0
2	10(9.5) 10(10.4) 11.8	10(27.9)	6.9	20.4	1c(17.8)	5.0	•		•	10.5	•	10(16.5)		+	•	1c(8.6)
8	10(9.5)	3c(33.6) 1c(27.9)	13.6	3c(36.8)	3c(27.8) 1c(17.8)	1c(6.1)	3.2		•	21.4	0.5	4c(17.6) 1c(16.5)	10(13.1)	•	5.6	16(13.6) 16(0.6) 16(10.6)
3	20(16.8)	30(17.2)	10(24.4)	&c(18.8)	3c(26.3)	10(14.6)	9.6	20(13.6)	1.8	20(23.6)	9.6	10(12.4) 40(10.6)	36(23.6) 16(21.4)	•	5.1	10(19.6) 10(21.0)
8	10.7	30(19.7)	1c(27.6)	LC(45.4)	3c(21.9)	12.6	8.0		4.8	kc(23.6)	11.0	10(12.4)	3¢(23.6)	6.	1.8	10(19.6)
160	10(14.5)	3c(13.2)	æ(56.6)	3 C	50	24.0 hc(9.6)	30(42.6)	12.8	6.8	2 C	10(24.1)	(6.11.9)	4c(20.6)	3.0	2C(14.4)	4c(18.8)
350	15.1	20(12.7)	4c(29.6)	10(14.4) 50	30(17.9) 50	24.0	21.2		3.6)	4c(8.6)	46(41.6) 16(24.1)	9.91	4c(17.6) 4c(-0.4) 4c(20.6)	1c(5.1)	3c(39.2) 3c(15.8) 2c(14.4)	3c(34.8) 4c(57.8) 4c(18.8)
049	3C(11.7)	10(16.5)	3c(18.1)	10(18.7)	30(19.6)	30(34.4)	30(25.2)	14.8	10(4.1)	20(13.8)	4c(0.6)	14.4	LC(17.6)	10(9.1)	3c(39.2)	ን ር(ጓ ቱ .৪)
×	0	-	0	•	_	•										
7	Ū		0	0	-	CN3)2 0	CH ₃) ₂ 1	•	•	-	_	0	0	-	•	0
MRIE	NHC(CH ₃) ₃	M (C2 Hz) 2	¥(<u>n</u> -C3H7)2	N(CH ₅)2	N(CH ₃) ₂	N(CH2CH2CH2CN3)2	n(ch ₂ ch ₂ ch ₂ ch ₃) ₂	N(C2Ms)2	N(C2Ns)2	N(C2Hs,)2	N(C2Ns)2	NHC(CH ₃) ₃	New September 1	N(C2H4)?	N(C,H,)2	N(C ₂ M ₅ ,) ₂
۷	4-CF3-C9N4	4-CF3-CoM4	1-12-Coll.	4-C1-C.H4	4-C1-CeH4	h-c1-ceH4	b-C1-CeR4	la-F-C _G H₄	b-OH-C _O H4	4-F-CoH4	4-C1-CeM4	4-F-C ₀ H4	4-C1-CeH4		÷	> =
	BH- 48035	BR- 48044	BR-74044	BH-76226	DM-76235	III- 76253	BH-76262	BH-81549	BH-81852	19818-на	BH-84031	ви-вьофо	BH-84059	м-89134	BH-89143	BH-89152
=	2500	2201	2310	2313	2314	2316	2317	23.19	23.29	2330	1111	Case	2343	2353	2354	2355

ABLE 10 - page

\$3000000, REGULE RETEXAGE 85555000 200000000 REPUBLIS SESSONO SSSSSON (SSSSSON BEDDING RESS

¥	3	•			640	55	5	S	9	5	
1	il	11	*	11	2	96	3	3	9	8	2
2356	M-89750	Ø	N(C ₂ H ₅) ₂	0	3C(20.8)	10(21.2)	æ(17.8)	10(11.5)	12.2	5.5	
2357	89769 ж		N(C ₂ M ₅) ₂	-	3C(21.9)	%(21.9) æ(12.6)	10.7	8.3	5.7	3.8	
2360	96169-WE	2-CF3-CeN4	H(C ₂ M ₅) ₂	0	4c(20.7)	4C(20.7) 4C(30.7)	3 C	10(25.5)	10(30.0)	11.11	
1962	848-89803	2-CP3-CoH4	N(C2Hs)2	-	5	5	4C(34 3)	7,	:	•	
2362	BM-96228	3-P-CeH4	M(C2H3)2	0	14 DAY ONLY	<u>ئ</u> ۲		•		<u>:</u>	
2363	MI-96237	3-F-CoH4	M(CH ₂ CH ₃) ₂	-	:						
2364	34296-IM	4-CR38-CeH4	M(C2Ms)2	0	:						
2365	MI-96255	2-F-C ₀ H4	N(C2Ms)2	0	:						
2366	BH-96264	2-F-C ₀ K4	N(C2H3)2	-	:						-4
2367	BH-96275	BH-96275 4-CH3S-CeH4	N(C ₂ M ₅) ₂	-	:						9-
2454	BJ-39451	2, 3. Pa-CGB	N(CeHs)2	•	40(13.9		3 C		S C	10(22.3)	10(16.7)
2455	87-39460	2,6-Fg-CgAs	N(C2Hs)R	•	3 C	30	\$ C	2C(24.1)	2C(24.6)	17.0	8.3
24.78	BJ-45628	2,3,4,5,6-Co Fs	M(C2R)2	0	20		20		1C(22.9)		
2480	BJ-45646	8J-45646 4-C1-4014	NHAdament y 1	0							

Adding additional excitement to this area was the discovery that compounds in this series showed prolonged protection against parasite challenge (>21 days) upon oral administration. This finding kindles the hope of being able to select a candidate from this structural class which would offer clinically oral activity after a single dose against both sensitive and chloroquine resistant strains of plasmodia as well as protection of personnel in an endemic area for a month or more.

Of the compounds examined in the repository drug test the two most active compounds were AM-2199 (WR 236,332) and AM-2200 (WR 236,337).


At a drug level of 64 mg/kg AM-2199 displayed complete curative activity and AM-2200 was moderately active through the 21 day challenge. Clearly data is not yet available to allow a correlation between curative activity and repository activity, and we presume that studies to provide such information are on-going.

CONTRACTOR STREET

Introduction of a methylene 40 or a sulfur spacer 41 between the aromatic rings led essentially to complete elimination of the activity (Table 17). Several attempts were made to introduce an oxygen spacer but neither required intermediate 4-Cl-C6H4-O-CH2COCH3 nor 4-CF3-C6H4-O-CH2COCH3 could be prepared satisfactorily.

TABLE 17

Effects of 4-[(7-Chloro-4-quinolinyl) amino-2-[(alkylamino)methyl]. ... (aryl-spacer)Phenols and Nw-oxides Against Trophozoite-Induced P. berghei in Mice




						Ams arter single 8.c. dose	er singi	B. C. 40	200	
₹	E	Ar -Sp	NR1R2	×	049	320	160	8	9	8
1977	BG-78976		N(Et) ₂	0	7.9	7.8	3.7	3.4	1.7	0.2
1978	BG-78985	aH3cH ₆ O	N(Et) ₂			ባ†ነ	5.4	4.2	2.0 0.4	4.0
2044	BH-09145	4-CI-CaH4-S	N(Et)2	0	13.1		10.1		7.3	3.0
2052	BH-10611	ВН-10611 4-C1-C _G H ₄ -S	N(Et)2	-	17.71	9.0	1.6	3.4	4.1	0.5

To investigate the effect of bulk in the 6-position, a t-butyl group was introduced in place of the phenyl group (42). Once again biological activity was completely eliminated. However, replacement of the t-butyl by cyclohexyl (43) restored a substantial portion of the antimalarial activity (Table 18). It seemed imperative therefore to examine a variety of 6-aliphatic analogs. Therefore a small series as indicated in Table 18 was prepared. Substantial activity is retained by at least some of these analogs.

To examine the role of the quinoline ring several analogs were prepared wherein alternative nitrogen heterocycles were incorporated, namely 44-46. Although significant biological activity is retained in these structures (Table 19) no significant advantage is evident and therefore no additional work along these lines was undertaken.



Effects of $\psi_{-}[(7-\text{Chloro-}\psi_{-}\text{quinolinyl})]$ amino]-2-[(alkylamino)methyl]-6-(alkyl)Phenols and Nw-oxides Against Trophozoite-Induced P. berghel in Mice



do se
8. C.
single
after a
MST a

						_	_4	.=	_	•		_	_
	٢					0.9	0.1	=	0.8	1.2	9.0	1.4	3.8
	2					6.1	3.7	11.1	3.0	7.0	1.4	9.8	4.6
	82	0.1	0.1	0.5	0.5	12.1 14.6	5.5	18.1 1c(15.9)	11.8 9.2	10.4	7.6 6.6	18.0 1C(19.7)	12.6 13.1
,	Q .	0.5	1.7	5.7	3.9	1c(12.4) 2c(i9.7)	1c(13.2) 1c(8.0)	3c(27.9) 2c(19.9)	1c(15. 5) 2c(16. 2)	1c(13.0) 2c(18.5)	2c(14.3) 1c(10.6)	2c(27.7) 22.1	20.9 2C(18.7)
	08	1.7	5.9	2c(10.6)	8.5	2C(20.7)	3c(10.9)	4C(25.4)	10(15.5)	4c(13.7)	1c(11.5) 2c(14.3) 1c(10.6)	2c(29.4)	21.9
1	160	1.9	4.1	Σς	30(22.4)	4c(14.4) 1c(16.9)	2C(13.4) 2C(45.1)	5c 2c(23.6)	10(21.7) 20(24.2)	3c(17.2) 4c(20.7) 5c	3c(13.0) 3c(14.3)	1c(40.2) 3c(24.0)	2 c(30. 0) 5c
	320	5.9	6.7)c	4c(24.9)	4c(34 . 4)	3c(13.4)	2 C	10(29.7)	3c(17.2)	3c(19.0)	2 C	3c(39.7)
	01/9	6.3	6.1)C	50	4C(27.4) 4C(41.6)	4c(1.4) 3c(0.0)	5c 5c	4c(23.7) 5c	5c 5c	5c 3c(20.8)	5c 5c	50 50
	×	0	-	0	1	0	_	0		0	1	0	-
	NR ₁ R ₂	$N(Rt)_2$	N(Et)2	$N(Et)_2$	N(Et)2	N(Et) 2	N(Et) ₂	N(Et) 2	N(Et)2	N(Et) 2	N(Et) 2	N(Et) ₂	N(Et) 2
	V) сн ₃) зс) (сн ₃) зс	$C_{\Theta}H_{1,1}$	CeH11	SH ₅	C ₂ H ₅	сн(сн _з) г	сн(сн _з) ₂	снз	СН3	сн(сн ₃) с ₂ н ₅	сн(сн ₃) с ₂ н ₅
	BR	RG-72447	RG-74932	RC:-74941	BG-74950	вн- 10648	вн- 10657	вн- 10666	вн-13578	вн-13550	вн-16168	вн-13587	вн-13596
	₹	1959	9961	2961	1968	2055	2056	2057	2077	2075	2082	2078	2079

TABLE 19 Effects of 44-46 Against Trophozoite-Induced P. Berghei in Mice

			MST After	Single SC De	o s e	····
	640	320	160	80	40	20
44	5C	46.9; 4C	40.2; 2C	25.6; 2C	20.4; 1C	23.2; 10
45	18.4; 1C		8.7		4.1	
46	5C		5C		25.9; 3C	

Data against resistant strains obtained with members of this class are also of particular interest. Thus whereas amodiaquine is more than 40-fold cross-resistant with chloroquine, and cycloquine is some 120-fold cross-resistant with chloroquine at its SD70, the novel 6-aryl substituted analog 47 exhibited no cross-resistance with chloroquine, although it did show cross-resistance to mefloquine and to quinine. In an effort to substantiate this data an additional test indicated that 47 demonstrated no cross-resistance to chloroquine at its SD70 but greater than 100-fold cross-resistance at its SD90.

In addition studies in owl monkeys infected with trophozoites of resistant-strain parasites revealed that both 47 and 48 were curative versus the chloroquine-quinine-pyrimethamine-resistant Vietnam Smith strain of P. falciparum and the chloroquine-quinine-resistant, pyrimethamine susceptible Vietnam Oak Knoll strain administered orally at 2.0 mg/kg/day for three days and that 39 cleared the parasitemia (blood films negative for at least three consecutive days - curative tests information not available) of the Vietnam Smith, Vietnam Oak Knoll and the pyrimethamine-resistant Uganda Palo Alto strain of P. falciparum when administered orally at 1.0 mg/kg/day for three days.

E. Diaminopyrimidines

Two approaches were utilized toward the development of a novel antimalarial agent from this general class, and will be summarized below. The first appeared quite successful but still awaits further testing and/or decision from the Army; the second was of limited success.

1. 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidines

The noteworthy activity of certain 2,4-diamino-6-[(benzyl)-amino]quinazolines against drug-resistant malarias suggested that the introduction of a benzylamino function in the phenyl ring of pyrimethamine type structures might enable retention of good antimalarial potency and confer enhanced effects against cycloguanil and pyrimethamine-resistant plasmodia. Accordingly a small series of this type was prepared and the data is summarized in Tables 20 and 21. The most potent of these in the Rane screen was the 4-nitro analog AM-870 (AV-87,024).

$$O_2N$$
 CH_2NH
 NH_2
 NH_2
 NH_2
 NH_2

TABLE 22 Effects of AM-870 Against Plasmodium berghei in Mice

	ΔMST, T or C After Single SC Dose								
	640	640 320 16		80	40	20			
AM-870	5C	5C	5C	5C	5C	8.4; 1C			
Pyrime thamine	T	т	1-4C	5C	1-2C				
			į						

Data comparing this compound with pyrimethamine is presented in Table 22. Clearly AM-870 is more active and less toxic than pyrimethamine in this system. Of potential interest also is the desethyl analog AM-884 (AV-91,923), which, although less active subcutaneously in the Rane test, proved to be equiactive to AM-870 when administered orally in the diet for six days (Q \simeq 35). The resynthesis of AM-870

for additional testing was completed late in 1976. Should this material be shown to retain activity against drug-resistant parasites, this would be a most exciting development which would merit additional synthetic exploration.

$$C1$$
 CH_2NH
 NH_2
 NH_2

AM-884

yest erform ceteberal benefite sousies assettes souther persona secure especies especies.

TABLE 20

Rffecte of 2, 4-Dismino-5-[p-[(benzyl)amino]phenyl]pyrimidines Against Plasmodium berghei in Mice and Plasmodium gallinaceum in Chicks

The Charles O O Have

P. gallinaceim	Single a.c. does	1 c	0.00 W 8 4 0 W	- :	58-					0.0	
1	Single	7	8383							8	
		જ	1.9	4.4	- 00 0 0 - 00 4	4.0	0.5	1:4	6.2	0.0 V.0	2.4 0.0
		3	₩. ₩.	5.0 5.0	လလလ ဂ် ပစ်ဆွဲဆွဲ	4.0	0.5	1.6	8.6 9.6	0 0 2.4	0.8
	• dob .	fter 4/4 8:	6.9 6.8	5.8 6.0	6.9 80 80	9.0	بار ناری	5.0	14.5;c3 13.8;c3	1.8	3.0
	Single s.c. dose	MST; T or C 320 160	9.9	8.8	14.8;c1 15.2;c1 15.3;c1 14.8;c1	9.0	+ · ·	0.0	17.3;63	K.4	5.8
P. berghet		320	13.3		18.8;c3 19.9;c3 19.3;c3			7.8 8.0		10.9 10.8	
~ I		O 4 9			દ			12.8;c3		11.9	
		.	2.0		8	1.0		5.5		2.4	8.3
	Diet, 6 days	SDan,	80		2.1	114		13.5		ĸ	9.0
	10	No. of	1		2	2		1		2	=
		Formula	C ₁₇ H ₁₈ ClN ₆ O	CarHasclams	C17R1SC12M5	C17H16CIM	C17H16ClM5	C17H10CINS	C18H17M502	C20H22N604	C ₂₀ N ₂₃ N ₅ O ₃
		=	2	£ .			m	æ	E	<u>Ş</u>	=
		х, т	2-61	3, 4-C1g	3,5-612	2-C1	3-61	10-4	3, k-00Rg0-	3, 4,5-(OCH ₃) ₃	3,4,5-(0CN ₅) ₅
		UR (BN) No.	AV-58215	AU-26549	A* 3925	AU-26503	AU-92883	AU-20841	AV-40900	AV-58242	AU-26487
		¥	8	\$	\$	\$	834	189	915	956	6 6





Effects of 2, 4-Dismino-5-[p-[(benzyl)amino]phenyl]-6-ethylpyrimidines Against Plasmodium barghai in Mice and Plasmodium gallinaceum in Chicks



	8.c. dose	T or C		-	59-	2.4	5.4	10.			
	Single	7				8	8 .	8			
		8	V. 0. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	0.5	2.3	0.1	0.4 0.4	1.0	8. kjc1 8. kjc1		5.0
		. 2	91.99 9000	0.0		3.6	1:1	5.9 9.9		0.9	12.6;c1 12.6;c1
	dose	8		3.5	9.1	4.8	8.9 9.9	10.6	នន	12	17.8;c2 17.5;c2
	ingle e.c.	91 90 100	N. W.	9.7.	14.9;c3 21.9;c2	7.8 8.0	7.0	12.5;c1 12.9;c1	ខន	6.9 6.9	ខេត
	8	320 160 160 160	11.9 12.0 12.0	13.5;02	នន	16.8;72 16.3;71	10.8	ខន	ខ	C1; T4	ស
1		049	23.8;03	14.8;03	છ	j.	11.2	ខ			
	2, 6 deye	a.		13.3			14.9	6.8	33.9	11.1	
		(000) (000) (000)	7.6	5.6	5.5		5.0	11.0	લ લ	6.9	
	PI-	No. of	=	2	ೱ		12	1	#	1	
		Pormula	C, sH, sClNgO	Cashaclana	CleRigCleRs	Casteocites	CaeReoCiMs	C ₁₈ HeoClMs	C.s.RooMeOz	C _{2C} Ha, N ₅ Oa	C22H27N5O3
		~	2	=	•	=	=	pc	=	Æ	æ
		X, Y	19-4	3, 4-C12	3,5-C1g	2-61	19-61	15-4	₹0#- †	3, 4-ocn _g o-	3, 4, 5-(OCH ₆) ₅
		VR (18) No.	AV-21898	AT-95474	AV-07147	AT-97016	AT-93563	AT-96984	AU-BTO24	NV-25529	AU-20887
		됩	188	292	878	£6	£	782	6 7	8	%

AMST 6.9, 7.1 at 10 mg/kg.

2. Other 2,4-Diaminopyrimidines as Potential Inhibitors of Pyrimidine Bisynthesis

Our second approach attempted to develop inhibitors of pyrimidine biosynthesis based on the pyrimethamine structure, yet outside the dihydrofolate reductase inhibition sphere. To define the structural parameters needed for antimalarial activity against the pyrimethamine-resistant plasmodia we sought to explore the relationship among the structures of pyrimethamine 48, the 4-nitrobenzylamino analog (49), the diaminoquinazolines (50,51) and pteridines (52,53).

Data on the novel 5-amino analogs $\underline{54}$ of pyrimethamine are included in Table $\underline{23}$. Although limited curative activity has appeared in several of these analogs there is little to encourage extensive additional research in this area.

$$\begin{array}{c|c}
H_2N & & & \\
& & & \\
NH_2 & & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
&$$

TABLE 23 Effects of 6-Substituted-2,4,5-Triaminopyrimidines Against Trophozoite Induced P. berghei in Mice

$$\underbrace{^{\text{H}_2\text{N}}}_{\text{N}\text{H}_2}\underbrace{^{\text{N}}}_{\text{N}\text{R}_1\text{R}_2}$$

AM	BN	R	NR ₁ R ₂	4	MST or	C After Dose,		.e	
	J.			640	320	160	80	40	20
2567	BJ83379	сн ₃	N-C ₆ H ₅	5C	12.3	7.7	2.5	1.3	0.7
2569	BJ83397	С ₂ Н ₅	N-C ₆ H ₅	3C	1C (11.5)	6.9	1.3	0.7	
2571	BJ83413	сн ₃	N O	4.7	1.1	0.9	0.1	1.3	0.1
2577	BJ84349	с ₂ н ₅	N O	T		2.4		1.4	
2580	BJ84376	С ₂ н ₅	N_S	6.4	4.8	1.8	0.8	0.6	0.8
2581	BJ85140	CH ₃	NNCH ₂ C ₆ H ₅	T (6.2)	T (3.8)	T (1.5)	0.9	1.1	

TABLE 23 Effects of 6-Substituted-2,4,5-Triaminopyrumidines Agains:
Trophozoite Induced P. berghei in Mice

AM	BN	R	NR ₁ R ₂		MST or	C After C Dose,		е	
An	DN	Α.	METICA	640	320	160	80	40	20
2586	BJ86245	с ₂ н ₅	N	1C (3.2)	4.6	4.4	2.0	1.0	0.2
2588	BJ86263	с ₂ н ₅	NCH2C6H5	T (2.5)		1.7		1.3	
2592	BJ87180	сн ₃	×	4.9	3.3	0.1	0.1		
2611	BJ92261	с ₂ н ₅		T (8.8)	T (2.5)	T (2.1)	T (1.1)	T (0.1)	
2641	BR05174	снз	N_N_C1	2C 3T	IC 4T	7.1	4.9	1.3	1.1
2642	BK05183	с ₂ н ₅	x S	9.4	4.9	3.9	2.3	1.7	1.1
2648	BK09314	CH ₃	N NH	1.3 (3T)		0.8		0.2	

TABLE 23 Effects of 6-Substituted-2,4,5-Triaminopyrimidines Against
Trophozoite Induced P. berghei in Mice

				ΔΙ	MST or (le	
AM	BN	R	NR ₁ R ₂	640	SC 1 320	Dose, 1 160		40	20
2649	BR09323	СН3	N N NO2	6.3	1.1	0.9	0.3	0.1	
2650	BK12428	CH3	N N N N NO 2	2C (16.4)	1C (13.5)	5.3	2.9	1.7	
2662	BK15214	CH3	N (CH ₂) ₇	5т		3 T		0.5	
2664	BK15232	сн3	N (CH ₂) ₁₂	0.9		0.3		0.9	
2673	BK16293	сн3	N N	2C		5.8		2.4	
<u>56</u>	(Pyrimet	ham:	ine)	1C 2T	2C 3T	5C	3C	1C (7.7)	6.1

Interestingly the pyrimethamine analog 55 in which an amine is substituted for the methylene group in the 6-ethyl substituent did exhibit modest activity, and may warrant further limited exploration.

ΔMS	r or C A	ter Si mg/kg	_	SC Dos	е,
640	320	160	80	40	20
2C (12.9)	1C (9.9)	8.9 5.9	6.5	5.3 3.9	1.5

AM-2599; BJ-90883

<u>55</u>

Another goal has been insertion of a polar side chain consisting of a p-aminobenzoic acid residue and a glutamic acid residue as in methotrexate into pyrimethamine and related analogs.

It has been shown that <u>P. berghei</u> resistant to pyrimethamine demonstrate increased production of dihydrofolate reductase. ¹² It has been suggested that this increased production of the enzyme with decreased affinity for the drug may be responsible for pyrimethamine resistance. ¹³ An additional important binding site for methotrexate to dihydrofolate reductase has been shown to be the long side chain containing a para aminobenzoic acid group and a glutamic acid residue. ¹⁴⁻¹⁸ Therefore we sought improved binding of pyrimethamine like structures to the enzyme via incorporation of this potential additional binding site.

The synthesis of 56a-c was completed in 1982.

	AM	BN	х	
a.	2702	BK 21981	со2н	H ₂ N
b.	2674	BK16300	CONHCHCO ₂ Et (CH ₂) ₂ CO ₂ Et	
c.	2679	BK16953	СОМНСНСО ₂ Н (СН ₂) ₂ СО ₂ Н	

Unfortunately none of the three exhibited interesting antimalarial activity, although 79a strangely afforded protection to an occasional animal - for example achieving one cure at 80 mg/kg with essentially no activity at all higher doses.

The report of the Chinese workers 19 that certain benzylidene and benzyl derivatives of 2,4,5-triaminopyrimidine showed exciting antimalarial activity led us to the rapid exploration of this area.

These compounds (57) could be considered direct analogs of our earlier nonclassical quinazoline antifolates such as 58 resulting from extrusion of the right hand benzene ring.

In this manner were prepared 59a, b and 60a-e. Strangely only 60a showed a hint of activity with one cure at 640 mg/kg in one test with evident toxicity both at this dose level and at 320 mg/kg.

<u>59</u>

			
	AM	BN	х
a .	2680	BK16962	3,4-C1 ₂
ъ.	2681	BK 17183	4-Br

BN X AM R 2682 BK17192 Н 3,4-C1₂ 2700 BK21963 3,4-Cl₂ CHO 2683 BK17209 4-Br Н 2699 BK21954 4-Br NO 2701 BK21972 4-Br CHO

It was also considered of interest to prepare the reverse analogs of 59 and 60 i.e, 61 more closely related to the even more active quinazoline analogs 62.

Thus 63a-c and 64a-c were prepared.

$$H_2N$$
 NH_2
 CH_2NH
 CH_2NH
 OH_2
 $OH_$

	AM	BN	х		AM	BN	X
a .	2712		3,4-C1 ₂	a.	903		3,4-C1 ₂
ъ.	2713		4-Br	ъ.	2714		4-Br
c.	2724	BK39536	3,4,5-(OCH ₃) ₃	c.	2725	BK39545	3,4,5-(OCH ₃) ₃
		<u> </u>				l	

Data on AM-2714, 2724, and 2725 indicate the latter two to be completely inactive while AM-2714 shows a modest extension of life span (7.6 days) at 640 mg/kg. No further effort thus seems desirable in this area.

F. 7-Chloro-3-substituted-3,4-dihydro-10-hydroxy-1,9-(2H,10H)-acridinediones

1. Imines

A unique series exemplified by 65,66 has been completed. The US Patent 4,291,034 on these compounds was allowed in late 1981. The European Patent Office has responded with a variety of objections to our filing and our patent counsel has responded to these.

AM-2228 (BH-57203) WR-237221

AM-2379 (BJ-02052) WR-243251

These compounds appear to be highly active, less toxic analogs of floxacrine (67). Mouse data is summarized in Tables 24-26. In addition floxacrine (67) administered for three days against infections of the Uganda Palo Alto (chloroquine sensitive) strain at

67 AM-2072; WR-233602

doses up to 16.0 mg/kg led to recrudescences consistently. At 16.0 mg/kg only two of six animals were cleared of the parasitermia, i.e., cured. In constrast imine 66 cleared primary parasitemias of this strain at doses as low as 1.0 mg/kg. Cures were obtained at 4.0 mg/kg. Moreover 6 was similarly effective against a chloroquine-, quinine-, and pyrimethamine-resistant (Smith) strain with clearance of parasitemia at 1.0 mg/kg, three of four cures at 4.0 mg/kg and complete cures at 16.0 mg/kg.

In addition imine $\underline{65}$ affected parasite clearance against the resistant Smith strain at doses of 4.0, 8.0, and 16.0 mg/kg, and four primary infections were cured at doses of 8.0 and 16.0 mg/kg. Against the Uganda Palo Alto strain $\underline{65}$ cleared parasitemias through 2.0 mg/kg, cured one of two animals at $\underline{2.0}$ mg/kg, two of three animals at 4.0 mg/kg and all animals at 8.0 and 16.0 mg/kg.

8334446

acontons Biscon passing respects

Effects of 7-Chloro-3-substituted-3,4-dihydro-10-substituted-1,9(2H,10H)acridinediones Against Trophozoite-Induced P. berghei in Mice

							AMST or (3 after sing	le 8.c. d	lose mg/	2	
₹I	Na	2	2	Z.	21	640	320	320 160 80 40	88	017	20	
1856	BG-46714	C1	Ŧ	3, 4-Cl2-CeH3	₹	2 C	≥ c	20(11)	10.8	5.0	3.2	
1870	BG-47364	C1	×	CH ₃	НО	2C	8.3	3.5	1.7	6.0	0.1	
1873	BG-56023	េះ	Ŧ	3-CF3-CeH₄	₹	2C)c	3C(13.4)	12.1	8.8	6.0	
1906	BG-59855	C1	×	3-CF3-C ₆ H4	ONA	2 C	30(16.0	3c(16.0) 13.8	10	7.8	-69	_69
1939	BG-66912	C1	×	3-CF3-C ₆ H4	æ	5.3	3.3	2.3	0.3	;		_
1946	BG-70532	=	=	3,4-C12-CeH3	₹	20(12.6)	1C(7.7)	5.1	3.1	1	:	
1952	BG-70996	C1	C1	3,4-C12-C ₆ H3	ж	0.3	1 1	0.1	;	;	;	
1954	BG-71011	C1	×	$C_{e}H_{11}$	₩	1C(12.7)	6.5	2.9	2.5	!	:	
9561	BG-72410	ប	æ	3,4-Cl2-CeH3	=	20(11.2)	1C(10.2)	1C(7.7)	2.1	;	:	
2065	BH-13434	13	×	4-CF3-C ₆ H4	НО	3c(3.4))c	2 C	2 C	2c	4c(8.9)	
5066	ВН-13473	เว	×	1-C ₁₀ H ₇	₽	4C(13.7)	20(5:1)	6.9	2.3	:	;	
2067	BH-13452	ដ	×	3,4,5-(0CH ₃) ₃ C ₆ H ₂	₽	7.0	2.7	1.8	1.3	i	:	
2095	ВН-17763	ដ	x	4-EtzNCHzCHzOC ₆ H4	ONa	5.3	1	1.5	;	;	:	
2097	вн-17781	ដ	Ξ	4-MezNC ₆ H4	H O	<u>ک</u> و	3c(6.8)	1c(6.6) 2c(5.7)	5.8	1.6	;	

	_
	3
	3
	- 1
_	\. \^.
7	2.2
-	_
	FAB

been received assume assume appares appears supposed appares appares appares appares (page)

i i								<u> </u>	_	-70-	<u> </u>	_							
20	0.1	0.7	;	1.8	1	1.0		10(8.9)	20(1.9)	;	3c(7.6)	9.0	4.5	-	1	1 1 1	1.7	•	;
dose mg/kg	2.5	1.5	-0.2	1.0	0.0	9.1	0.0	2c(9.9)	5c 3c(15.1)	9.0	hc(9.6)	51	1.0	21(0.0)	-0.2	0.2	9.4	0.2	10(8.5)
ngle s.c.	5.9	5.1	; ; 1	9.6	1 1	3.2	1 1	ηC(6.η)	26)S	5T	7.8	;	;	!	;	!	}
AMST or C after aingle a.c. 320 160 80	10(9.2)	10(5.8)	2.0	20(5.7)	0.2	9.6	9.0	26) 2C	0.0	26	5T	2c(7.0)	2T(0.0)	-0.2	0.0	10(4.5)	4.0	12.6
AMST or	1C(10.7)	3¢(23.9)	! !	20(9.3)	1	3c(15.6)	ŧ i t	26) 2C	1	25	5T	3C(7.0)	1 1	; ;	!!!		!	;
049	hc(7.9)	20(11.2)	0.5	3c(11.5)	0.0	hc(14.6)	0.2	55	2¢	0.2	26	5T	2c(9.8)	17(0.0)	4.0	17(0.3)	4c(9.0)	4.0	4C(15.0)
		CO		M.		=													_
2 1	₽	5	CH ₃	F HO	₹	1 H	СН3	×	Н	Ξ	E (₹	₩.	CzNs	n-C4H9		Ю	Ŧ	
R Z	3-Br-C ₆ H ₄ OH	2-C _{C.} H ₃ OH	CH ₃ CH ₃				3,4-C1 ₂ C ₆ H ₃ CH ₃	և-CF3-C ₆ H₄ H	2, 4-С12-СеН3 ОН	=	3,4-C1 ₂ -C ₆ H ₃ (2-Me) OH	h-CF ₃ -C ₆ H ₄ (6-F) OH			4-CF3-C ₆ H4 <u>n</u> -C4H9	4-CF3-C _C H4 CH2-C _R H5		4-CF3-CAH4 H	¹ 4-СГ3-С _К Н4 СН2СН-СН2
		₹		НО		¥				± =	(2-Me)	(6-F)	но	C2H5		CH2-C H2	НО		снэсн-снэ
ភ្	3-Br-C _R H4	2,6-C12-CeH3 OH	CH ₃	C _G H ₅ OH	(CH ₂) ₅	CH ₃	3, 4-C1 ₂ C ₆ H ₃	4-CF3-CeH4	2,4-C1 ₂ -C ₆ H ₃	\bigcirc	$3, h-C1_2-C_6H_3$ (2-Me)	4-CF3-C6H4 (6-F)	^μ -CF ₃ -C ₆ H ₄ OH	4-CF3-CAH4 C2H5	4-CF3-CeH4	4-CF3-C _C H4 CH2-C _R H5	2-с1-с _я н₄ он	4-CF3-C6H4	^д -сғ _з -с _к н₄ сн ₂ сн-сн ₂
R ₂ R ₃	H 3-Br-CAH4	H 2,6-С12-С ₆ Н3 ОН	H CH3	н С ₆ Н ₅ ОН	H (CH ₂) ₅	H CH ₃	н 3,4-с1 ₂ С _в н ₃	H 4-CF3-CeH4	н 2,4-С12-СеН3	¥	H 3, 4-Cl ₂ -C ₆ H ₃ (2-Me)	н 4-СF3-С ₆ Н4 (6-F)	C1 4-CF3-C ₆ H₄ OH	H 4-CF3-CRH4 C2H5	н 4-СF3-С _в Н4	H 4-CF3-C,H4 CH2-C,H5	н 2-С1-С _я н₄ он	4-CF3-C6H4	h la-CF3-CaH4 CH2CH-CH2

							AMST or C	AMST or C after single s.c. dose, mg/kg	gle o.c. d	ose, mg/kg	
₹I	NS.	2	21	<u> </u>	21	079	320	160	80	07	20
2295	BH-73421	c ₁	I	4-CF3-C ₆ H₄	n-CeH13	0.1	1	0.0	!	0.1	;
2302	BH-73494	C	x	2-C1-C ₆ H4	Ŧ	(9.6)	t 1 1	10(0.4)	5.5	2.7	1.5
2303	ВН-73501	N ₂ O	=	4-CF3-CaH4	×	10(6.9)	!	2.8	; ; ;	4.1	7.0
230%	BH-73994	CI	=		₹	4.1	1 9 8	1.3	1 8 8	6.0	;
8086	вн-74026	CI	I	2-CF3-CaH4	HO	8.3	! ! !	4.5	i	2.1	9.0
(9)	BH-74035	C	x	4-CH3-CeH4	₹	6.9	ì 1 1	3.1	2.8	9.0	9.0
23.12	BH-76217	ວ	x	2-0CH3-C ₆ H₄	₩	3,T	2.2	1	1.8	2.2	9.0
2315	вн-76244	C	=	4-осн ₃ -с _ө н₄	HO	5.7	9.4	1.4	1.2	9.0	9.0
2318	BH-76271	H ₅ C ₂ H	z z	4-CF3-CeH4	Ŧ	0.2	i 	4.0	i i	0.0	;
2320	BH-81558	CI	, I		±	9.1	}	0.2	:	0.5	-71-
2324	вн-81594	CI	I	h-F-C ₆ H♣	₹	26	20	4C(8.8)	(8.6)27	2C(19.4)	5.0
2327	вн-81834	Br	×	4-CF3-CAH4 (5-Br)	I	0.0	}	0.2	-	9.0	ļ
2334	BH -84068	=	Ŧ	(CH ₃) ₂	I	2 C		2C(5.6)	-	3.8	;
2335	ВН-84077	20	#	4-CF3-CeH₄	×	4C(12.8)	3C(10.6)	1C(4.4)	3.0	5.0	3.6
2336	980-№	Ŧ	×	4-CF3-CeH4	×	30	50	4C(10.8)	8.2	9.4	2.7
2344	BH-86544	CI	×	2-CF3-CeH4	×	8.3	† 	8.5	1	0.7	į
2345	BH-86553	C1	I	և-CH₃-C _Բ H₄	r	2C(11.7)	1 2 1	2C(8.7)	}	3.9	;
2346	BH -86562	CI		2-0CH ₃ -C _F H ₄	×	26	!	4C(0.7)	1	8.3	ł
23 58	вн-89778 н _э со	н3с0	I	4-CF3-CAH	Ξ	4.4	2.3	2.9	0.1	-0.3	;
2368	- H9	Cl	Ŧ	4-CF3-CeH4 (5-C1)	x	0.0	ł	7.0	i	-0.2	:



THE PLEASURE SHOWING

2C(10.7) 4C(15.8) 3C(18.1) 2C(10.3) 8.2 1T(0.3) -0.9 3.9 20 AMST or C after single s. c. dose, mg/kg 3C(10.8) 17(1.3) 8.7 7.1 0.1 0.2 0.1 -0.1 0.0 4.4 0.8 9.0 ი.0 0.7 -0.1 5.7 -0.1 40 သွ 1T(5.3) 1 ŧ ! 7.5 သွ 1.1 1.1 80 20 1T(-0.1)2T(1.3) 20(12.8) 160 8.9 0.3 0.1 0.8 10(1.5) 0.1 4C(17.8) 0.2 8.6 4.6 1.2 2.4 0.4 0.1 ည S **2**C 2T(4.0) 10(5.0) 320 1 | | | ! 7.3 Š 1 ! 1 \sim ပ္သ \mathcal{S}^{C} 2C(13.3) 4T(0.9) 2.2 2.0 -0.1 4T(2.0)-0.1 -0.112.4 1.3 1.4 2C(5.7) 049 H(2-CH₃) 4C(8.8) 20 3 \mathcal{S}^{C} **2**C H(2-C₂H₅) H(2-C.H.) OH(2-CH3) H(2-CH,) H(6-C1) H(6-C1) H(6-C1) 4-C1, 3-CF,-C.H, 2,4-Cl2-CeH, 3,4-C12-C.H3 2,4-Cl₂-C₆H, 2,4-Cla-CaH, 3,4-C1,-C.H, 2,4-C1,-C,H, 2,4-Cl2-C.H3 4-SCH3-CeH4 4-CO2H-C.H. 4-0CH3-C.H. 4-CF,-C.H. 4-CFs-CaHL 4-CF3-C.H. 4-NO2-C.H. 4-CF3-CaH4 4-CF 3C.H. 4-C.H.N 4-C.H.N 2-C, H.N cC \mathbf{c} \Box C c_1 C C S c_1 \mathbf{c} $\mathbf{c}_{\mathbf{l}}$ 8J01680 8J02034 BJ06265 BJ06274 BJ01671 BJ02061 RJ06283 B.106336 RJ06327 BJ07502 B.107511 B.109588 8J21735 BJ23640 BJ09597 BJ09613 BJ21717 BJ21762 **BJ23631** B.128387 Ę 2372 2380 2371 2377 2383 2335 2384 2369 2390 2393 2394 2398 2399 2418 2403 2405 2408 2415 2402 2417

TABLE 26 - page 4

	₽				•						isti.
TABLE	TABLE 24 - page 5	ن					AMST or	AMST or C after single s.c. dose, mg/kg	gle s.c.	dose, mg/l	œ e
₹I	BN	2	RA R2	R	R.	079	320	160	80	07	20
2419	BJ28378	CI	I	2,4-Cl ₂ -C _e H ₃	Н (2-СН,)	26	2C(17.1)	2C(15.1)	2C(15.1) 2C(10.8) 1C(9.3)	10(9.3)	8.2
\$ 1. 5.	R.198412	Ξ	I	4-CF,-C.H.	OH (2-CH,)	S C	26	3 C	2C(14.1) 7.8	7.8	5.2
2447	BJ36969	CI	Ŧ	Ŧ	H(2-C.H,)	0.0		0.0		0.2	
2468	BJ44630	I	I	4-CF3-C.H.	H(6-C1)	0.4		0.2		-0.4	

TABLE 25

Effects of Imines of 7-Chloro-3-substituted-3,4-dihydro-10-hydroxy-1,9(2H,10H)acridinediones Against Trophozoite-Induced P. berghei in Mice

640 320 C after single s.c. dose mg/	k 8	20
AMST or C after 320 160	ose mg/	04
AMST or C after 320 160	ingle s.c. de	80
	C after	160
640	AMST or	320
	•	01/9

:01

ž

Z |

2018	BG-89200	N(CH ₂) ₃ N(Me) ₂	3,4-C12-CrH3	Σ C	50) }C	30(17.2) 30(12.7)	(12.7)	7.1
2024	BG-94783	N(CH ₂) ₃ CH ₃	3, 4-C12-CAH3	Σ ς	26	3c(6.6)	8.3	6.1	2.5
2068	19451-18	N(CH ₂) ₃ N(Me) ₂	4-CF3-C ₆ H4 5T	5T, IC	3T, 2¢	2T, 3C	ρţ	Σ ς	26
5069	01√121-Н8	N(CH2)2N(Et)2	3,4-C12-C ₆ H ₃	2 C	Σ C	2€	3c(12.7) 3c(8.8)	(8.8)	1C(10.5)
2070	8н-13489	NO(CH2)2N(Et)2	3,4-C12-C ₆ H3	8.7	3.7	2.1	6.0	j t	ê 8 8
2071	84-13498	N(CH2)3N(Et)2	3,4-C12-C6H3	26	∑C	40(12.7)	4c(12.7) 2c(11.7)	8.5	5.3
2081	ВН-13612	N(CH2)3N(Me)2	l-Naphthyl	50	4C(4.7)	10(6.3)	7.1	5.6	!!!
2083	ВН-16177	N(CH ₂) ₃ N(Me) ₂	$5, h, 5$ - $($ OMe $)_3 C_6 H_2$	4.3	4.0	1.0	!	:	1 1
2 0 86	вн-16202	N(CH ₂) ₃ N(Me) ₂	3-CF3-C ₆ H4	λς 2	50	4C(12.4)	9.6	6.9	4.8
2088	вн-16220	N(CH ₂) ₆ CH ₃	3-CF3-C _G H4	Σ ς) 2C	30(5.0)	2.8	; (!!
2089	ВН-17709	N(CH ₂) ₃ OCH ₃	3-CF3-C ₆ H4)c	3c(13.8)	10(5.1)	0.1	; ; !	1 1
1002	BH-17727	NCH ₂ C ₆ H ₃ -3,4-C1 ₂	3-CF3-CeH4	26	20(11.5)	8.4	4.4	; !	•

TABL	TABLE 20 - page 2	/ ુ સ			AMST or C	after	einele e.c.	dose ma/ka	œ
Ž	N.	X.	6 2 (010	320	160	90		50
2002	BH-17736	N(CH2)7N(Me)2	3,4-C12-C6H3	² ℃	50	5 c	11.3	6.5	1 1
2093	8H-17745	N(CH ₂) ₃ N(CH ₂) ₅	3,4-C12-C6H3	2C	2 C	hc(8.7)	9.5	6.5	!
2101	BH-23887	$NCH(CH_3)(CH_2)_3N(Et)_2$	3,4-C12-C ₆ H3	Σ ς)c	2 C	10(6.6)	10(6.1)	:
2105	BH-27269	N(CH ₂) ₃ N(Me) ₂	4-MezN-CAH4	25	3c(7.4)	6.8	6.0	! ! !	!
2106	8H-27278	N(CH ₂) ₃ SCH ₃	3,4-Cl2-CaH3	10(3.7)	4.1	1.7	1 1 3	<i>t</i> 1	!
2113	вн-27349	N(CH ₂) ₃ N(CH ₃) ₂	2,6-C12-CeH3	26	10(7.2)	10(6.4)	4.1	1.2	;
2115	вн-27567	N(CH ₂) ₃ N(Me) ₂	3-Br-CeH4	2¢	2C(10.2)	4.6	5.3	9.1	}
2134	вн-30702	NCH ₃	3,4-C12-C6H3	3c(10.8)	10.7	4.9	3.3	;	!
2015	вн-34844	× N	3,4-C12-CAH3	25	4c(8.8)	20(8.3)	7.2	3.2	}
2140	ви-35190	$N(CH_2)_3N(Me)_2$	CeHs	2 C	8.8	4.2	1.2	9.0	i i
2148	BH-35225	N(CH2)2N(Et)CH2C(CH3)2	3,4-C12-CeH3	! !	26	25	4c(8.0)	8.2	6.3
2149	8н-35163	N(CH ₂) ₂ N[CH ₂ CH(CH ₃) ₂] ₂	3,4-C12-CeH3)c	10(13.0)	20(9.7)	10(6.3)	10(5.3)	3.6
2153	вн-35958	N(CH ₂)3N(CH ₂ CH ₂ OH) ₂	3,4-C12-CeH3)c	2C	4C(10.6)	10(7.9)	5.6	1.2
2154	ВН-35767	N(CH2)3NHCH2CH2OH	3,4-C12-C ₆ H ₃	26	4C(11.6)	3c(9.6)	10(7.9)	9.9	2.0
2155	8H-35976	$\vec{n} < S \rightarrow N(\mathbf{E}t)_2$	3,4-C12-C6H3	25	30(12.1)	26	7.2	5.6	!
2157	вн-35994) ₩	3-CF3-CeH4	8.2	7.6	3.8	3.4	1.1	; !
2158	вн-36008	N(CH2)2NHCH2CH=CH2	3-CF3-CAH4	25	λ _C	2 C	1C(6.4)	2c(5.9)	3.0
2159	вн-36017	CH-N(FF)	3,4-C12-CaH3	4c(42.6)	4c(22.6)	20(10.3)	8.0	9.9	1.6
2160	вн-36231	N(CH ₂) ₃ N(Me) ₂	(СН ₂) ₅	5T	! !	5T	;	5T	
2161	вн-36240	NCH≥CH(Et)NHBu	3-CF₃⇔C ₆ H₄	25	50	2℃	10(10.9)	6.8	9.6

TABLE 25 - page 3

AND THE PERSONS SERVICES AND PROPERTY SERVICES SERVICES SERVICES SERVICES SERVICES SERVICES SERVICES SERVICES

					AMST or	Cafter a	ingle 6.c.	AMST or Cafter single s.c. dose mg/kg	l
¥	BN I	Z Z	øå	049	320	160	€	07	
	BH-56259	N(CII ₂) ₂ N(Bu) ₂	J-CF3-CAH4	ο΄.	J.C	3c(11.C)	7.0	10(0.0)	5.4
2165	вн-36286	N(CH2)3N(Me)2	(CH ₃) ₂	2.8	1 1	0.4	}	0.2	:
5166	BH-36295	N(CH ₂) ₃ NHBu	3,4-C12-C6H3	2 C) 2C	4c(10.6)	1c(9.1)	4.6	4.4
2167	ВН-38155	n(ch ₂) ₃ n(Bt)ch ₂ ch ₂ oh	3, 4-C12-C ₆ H ₃	26	2C	3c(10.1)	10(6.6)	8.6	å 1 8
2168	вн-38164	N(CH ₂) ₃ N N-Me	3,4-C12-CAH3) 2C	2c	5c	9.01	7.4	:
5169	ВН-38173	N(CH ₂) ₄ N(CH ₂) ₄	3-CF3-C ₆ H4	5 T	hτ(0.5)	5T	3.7	31(4.6)	t I
2170	BH-38182	NCH2C(CH3)2CH2N(Et)2	3,4-C12-CaH3	2 c	4c(13.6)	hc(1h.6)	20(10.3)	1c(9.6)	0.4
2171	вн-38191	N(CH ₂) ₅ N(CH ₂) ₄	3-CF3-C ₆ H4	5T	1	5T	! !	hτ(0.6)	t 1
2172	BH-38208	NCH ₂ CH(CH ₃)N(Me) ₂	3-CF3-CAH4	50	50	4c(8.6)	9.5	10(11.9)	1,0
2173	BH-38217	N(CH ₂) ₃ N(CH ₂) ₄	3-CF3 -CAH4	4c(25.6)	2C	3c(9.6)	6.0	6.2	-/6-
2176	вн-38280	HON	3-CF3-C ₆ H4	2C, 2T 0.4	:	-0.2	3	0.5	-
2177	вн-38299	N(CH ₂) ₂ N(CH ₂) ₄	3-CF3-C ₆ H4	4С, 1Т	2C	η c (9.6)	8.0	9.9	;
2179	BH-38315	N(CH ₂) ₆ N(CH ₂) ₅	3-CF3-C ₆ H4	5T	5T	2C, 3T	4.9	4.0	!
2180	BH-3P324	N (NCH ₂ C _C H ₅	3-CF3-C6H4	10(11.1)	4.8	20(8.6)	3.8	8.9	;
2181	вн-38333	N(CH2)2N(Et)2	4-CF3-C ₆ H4	2C, 1T 3C, 2T	4C, 1T	⁴ С, 1Т	26	20(10.8)	1C(10.5)
9189	BH-38342	N(CH ₂) ₃ N(CH ₂) ₄	4-CF3-CeH4	1C, hT	3C, 1T	5c	50	20(10.8)	10(11.0)
2183	вн-38351	N(CH2)3N(Et)2	4-CF3-CAH4	5T	2C, 3T	2C, 3T	20,31	3c(16.8) 2c(10.1)	æ(10.1)
2134	вн-38995	N(CH2)4N(Et)2	4-CF3-C ₆ H4	Τη	t,C	≥c	25	4C(10.5)	2C(14.0)
2189	BH-39045	и(сн ₂) ₃ и(сн ₂ сн ₂ он) ₂	4-CF3-CeH4	26	26) 2C	10(9.5)	hc(14.8)	2C(12.0)
2190	ВН-39054	N(CH ₂) ₂ N(CH ₂) ₅	հ-CF₃ -C _Բ Н₄	1C, ⁾ (T	5c	5 c	3c(12.0)	3c(10.0)	8.5

THE PERSON NATIONAL STREET, ST

ı	_									-77-		_							
0c 30	3c(15.0)	:	5.3	;	!	•	7.8	;	}	4.9	SC(6.0)	4 €(10.6)	5.6	† † !	! !	}	;	;	! !
dose mg/v	4c(12.5) 3c(11.2) 3c(15.0)	4.0	10(8.5)	4.3	0.2	0.5	2c(8.4)	0.3	0.8	3c(10.7)	2C(7.7)	20	6.5	2T(3.0)	5.0	3.8	1T(0.3)	1	0.2
after single s.c. dose mg/kg	4c(12.5)	1 1	3c(10.2))c	1	i i i	16,3T	!	:	5C	၁႑)c	8.6	}	!	10(7.5)	į	0.1	1.8
	2 C	0.7	2 C	2 ¢	9.0	7.0	5C 2C.3T	1.4	1.2	2C	2C	2 c	20(9.4)	11(4.0)	3C(9.4)	4C(8.0)	ST	0.7	3.0
AMST or C)c	!	50	3C(14.7)	1	1	5T	:	5.0	4C, 1T	,)	50	20(8.9)	!	<u> </u>	5	ļ	6.5	4C(1.0) 2C(6.0)
019	3c,2T	36Hz 6.1	2 C	hC, 1Τ	Свнг 6.4	CeHe 4.7	5.T	H ₂ 1Τ(4.5)	H2 6.0	1C, 4T	4C, 1T	4C, 1T)c	51	S C	35	ST	3C(8.4)	4C(1.0)
eo (4-CF3-C ₆ H4	$3, 4, 5$ - $($ OMe $)_3$ - C_6 H $_2$	4-СF ₃ -С ₆ Н4	4-CF3-C ₆ H4	3,4,5-(OMe)3-C ₆ H ₂ 6.4	$3,4,5$ -(OMe) $_3$ -C $_6$ H $_2$ 4.7	4-CF3-C ₆ H4	3,4,5-(OCH ₃) ₃ -C ₆ H ₂ 1T(4.5)	3,4,5-(OCH ₃) ₃ -C ₆ H ₂	4-CF3-C ₆ H4	4-CF3-C ₆ H4	2, 4-C12-C ₆ H ₃	4-C1-C ₆ H4	2-C1-C ₆ H4	Call	2-CF3-C ₆ H4	2-0CH ₃ -C ₆ H₄	4-0CH3-C6H4	4-CH3-CeH4
Z	NCH ₂ C(CH ₃) ₂ CH ₂ N(Bt) ₂	N(CH ₂) ₃ N(Et) ₂	N(CH ₂) ₃ CH ₃	N(CH ₂) ₆ CH ₃	N(CH ₂) ₃ N(CH ₂) ₄	NCH ₂ C(CH ₃) ₂ CH ₂ N(Et) ₂	N(CH2)2NHCH2CH=CH2	N(CH ₂) ₃ N (CH ₂) ₅	N(CH2)2N(C2H5)2	N(CH ₂) ₃ NBCH ₂ CH ₂ OH	NCH ₂ ÇHCH ₂ CH ₃ ñH(CH ₂) ₃ CH ₃	N(CH ₂) ₃ N(CH ₃) ₂	NNH(CH2)3N(CH3)2	$N(CH_2)_3N(CH_3)_2$	N(CH ₂) ₃ N(CH ₃) ₂	N(CH ₂) ₃ N(CH ₃) ₂	N(CH ₂) ₃ N(CH ₃) ₂	N(CH ₂) ₃ N(CH ₃) ₂	N(CH ₂) ₃ N(CH ₃) ₂
Z	84-39063	1961 4-на	46624-на	8008↓-H8	ВН-49256	ВН-49265	ВН-50044	вн-50062	BH-50071	Вн-50080	Вн-50099	ВН-57203	BH -65456	ВН-73163	BH-74053	BH-84362	ВН-84371	BH-84380	8н-84399
¥	1612	2193	5196	2197	2202	2203	2211	2213	2214	2215	2216	2228	2246	2291	2311	2340	2341	2345	2343

	-ر
	9.4 kg
	ŗ
	57.3
•	3
	ΑB

				10 101	c alter 8	ingle s.c	Man of Caller single s.c. dose mg/kg	89	J
¥	N.	NR	so j	079	320	160	80	07	20
2397	BJ07548	N(CH ₂),N(CH,),	4-C ₉ H ₄ N	1.4	ļ	0.0	ł	0.0	
2421	BJ28396	N(CH ₂),N(CH ₃),	2,4-Cl ₂ -C ₆ H ₃ (2-CH ₃) 1C(1.8) 4C(2.8)	10(1.8)	4C(2.8)	20	40(16.8) 50	5 C	10(11.1)
2431	B.J34205	N(CH ₂),N(CH ₃) ₂	4-CF ₃ -C ₆ H ₆ (2-CH ₃) 5T	5.7	5T	5.1	? 25	2C(10.2)	8.1

TABLE 26

STATE OF THE PROPERTY OF THE P

Effects of Imines of 7-Substituted-3,4-dihydro-3-substituted-1,9(2H,10H).
scridinediones Against Trophozoite-Induced P. berghei in Mice

2140 mm-34826 2222 mm-57141 2227 mm-57196 2241 mm-58684		- -1	2			V.17					
			1		a i	000	350	320 160 80 150 058	8	0,	R
		5	.	W(CH2)SW(CH3)2	3, 4-C12-CeH3	8	35	50	5c 4c(11.8) 3c(9.8) 9.2	3c(9.8)	9.5
		10	z.	N(CH2)3N(CH3)2	4-CF3-CoM4	20,37	8 ,3	30, 17		(10.1) Sc 3C 10.1)	C(10.1)
		5	=	N(CH ₂) ₃ N(CH ₃) ₂	\subset	17(0.4)	}	0.0		0.6	
		0 10	ę	जन्म _ट	3,4-C12-CeH2	4.0-	}	0.0	;	4.0-	i
2250 BH-65492		5	*	N(CH2)3N(CH3)2	3-CF3-C ₆ N4	ĸ	<u>ς</u>	50	SC 1C(14.4)	9.9	i
2264 BH-67567		C1	=	W(CH ₂) _S CH _S	3,4-C12-CeNs	17(2.5)	1.2	51	57 37(1.5) 47	1	75
2265 BM -67576		15	_	W(CH2)2N(C2H5)2	3,4-C12-CAH3	λς	30(20.0)	50	LC(8.0)	4c(8.0) 4c(8.0) 2c(9.3)	20(6.3)
229h MR-75190	8	E	_	M(CH ₂) ₃ N(CH ₃) ₂	k-CF9-CeH4	10, 17(14.0)	;	20(7.5)		3.0	•
2296 IM-T3430	92	E	_	NCH ₂ CHN (CH ₃) ₂	4-CP3-CeM4	ς,	;	ĸ	;	, 5	i
2297 88-73449) 64	E	_	M(CH2)2M(C2H3)2	4-CF9-CeH4	50	i	X	:	3c(17.6)	i
2298 BH-73458	28 (#	_	M(CH2)7M(C2N5)2	A-CF9-CeH4	3c(0.1)	;	30(23.1)	-	bc(9.6)	;
2299 881-73467		E	_	M(CH ₂) ₃ CH ₃	44-CP3-CAH4	χ.	!	10(10.1)		0.9	i

2300	E	4	2	4	• 1	640	₹	\$20 160 B0 10 20	5	2	8
<u> </u>	BM-73476	1 5	æ	KH3 NCII(CH2)3N(C2H4)2	4-CF3-CAH4	20(3.3) 30(21)	ЭС(2Т)	36	5C 4C(1T)	×	5c 3c(10.8)
7	BH-73485	ច	z	N(CHP)4N(C2M5)2	k-CF3-CAH4	¥	3	×	×	4c(1).6)	4c(1).6)2c(18.6)
5	BH-73510	เว	=	N(CH2)3N(CH3)2	2-C1-CeH4	ς	X	20(11.3)	6.3	9.6	
2306	BH-74008	₩ 2 0	I	N(CH2)3N(CH3)2	4-CF3-CAH4	1C(4T)	3C(2T)	4C(11.6) 1C(8.9)	10(8.9)	5.4	5.5
2307	BH-74017	ច	×	N(CN2C(CN3)2CN2N(C2N5)2	4-CF3-CAH4	4C(1.3)	4C(49.6)		40(113.6)	5C 4C(13.6) 2C(10.3)2C(8.6)) 2C(8.6)
2321	19518-M	F,C2	=	N(CH ₂) ₃ N(CH ₃) ₂	4-CF3-CAH4	4T(1.4)	ŧ ŧ	11(1.9)	i	9.0	1
2323	BH-81585	5	=	N(CH2)3N(CH3)2		30(9.6)	8	2C(10.3)	1.2	7.0	2.8
2328	ви-81843	Br (5	Br (5-Br) H	N(CH2)3N(CH3)2	4-CF3-CAH4	4.0	!	0.2	ļ	0.2	1
2338	BH-84344	Ä	I	N(CH ₂) ₃ N(CH ₃) ₂	4-CF3-CAH4	2C(25.7)	×	×	×	10(9.3)	6.0
2339	BH-84353	=	I	N(CH ₂)3N(CH ₃)2	4-CF3-CAH4	77	i	51	;	75	17(5.3)
2359	BH-89787	92°E	=	N(CH2)3N(CH3)2	4-CP3-CAH4	×	×	2C(8.7)	6.1	5.5	0.7
2369	BR-96291	cı (5	сі (5-сі) н	N(CH2)3N(CH3)2	4-CP3-CeH4						
2373	\$ 101699		=	N(CH ₃),N(CH ₃),	4-CFy-CoHa	5	!	4T(1C)	i	4C(14.9)	1
2375	3 01715	ដ	=	N(CN ₃) ₃ N(CH ₃) ₃	2-0CH ₉ -C ₆ H ₄	2C(6.4)	!	6.7	i	1.1	ł
2376	LJ02025	ដ	=	N(CH ₁),N(CH ₂),	4-CH3-C.H.	2C(9.8)	2C(6.5)	9.9	1.4	9.0	1
2379	BJ02052	ច	=	N(CH ₃) ₃ N(CH ₃) ₃	2,4-C1,-C.H,	×	8	¥	×	×	×
							3C(13.6)	3C(13.6)@10; 1C(7.4)@5	965		;
2386	BJ06292	=	H(5-C1	H(S-C1)N(CH1),N(CH1),	2,4-C1,-C.H,	7.5	75	75	1	17(0.5)	0.0



TABLE 26 - page 3

						31	AMST or C after single s.c. dose; mg/kg	fter sing	le e.c. do	13/8m (00)	
S	1	4	4	# H	· •4	099	320	160	2 1	9	2
2367	£106309	×	N(8-C	N(B-C1)N(CHs),N(CHs),	4-CFs-CaHa	×	1	4C(24.9)	ŀ	1.1	ł
2388	BJ06316	CF.	×	W(CH _B),(CH ₃),	4-CFs-C.H.	×	}	7.1	-	3.1	}
1613	8 20674 \$	=	I	N(CH,),N(CH,),	4-0CH,-C,H,	10(11.2)	1	4.5	:	9.9	;
2392	BJ07495	x	H(5,7	H(5,7-Cls) N(CHs) sN(CHs)s	2,4-C1-C4Hs	}	0.0	1	0.0	;	1.2
2396	LU07539	ជ	=	M(CH _a) _a M(CH _a) _a	4-C*H*N	4.3	2.5	1.3	1.3	0.1	0.1
2400	\$0960F	ប	×	N(CH _B) _B N(CH _B) _B	4-SCH,-C,H,	4C(1T)	3C(12.8) 1C(9.8) 1C(4.6)	10(9.8)	10(4.6)	3.4	2.8
2401	BJ09622	ប	x	M(CH ₂) ₅ M(CH ₂) ₃	4-30a-CeHa	10(11.8)	9.11	9.6	3.0	1.0	4.0
2406	1021744	CI	I	N(CH ₃) ₃ N(CH ₃) ₃	2-C,H.N				-		
2409	1711211	ដ	H(2-C c1e	H(2-CH,) M(CH,),M(CH,), cie	3,4-C1,-C.H.	4C(1T)	×	ž	4C(10.7)	4C(21.0) 7.8	7.8
2410	BJ21780	ជ	· H(2-CH _s	·B(2-CH ₅) N(CH ₅) ₅ N(CH ₅) ₂ trans	3,4-C1,-C4H,	}	3 C	20	4C(15.0) 1C(7.2)	10(7.2)	5.3
2411	BJ21799	ប	M(2-C	M(2-CaHs) N(CHs),N(CHs);	3,4-C1,-CeH,	×	×	2C(12.2)	20(12.2) 10(14.2)	1.1	3.1
2412	BJ23604	ច	H(2-C) C18	H(2-CH ₈) M(CH ₈),M(CH ₈), cis	4-CF - C.N.	17(2.3)	3.1	4c(3.0)	8	×	4C(10.7)
2413	BJ23613	ដ	H(2-CH,) trans	Ha) N(CHa),N(CHa),	4-CFC.H.	1C(2.7)	40(3.7)	3 C	×	3 C	10(11.0)
2616	W23622	CI	H(2-C	H(2-CaHp) M(CHp) sM(CHp) s	4~CFs-CsHs	4C(6.7)	20(10.0)	20(10.0) 30(10.2)	5.3	3.3	0.3
2416	EJ23640	ជ	Ŧ	N(CH ₈) ₉ N(CH ₈) ₈	4-C1,3-CF,-C,H,	3 C	3 C	2 C	×	4C(8.7)	7.5
2420	BJ28387	I	H(6-	N(6-C1) N(CH ₂) sN(CH ₃) s	2,4-C1,-C.H.	3С, 2Т	×	4C(13.8)	12.0	10(6.3)	2.8
2422	BJ28403	ប	I	N(CH ₃) ₂ N(C ₃ H ₃) ₂	2,4-C1,-C4H,	. 2C	3 2	3	3 C	2 C	SC(SC@10)

TABLE 26 - page 4

							AMST or C after single s.c. dose, mg/kg	after oing	le e.c.	dose, mg/k		ļ
¥	3 ;	4	21	N. S.	•	079	320	160	2 ;	0,	<u>20</u>	
2428	8730869	ច	H(2-CH₃♠)	H(2-CH,0) N(CH,),N(CH,),	3,4-C13-C.H3	75	1.1	6.1	0.1	0.5	-0.1	
1429	BJ34189	ü	H(2-CH,)	H(2-CH ₃) M(CH ₃) ₃ M(CH ₃) ₃	2,4-C1,-C.H.	3C(2.9)	4C(3.9)	ž	35	4C(19.9)	3C(0.1)	
2632	AJ34214	CI	I	N(CH ₂),N(C ₂ ff ₃);	2,4-Cls-CeHs	3 C	3 C	ž	Σc	\$ C	Š	(20610)
2436	LJ34250	13	z	N(CH2),N(CH3),	2,4-C1s-C.Hs	30	3 C	3 C	\$ C	3 C	4C(22.9)	(10#10)
2437	B J34269	CI	=	N(CH1), N(CH1CH2ON)1 2,4-C11-C4H1	2,4-C1,-C.H.	30	SC.	3 C	ž	3 C	4C(10.9)	(10610)
2430	BJ34278	5	*	CH ₃ CH ₃ NCH ₃ CHNH- <u>n</u> -C ₆ H ₉ 2,4-Cl ₃ -C ₆ H ₃	2,4-C1,-C.H,	3 2	×	×	×	30	3 C	(40610)
2439	M36889	2	=	NCH ₂ C(CH ₂) ₂ CH ₂ N(C ₃ H ₂) ₃ 2,4-Cl ₃ -C ₆ H ₃), 2,4-C1,-C.H,	ž	S C	3 2	×	40(13.7)	3C(12.7)	
2440	BJ36998	ü	*	CH, NCH(CH,),N(C,H,),	2,4-C1,-C.H,	%	25	3 C	3 C	4c(13.7)	3C(10.2)	· ·
2441	BJ36905	1 3	I	N(CH,),N(C,H,),	2,4-C1,-C.H,	3 C	4c(3.7)	4C(0.7)	Š	4C(9.7)	4C(6.7)	-
2469	8744649	ច	=		4-CF3-C4Ha) \$.	35	\$ C	3 C	2	10(11.2)	
2471	8344667	I	H(6-C1) N	H(6-C1) N(CH3),N(CH3),	4-CF,-C,H,	51	5 T	51	37 (6.4)	37(6.4) 37(5.4)	11	
2474	BJ44694	CI	I	N(CH,),NHCH,CH,OH	2,4-Cl,-C.H,	ž	3 C	30	ž	20	20	
2476	2	ដ	I	N(CH,),MH,	2,4-C1,-C.H,	3 C		3 C		ž		

A key synthetic goal was the separation of optical isomers for the asymmetric center at Position 3, and this was accomplished in 1982. The biological data is quite exciting and is summarized in Table 27.

The racemic acridinedione (AM-2377) was treated with £ (-) α-methylbenzylamine, and chromatography then provided a fast moving (on TLC), low melting isomer (AM-2616, 68a) and a slow moving, high melting isomer (AM-2617, 68b) of unknown stereochemistry. Acid hydrolysis of 68a and 68b then provided the (+) (AM-2618, 69a) and (-) (AM-2619, 69b) isomers of the acridinedione.

- a) AM-2616; BJ92690
- b) AM-2617; BJ92707

- a) AM-2618; BJ92716
- b) AM-2619; BJ92725

An x-ray crystallographic analysis of imine 68a (AM-2616) performed by Dr. Jerry Atwood at the University of Alabama, resulted in the structure depicted in Figure 1, leading to the designation of the R

configuration at C-3, i.e., structure 70. Thus the isomeric 68b (AM-2617) is assigned the 3-S configuration 71, and the corresponding diketones 69e (AM-2618) and 69b (AM-2619) are assigned the 3R configuration 72 and the 3-S configuration 73 respectively.




Comparison of the Biological Activities of 7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1,9(2H, 10H)-acriding-dione Enantiomers and Their 1-Imines With Their Corresponding Racemic Analogs TABLE 27


					3							
¥	Kr v Libro	×	(S #)-(AMST or C/T After Single SC or PO Done (mg/kg	After	Single	SC or	O Dose	(mg/kg)		
)=(=,)	940	320	091	90	40	92	9	\$	2.5
2377 83-02034	os .	0	R,S (racemic)	35	ž	4C 17.8	4C 15.8	کر 19.1	2C 10.3			
2618 8J-92716	ာ့	3	≭ 1	24	3	2+	2	2 2	6.5	6.1	3.9	1.3
2619 BJ-92725	o. Lo	3	ω (ر کو ک	5 5	33	33	383	353	3 .	эс 5.9	6.7
2645 ¹ BK-12375	SC PO	NO.IMEPILA,S	N.S (racenic)	% %, 2T	3 3	27 27	14.7	4.9 IC 3C	6.3 6.3			
2617 8.1-92707	o.	NCIIMEPh S	ઝા	24	æ	9.0	8.4	3.0	9.0			
2616 8J-92690	S.	NCHMePh S	z i	4C, 1T	4C, 1T	25	3	æ	1.4			
2379 BJ-02052		N(CH2)3N(CH3)2	R,S (racemic)	3	3	3	ž	×	×	3.6	1c 7.4	
2732 BK-51621		N(CH ₂)3N(CH ₃)2	ω (
2733 BK-51630		N(CH ₂) _J N(CH ₃) ₂	×					_				

1. ~ 2.1 Mixture of the two possible pairs of enantiomers (S/3-S + R/3-K:S/3-K + K/3-S).





SYNTHESIS OF NEW AGENTS FOR DRUG-RESISTANT MALARIAS(U)
WARNER-LAMBERT CO ANN ARBOR HI L M MERBEL DEC 83
DAND17-79-C-9115 AD-A175 171 2/6 UNCLASSIFIED F/G 6/15 NL



PROCOPY RESOLUTION TEST CHART

The most exciting aspect of the biological data is the dramatic increase in potency of the separated isomer 73 over both the respective stereo omer and the parent (AM-2377) racemic mixture.

To determine whether the improvement in potency achieved with the imine over parent diketone (i.e., AM-2379 versus AM-2377) was even further augmented upon separation of the isomers was now of major importance and we thus tackled this problem.

It was possible to scale-up the preparation of the imine AM-2617 and its hydrolysis to AM-2618. Treatment of N,N-dimethyl-1,3-propanediamine then provided the desired $\frac{74}{2}$.

Similarly scale-up of imine AM-2616 and its hydrolysis to AM-2619 was accomplished, but all attempts to complete the normally facile imine formation with N,N-dimethyl-1,3-propanediamine were unsuccessful. Finally the desired isomeric 75 was obtained by direct heating of 70 with the diamine.

2. Acridinedione Hydrazones

Several members of this class (76a-d) were completely curative through 40 mg/kg in the mouse model. A decision should be made by WRAIR staff as to whether patent coverage, further effort, etc is desirable in this series. Monkey data on comparative efficacy with 65 or 66 for example, against resistant strains, prophylactic protection, persistence, etc would be useful data on which to make a comparison. Complete biological data on this series is presented in Tables 28 and 29.

76a-d

_	AM	BN	N	R
a)	2424	BJ-28421	NN(CH	3)2
ъ)	2426	BJ-30841	NN	0
c)	2427	BJ-30850	NN(CH	2)5
d)	2451	BJ-39424	NN	N-CH3

Effects of Hydrazone Derivatives of Acridinediones Against Trophozoite-Induced P. berghei in Mice

			ı	HQ.	AMST or C after single s.c. dose, mg/kg	ter single	e.c. dos	e, mg/kg	ķ
된	X	~ 1	m i	070	5 5	201	8)	5
1940	R:-66921	NNH2	3, 4-C12-CaH3	20(6.5)	6.9	4.3	3.5	6.0	! !
1957	BG-72429	NNHCH2CH2NBt2	3,4-Cl2-CeH3	50	4c(10.9)	4c(10.9) 4c(10.9)	7.5	2.9	;
2195	2195 BH-47985 NWHCNH2	NNHCNH2	3-CP3-CeH4	50	8.7	9.3	6.6	3.1	į
2218	2218 BH-57105 N-N		4-CP3-CoH4) 20	5c	50	5c 3c(14.4) 2c(10.1) 1c(8.6)	æ(10.1)	16(8.6)
2263	2263 BH-67558 N	H-N N	λ-CP3-CeH4	3 C	10(19.0)	2C(10.1)	2T(1.7)	3T(2.0)	1C(19.0) 2C(10.1) 2T(1.7) 3T(2.0) 3T(1.0)
2274	вн-70144	NAMI KNA NAMI KNAMI KNAM	^t −CF ₃ −C _G H ₄	5.7	† 1	1:1	•	1.1	;
2276	2276 BH-70162	NAME S NAME OF STREET OF S	4-CF3-CoH4	-0.1	i	-0.3	;	-0.3	;
2277	BH-70171	NNH CHANN	4-CP3-CoH4	-0.3	:	-0.3	! ! !	0.1	! !
2278	вн-70180	NRH NRH NRH	հ-CF3-C ց H₄	-0.3	;	-0.3	i	0.1	i

	8		:	}	}	9.0	-89- 9:	2C(11.8)	(5.	(8)	7	∽
/kg		•	1	•	1	0	€	2C(1	10(7.5)	2C(9.8)	6.7	5.5
dose. mg	07	1.0	3.2	1.6	2.4	7.0	6.5	2 C	4C(7.5)	2 C	3 C	3C(13.4) 1C(9.4)
le s.c.	90	1.6	6.2	1.8	!	1.0	8.6	၁၄	20	2 C	37	3C(13.4
after sing	160 80 40	6.0	0.6	6. 6	4.2	2.8	2c(9.4)	3 C	20	26	2 C	30
AMST or C	320	9.9	20(10.3)	4.8	1 1	2.0	20(8.9)	20	20	25	2 C	35
	049	1C(10.5)	2 5	1C(7.3)	7.8	2.6	25	36	20	3 C	2 C	3 C
	~]	4-CF3-CAH4	հ-CF₃-C ₆ H₄	հ -CF3 -C ₆ H4	4-CF3-C _G H4	3-CF3-C ₆ H₄	4-C1-C ₆ H4	2,4-C12-CcH3	∂, 4 -C12 -C ₆ H3	2,4-C12-C ₆ H3	2,4-C12-C ₆ H3	2, 4 - C1₂ - C ₆ H₃
	£	BH-72693 NNHCNH-	BH-72700 NNHCNHSO2 CCH3	0CH ₃ BH-72728 NNH ← OOH → O	2287 BH-72773 NNHCNH(CH2)30	2325 BH-81816 NNH -	ВН-65456 NNH(CH ₂) ₃ N(CH ₃) ₂	್ರೀನ್ಟ್ ೯, ೭೪೩೭1 NN(CH ₃)2	n.t- 30832 NN(CH2)4	RJ- 30841 NN 0	BJ- 30850 NN(CH2)5	88- 34198 NN H ₃ C
	2		# E		#80 	- BH	ВН-(R.J-	R.J -			
	된	2279	22 ^R 0	22 ^R 2	2287	2325	2246	મુહેપુટ	\$696	9242	2427	2430

-89-9.6





CORRECTION, POSSIBLE DISCOLLES

CONTRACT SOCIETIES


TABLE 28 - page 3

			,	7	MST or C a	AMST or C after single s.c.dose, mg/kg	B.c.dose	, mg/kg]
¥,	N ₂	¥.	e }	646	340	160	8 0	η	50
2434	83-54232	NNH2	2, 4 -C12 -C _C H3	9C	4C(10.9)	10.7	4.3	2.9	0.3
2435	83-34241	$NN(CH_2)_5$ (2- CH_3)	2,4-C12-CAH3	9C	2C(18.2)	1C(12.9)	10(6.7)	6.5	3.7
2443	8J-36923	NN=CH-C _R H ₅	2,4-C12-C ₆ H3	2C(8.0)	2C(8.0) 1C(6.2)	2.7	4.1	2.5	0.5
7445	81-36932		4-CF3-CAH4	9C	20	4C(9.8)	30(8-7)	30(8.7) 10(6.8)	5.5
2445	8J-36941	$NN(CH_3)_2$ C1	և-CF₃¬C ₆ H₄	26	20	20	4C(13.7)	4C(13.7) 2C(10.0) 7.3	7.3
9445	2446 BJ-36950 NN_CH	NN⇒CH — C1	2,4-C12-C ₆ H ₃	4.7	1.1	3.1	0.5	1.1	0.1
2450	BJ-39415	NN(CH ₃) ₂ (2-CH ₃)	2,4-C12-C ₆ H3	4C(1T)	26	2 C	4C(10.9)	4C(10.9) 2C(9.6)	5.5
2451	BJ-39424	NN N-GH ₃	2,4-C12-C ₆ H3	4C(2.9)	20	26	20	20	30(13.3)-
242	BJ-39433	NN=CHC ₆ H ₅	և-CF₃-Ե _Բ Կ₄	10(6.9)	10(7.6)	8.7	5.2	3.9	1.2
2472	BJ-44676	NNH ———————————————————————————————————	2,4-C12-CeH3	3C(12.6)	3C(12.6) 4C(13.9)	10(8.9)	4.3	2.1	6.0
2483	BJ-45673	$ \begin{array}{ccc} \text{NN} & (2-\text{CH}_3) \end{array} $	2,4-C12-C ₆ H3		2 C		3C(11.9)		7.5
1/1/1/2	BJ-45682	NN(CH ₂) ₅	և -CF₃ -C _Բ H₄	25		2 C	1	1c(7.7)	



Effects of Hydrazone Derivatives of Acridinediones Against

Trophozotte-Induced P. berghet in Mice



				N V	ST or C af	A MST or C after single s. c. dose, mg/kg	8. c. do	8e, mg/k	8	
Z	Z 1	NR	m (01/9	320	091	160 80 11 40	07	<u>20</u>	
E	H-81825	BH-81825 NNHCH2CH2N(C2H5)2	h-CF3-CeH₄	3C(-0.2) 3C, 2T	3C, 2T	26	5c 3c(14.6) 5c 3c(9.6))c	(9.6)	
-	2457 8J-39791	E E	h-CF3-C ₆ H₄	26	2 C	4C(-0-1)	4C(-0.1) 8.9 6.7	6.7	2.5	
	2462 BJ-39844	CH ₃	2, 4-C12-CaH3	9.0		0.0		0.0		
	2464 BJ-44596	NOH	2,4-C12+CeH3 (2-CH3) 5C	-сн _з) 5с	2 C	20	5C 1C(12.4) 2C(7.9) 5.3	2C(7.9)	5.3	-9
_	2470 BJ-44658	NOH	4-CF3-CeH4	7.9	5.9	0.5	0.5 2.3 0.1	0.1	0.1	1-

3. Isoxazolo[3,2,5-kl]acridines

All data available on this series is once again presented for direct comparison. The rodent activity pattern is clearly very similar to that of the acridinedioneimines.

<u>77</u>

AM	BN	A	R	x 1)		MST of	C Aft		_	
				(0 or 1)	640	320	160	80	40	20
2381	BJ-02070	7-C1	4'-CF ₃	0	5C	5C	5C	5C	2C	2C
2463	BJ-44587	7-C1	2',4'-C1 ₂	0	5C	5C	5C	5C	5C	4C
2467	BJ-44621	7 - C1	4'-CF ₃	1	5C	5C	5C	5 C	3C	8.5
2479	BJ-45637	7 - C1	2',4'-C1 ₂	0 (3-Me)	3C		3C		3C	
2536	BJ-72714	7-C1	2',4'-C1 ₂	1	5C	5C	5C	5C	4C	10
2537	BJ-72723	7-C1	3'-CF ₃	0	4C	2C	2C	7.5	3.5	2.5
2538	BJ-72732	7-NO ₂	4'-CF ₃	0	2C	8.7	7.1			
2539	BJ-72741	н	4'-CF ₃	o	Т		Т		т	
2540	BJ-72750	7-C1	3',4',5'-(OMe) ₃	0	1.1	5.0				
2543	BJ-76436	8-C1	2',4'-C1 ₂	0	5.3	2.1	1.7			

It will be remembered that primate data on AM-2463 (WR-246976) was not impressive compared to acridinedione imine 66 for example. Thus, while 66 cleared both Uganda Palo Alto and Smith strains at three oral doses as low as 1.0 mg/kg, AM-2463 did not clear parasitemias of either strain until a dose of 16.0 mg/kg x 3. Moreover 64 mg/kg x 3 was not curative. On the other hand AM-2463 given as an intramuscular injection cured one monkey at 8.0 mg/kg x 3, while the infection in a second monkey will probably be cured at 32 mg/kg x 3 (second retreatment).


We are not aware of any additional data which would stimulate further interest in this series. We will plan to write this work up for publication shortly unless we receive directions to the contrary.

G. Indologuinolines

Development of this unique series of antimalarial agents (78) was incomplete when our contract ended. The unique structure-activity relationships within this series and the potent rodent activity certainly suggests further effort in this area. Since no biochemical information is available as to how these compounds act, support for such studies should be considered. This information could be most useful towards a decision as to additional chemical effort in this structural class.

The data available (Tables 30-33) continues to point up similarities with the 4-aminoquinolines (79) - with however disturbing differences. Thus chlorine in the 3-position (which equates to the chlorine in seven of the 4-aminoquinolines) is very important for activity. It's removal (AM-2637), movement to the 2-position (AM-2595) leads to elimination of activity. Its replacement with bromine (AM-2676) leads to retention of a good portion of its activity while replacement with fluorine (AM-2693) leads to loss of most of the biological activity. Clearly the basic side chain is also important to activity since both its removal (AM-2691) or simply removal of the terminal nitrogen (AM-2638) eliminates activity. Perhaps most startling is the fact that the ring N-oxide is critical to antimalarial activity (compare AM-2351 with AM-2490). This observation is unparalleled in antimalarial structure-activity relationships and deserves further study, i.e., mechanism of action, metabolism, etc.

Effects of 7,8,9,10-unsubstituted-II-Substituted-indolo[3,2-c]-quinolines Against Trophozoite-Induced P. berghei in Mice TABLE 30



		:	×	,		MST or	AMST or C After Single	er Sir	ng le	
¥.	Z Đ		(0 or 1)	×	640	32	SC Dose, mg/kg 320 160 80	ng/kg 80	07	20
2351	91168ня	1) -c	-	Et 2 NCH 2 CH 2	25	25	25	30	10	10
2490	BJ46170	3-c1	0	Et 2 NCH 2 CH 2	2.9		-	-	!	-
2527	BJ63788	=======================================	-	Me2NCH2CH2	5.3	4.1	2.9	-	-	\
2595	BJ90847	2-C1		Et 2 NCH 2 CH 2	1.5	-	1.0	 	0.3	!
2596	RJ90856	3-C1	o	=	0.5	-	-0.3	!	0.1	!
2603	BJ91433	12-CI	_	Et 2 NCH2 CH2 (6-Me)	1T -0.1	1	-0.1		-0.1	
2633	BK02815	H	0	Et 2 NCH2 CH2	0.1		0.3		l	





TABLE 30 Effects of 7,8,9,10-unsubstituted-11-Substituted-indolo[3,2-c]-quinolines Against Trophozoite-Induced P. berghei in Mice

beed consiste societies response toerand believed toerand believed. Believed believed toeranded

						MST O	AMST or C After Single	er Sin	gle gle	
W	Z GO	>	(œ		SC	SC Dose, mg/kg	ng/kg)	
			1000		049	320 160	160	90	40	20
2634	BK02824	3-c1	-	Me2NCH2CH2	2c	-	90	i	3 C	!
2636	BK02842	3-C1	-	((CH ₂) ₅ N)CH ₂ CH ₂	8.1 1C (8.6)	8.1 1C 1C (8.6) (7.1)	4.9	3.7	3.5	
2637	BK02851	=	-	Et 2NCH2CH2	4.7		1.7			
2638	BK02860	3-cı	-	ме ₂ сиси ₂ си ₂	0.3	1	0.1	-	1	!
2658	BK13005	3-c1		CH ₃	1.9	1	-0.1	1	-0.1	
2634	BK02824	3-C1	_	Me 2 NCH 2 CH 2) 2C) 2C	740	24	20	6.1
					2		3c		2C (10.2)	
2668	BK16248	3-Br	0	=	9.0	1	7.0	1	0.2	-
2669	BK16257	3-F	0	=	1.2		9.0		9.0	ł

TABLE 30 Effects of 7,8,9,10-unsubstituted-II-Substituted-indolo[3,2-c]-quinolines Against Trophozoite-Induced P. berghei in Mice

3	2	>	*	α	_	MST o	AMST or C After Single	er Sin	gle	
ē		•	(0 or 1)	*	079	320	0 160 80	80.8	40	20
2670	2670 BK16266	3-c1	0	сн	0.0		0.2		0.2	!
2671	BK16275	3-Br	0	Et 2N(CH2)2	3.5	-:	-0.1	0.1	-0.3	-
2672	BK16284	3-F	0	Et 2N(CH2)2	0.8	!	0.8		0.0	1
				0						
2676	2676 BK16926	3-Br	-	Et 2N(CH2)2	25	25	9	2C	7.8	6.4
2611	BK16935	2-осн ₃	0	=	-0.1	-	!	1	! !	1
				0						
2678	BK16944	3-F		Et 2N(CH ₂) ₂	7.6	8.4	2.4	1.6	1.0	0.5
2685	BK21114	19-I	0	=	0.3	-	-0.1	-	0.3	-
2689	BK21150	3-c1	0	Et 2 N(CH2) 2 (6-C1)	1:		1:1	1	0.3	!

Effects of 7,8,9,10-unsubstituted-11-Substituted-indolo[3,2-c]-quinolines Against Trophozoite-Induced P. berghei in Mice TABLE 30

	ā		×	a	7	MST OI	AMST or C After Single	er Sir	gle	
		-	(0 or 1)	4	079	320	640 320 160 80	80	70	20
BK2117	- 00	2691 BK21178 3-C1	-	Ŧ	0.3	1 1	0.1	1	0.7	1
BK 2 1 1	96	2693 BK21196 3-F		Et 2N(CH2)2	3 C	10	5.3	3.5	1.5	0.5
BK212	21	ВК21221 3-С1	0	C6H5	-0.1		-		-	
BK220	22	1706 ВК22022 2-осн ₃	0	Et ₂ N(CH ₂) ₂	3T, 0.9	 	0.1		-	
BK 2 2 0	31	2707 ВК22031 2-осн ₃		Et 2 N(CH2) 2	6.0	!	6.0		1.3	
BK225	22	BK22522 3-C1	-	C6 H5	0.5	!	0.1		0.3	-

Effects of 8-Methoxy-11-Substituted-indolo[3,2-c]quinolines Against Trophozoite-Induced P. berghei in Mice TABLE 31

(x)0(x)	, -{C	<u> </u>
		- ×
CH ₃ 0		

-	-	;	×	c	7	MST of	AMST or C After Single	er Sin	8 le	
E	2	-	(0 or 1)	¥	079	320	эс пове, mg/кg 0 160 80	80 E80	40	20
2485	BJ46125	3-c1	0	=						
2487	BJ46143	3-c1	0	Me ₂ NCH ₂ CH ₂	1.3		0.5			!
2541	BJ76383	=	C	сн ₃	-0.1	i			1	
2542	BJ76392	=		сн			1	l l		-
1957	8382863	=	0	Me2CHCH2CH2	0.1				!	1
2562	RJ82872	=	-	Me2 CHCH2 CH2	2T (0.8)	-	-0.1	l		
2563	BJ82881	=	0	с ₆ и ₅ си ₂	-0.1		-	-	-	-
2564	BJ82890	x	-	c ₆ H ₅ CH ₂	5.1	-	0.7		0.5	
2570	BJ83404	=	0	Ft 2 NCH 2 CH 2	1.5		0.7	-		-



ere essaye voisse essaye houses houses essaye essaye product assaye essaye bounds bounded bounded bounded

Effects of 8-Methoxy-11-Substituted-indolo[3,2-c]quinolines Against Trophozoite-Induced P. berghei in Mice TABLE 31


7	22	>	×	a	۷	MST or	AMST or C After Single	r Sin	gle	}
		•	(0 or 1)	:	049	320	640 320 160 80	80	40	20
2572	BJ83440	×	0	6H 72-u	11		-		-	
2574	BJ83468	=	c	Me2N(CH2)3	5.8	2.2	9.0		!	!
2598	kJ90874	3-c1	o	Et 2 NCH 2 CH 2 (9-CH 2 NEt 2)	2T (5.7)		0.5		0.3	
2635	BK02833	3-c1	0	Et 2 NCH 2 CH 2	4.3 16 (3.1)	1.7	0.3		1	-
2640	BK05165	3-c1		Et 2 NCH 2 CH 2 0	50	20	36	7 4C	6.1 IC	4.3
2704	BK22004	3-61		Et 2 NCH2 CH2	%	×	76	7 4C	10	6.3

Effects of 8-Chloro-11-Substituted-indolo[3,2-c]quinolines Against Trophozoite-Induced P. berghei in Mice TABLE 32

in Mi			
in	(x)0	>	•
shozoite-Induced P. berghei	C1 BIN WOO		~ ~ ~
ho			

MA	N.	,	×	æ		MST OI	AMST or C After Single SC Done, mo/kg	er Sir	gle	
		•	(0 or 1)		940	320	640 320 160 80	80	40 20	70
2560	BJ82854	Œ	0	Ξ	0.9		0.3	l	-	!
1652	BJ90865	Ŧ	0	Et 2 NCH 2 CH 2	0.9		0.5		-0.1	
2623	BJ93633	3-c1	-	Me ₂ N(CH ₂) ₃	40		4C (45.0)		8.6 3c 1c (19.4) (8.2)	1C (8.2)
					2 C	26	25	8	10 (8.9) 30 (11.4)	7.7
1624	8.193642	3-61	_	Et 2 NCH2 CH2	32	32	35	24	2C (12.9)	1.9
2514	RJ58385	3-c1	_	Et 2 NCH2 CH2 (8-NO2)	SC	8	5 C	35	SC	1C (7.0)

Effects of 7,8,9,10-Tetrahydro-11-Substituted-indolo[3,2-c]-quinolines Against Trophozoite-Induced P. berghei in Mice TABLE 33



	×	*	×	œ	7	MST or	AMST or C After Single SC Dage mo/ke	er Sir	ng le	
		•	(0 or 1)		979	320	640 320 160 80 40	80	70	20
BJ91415 3-CI	<u> </u>	3-c1	0	I	0.5	}	0.1	1	1	-
BJ91424	.+	3-c1	0	Et 2 NCH 2 CH 2	3.1 4.9 1c	3.1 2.3 4.9	1.1		1:1	
2615 BJ922672 3-C1	72	3-c1	-	Et 2 NCH 2 CH 2 0	6.5	4.7	6.5 4.7 2.7 3.1 3.5	3.1	3.5	6.0





If one retains the chlorine in the 3 position, the basic side chain, and the ring N-oxide, one notes that hydrogen in positions 7-10 is equally effective with a methoxy in position 8 (AM-2704), a chlorine in position 8 (AM-2624) or a nitro in position 8 (AM-2623). Saturation of position 7-10 (AM-2615) eliminates activity.

Our previous considerations of substituent electronic and steric parameters made the preparation of an amino and a methanesulfonyl group in the 8-position of particular interest. These goals remain as yet unachieved.

References

- 1. P. E. Thompson, A. Boyles, and B. Olszewski, Am. J. Trop. Med. Hyg., 19, 12 (1970).
- 2. Pharmaceutical Industry, 6, 4 (1980).
- 3. E. F. Elslager and L. M. Werbel, Antimalarial Preparations Laboratory Contract No. DA-49-193-MD-2754, Final Report, September 10, 1970, pp 1-739.
- 4. E. F. Elslager and J. Davell, "Synthesis of Fused Pyrimidines as Folate Antagonists, "Lectures in Heterocyclic Chemistry, Vol II, R. N. Castle and L. B. Townsend, Eds., Hetero Corporation, Orem, Utah, 1974, pp S-97-S-133.
- 5. H. S. Shapiro, Monsanto Research Corporation, Dayton, Ohio.
- 6. K. E. Kinnamon, A. Lager, and R. W. Orchard, Exp. Parasitol., 40, 95 (1976).
- 7. E. F. Elslager, J. L. Johnson, and L. M. Werbel, <u>J. Med. Chem.</u>, <u>26</u>, 1753 (1983).
- 8. Private communications from the Walter Reed Army Institute of Research.
- 9. D. F. Worth, J. Johnson, E. F. Elslager, and L. M. Werbel, J. Med. Chem., 21, 331 (1978).
- E. F. Elslager, J. L. Johnson, and L. M. Werbel, <u>J. Med. Chem.</u>, <u>24</u>, 140 (1981).
- E. F. Elslager, J. L. Johnson, and L. M. Werbel, <u>J. Med. Chem.</u>, <u>24</u>, 1001 (1981).
- 12. W. E. Gutteridge and G. H. Combs, Biochemistry of Parasitic Protozoa, University Park Press, Baltimore, MD, 1977, p 144.
- 13. R. Ferone, <u>Bull. W.H.O.</u>, <u>55</u>, 291 (1977).
- 14. D. A. Matthews, et al, <u>J. Biol. Chem.</u>, <u>253</u>, 6946 (1978).
- B. Birdsall, A. S. V. Burgen, J. Rodrigues de Miranda and G. C. K. Roberts, <u>Biochemistry</u>, <u>17</u>, 2102 (1978).
- 16. B. R. Baker, Design of Active-Site-Directed Irreversible Enzyme Inhibitors, Robert E. Krieger Publishing Co., Huntington, New York, 1175, pp 200-201.

- 17. B. J. Dolnick and Y. C. Cheng, J. Biol. Chem., 253, 3563 (1978).
- 18. D. W. Szeto, Y. C. Cheng, et al, Biochem. Pharmacol., 28, 2633.
- 19. X. Zhang, X. Zhang, and X. Zheng, Acta. Pharm. Sinica, 15 (12), 711 (1980).

CYB-1 paw 1/19/84

Publication List

Contracts DADA 17-72-C-2077 and DAMD 17-79-C-9115

• • • •

- New Vistas for Folate Antagonists in the Chemotherapy of Parasitic Infections; Edward F. Elslager; Proceedings of the 4th Int. Symp. of Med. Chem., J. Maas, Ed., Elsevier Scientific Pub. Co., Amsterdam, 227 (1974).
- 2. Synthesis of Fused Pyrimidines as Folate Antagonists; Edward F. Elslager, and John Davoll; Lectures in Heterocyclic Chemistry, R. N. Castle and L. B. Townsend, Eds., Hetero Corp., Orem, Utah, 2, S-97 (1974).
- 3. Synthesis and Antimalarial Effects of [1]Benzothieno[3,2-f]-quinazoline-1,3-diamine; Judith Johnson, Edward F. Elslager, and Leslie M. Werbel; J. Heterocyclic Chem., 14, 1209 (1977).
- 4. Folate Antagonists. 10. Synthesis and Antimalarial Effects of 6-[[(Aryl and aralkyl)amino]methyl]-2,4-pteridinediamines and -pteridinediamine 8-0xides; Donald F. Worth, Judith Johnson, Edward F. Elslager, and Leslie M. Werbel; Journal of Medicinal Chemistry, 21, 331 (1978).
- 5. Folate Antagonists. 11. Synthesis and Antimalarial Effects of 6-[(Aryloxy- and arylthio-)methyl]-2,4-pteridinediamines and -pteridinediamine 8-0xides; Leslie M. Werbel, Judith Johnson, Edward F. Elslager, and Donald F. Worth; Journal of Medicinal Chemistry, 21, 337 (1978).
- 6. Folate Antagonists. 12. Antimalarial and Antibacterial Effects of 2,4-Diamino-6-[(aralkyl and alicyclic)thio-, sulfinyl-, and sulfonyl]quinazolines; Edward F. Elslager, John Davoll, Patricia Jacob, A. M. Johnson, Judith Johnson, and Leslie M. Werbel; Journal of Medicinal Chemistry, 21, 639 (1978).
- 7. Synthesis of 6-(Arylthio)- and 6-[(Arylmethyl)thio]-1,2,4,5-tetrazin-3-amines and N-Phenyl- and N-(phenylmethyl)-1,2,4,5-tetrazine-3,6-diamines as Potential Antimalarial Agents; Judith L. Johnson, Barbara Whitney, and Leslie M. Werbel; J. Heterocyclic Chem., 17, 501 (1980).
- 8. Folate Antagonists. 17. Synthesis and Biological Properties of a 2,4-Diamino-6-thioquinazoline Analog of Aminopterin; Leslie M. Werbel, Linda Newton, and Edward F. Elslager; J. Heterocyclic Chem., 17, 497 (1980).
- 9. Folate Antagonists. 16. Antimalarial and Antibacterial Effects of 2,4-Diamino-6-[(heterocyclic)thio, sulfinyl, and sulfonyl] quinazolines; Edward F. Elslager, Patricia Jacob, Judith Johnson and Leslie M. Werbel; J. Heterocyclic Chem., 17, 129 (1980).

- 10. Folate Antagonists. 18. Synthesis and Antimalarial Effects of N⁶-(Arylmethyl)-N⁶-methyl-2,4,6-pteridinetriamines and Related N⁶,N⁶-Disubstituted 2,4,6-Pteridinetriamines; Edward F. Elslager, Judith L. Johnson, and Leslie M. Werbel; <u>J. Med. Chem.</u>, 24, 140 (1981).
- 11. Folate Antagonists. 12. Synthesis and Antimalarial Effects of 6-(Arylthio)-2,4-pteridinediamines; Edward F. Elslager, Judith L. Johnson, and Leslie M. Werbel; J. Med. Chem., 24, 1001, (1981).

PRESERVE WAS THE CONTRACT SOFT

- 12. Synthesis and Antimalarial Effects of N²-Aryl-N⁴-[(dialkylamino)-alkyl]- and N⁴-Aryl-N²-[(dialkylamino)alkyl]-2,4-quinazoline-diamines; Edward F. Elslager, Carolyn Hess, Judith Johnson, Daniel Ortwine, Vera Chu, and Leslie M. Werbel; J. Med. Chem., 24, 127, (1981).
- 13. Camoform analogs as potential agents against mefloquine resistant malaria; Jocelyn Hung and Leslie M. Werbel; Eur. J. Med. Chem., 18, 61-66 (1983).
- 14. Synthesis of 3,4-Dihydrothioxanthene-1,9-dione Analogs as Potential Antimalarial Agents; Jocelyn Hung, Dennis J. McNamara, and Leslie M. Werbel; J. Heterocyclic Chem., 20, 1575 (1983).
- 15. Folate Antagonists. 20. Synthesis and Antitumor and Antimalarial Properties of Trimetrexate and Related 6-[(Phenylamino)methyl]-2,4-quinazolinediamines; Edward F. Elslager, Judith L. Johnson, and Leslie M. Werbel; <u>Journal of Medicinal Chemistry</u>, 26, 1753 (1983).
- 16. Folate Antagonists. 22. Antimalarial and Antibacterial Effects of 2,4-Diamino-6-quinazolinesulfonamides; Edward F. Elslager, Norman L. Colbry, John Davoll, Marland P. Hutt, Judith L. Johnson, and Leslie M. Werbel; Journal of Medicinal Chemistry, 27, 1740 (1984).
- 17. Investigations into the Synthesis of 6-Ethyl-5-(4-pyridinyl)-2,4-pyrimidinediamine as a Potential Antimalarial Agent; Jocelyn Hung, and Leslie M. Werbel; J. Heterocyclic Chem., 21, 741 (1984).
- 18. Synthesis and Antimalarial Properties of 2,4-Diamino-6-[(aryl)thio, sulfinyl, and sulfonyl]pyrido[3,2-d]pyrimidines; Norman L. Colbry, Edward F. Elslager, and Leslie M. Werbel; J. Heterocyclic Chem., 21, 1521 (1984).
- 19. Fluoride-Assisted Nucleophilic Substitution of 6-alkyl-5-bromouracils with Hitrogen-Containing Heterocycles; Jocelyn Hung, Leslie M. Werbel; Synthesis, 80 (1985).

- 20. 3-Aryl-7-chloro-3,4-dihydro-1,9(2H, 19H)acridinedione, 1-hydrazones as potent antimalarial agents; Leslie M. Werbel, Jocelyn Hung, Dennis McNamara, and Daniel F. Ortwine; Eur. J. Med. Chem., 20, 363-370 (1985).
- 21. Synthesis of N⁴-(5-Methoxy-7-benzofuranyl)-1,4-pentanediamine, An Oxygen Isostere of Primaquine; Judith L. Johnson and Leslie M. Werbel; J. Heterocyclic Chem., 22, 1377 (1985).
- 22. Synthesis of Selected 3-Substituted-Pyrimido[5,4-e]-1,2,4-triazine-5,7-diamines as Potential Folate Antagonists; Leslie M. Werbel, Edward F. Elslager, and Judith L. Johnson; J. Heterocyclic Chem., 22, 1369 (1985).
- 23. Folate Antagonists. 21. Synthesis and Antimalarial Properties of 2,4-Diamino-6-(benzylamino)pyrido[3,2-d]pyrimidines; Norman L. Colbry, Edward F. Elslager, and Leslie M. Werbel; <u>Journal of Medicinal Chemistry</u>, 28, 248 (1985).

Patents

Contracts DADA 17-72-C-2077 and DAMD 17-79-C-9115

- British 1,345,502: E.F. Elslager and L.'I. Werbel, 2,4-Diamino-6arylaminomethyl quinazolines as antimalarial agents. January 30, 1974.
- 2. European Patent 27679: E. F. Elslager and L. M. Werbel, 5-Chloroquinolyl-3-aminomethyl-1,1'-biphenyl-2-ol compounds as antimalarial agents. August 10, 1983

Australia	537068	September 27, 1984
W. Germany	3064528	August 10, 1983
Philippines	17437	August 23, 1984
South Africa	80/3940	September 30, 1981
Spain	492979/9	April 27, 1981
Denmark, Irel	and, Japan	Application pending

3. U.S. 4291034: L. M. Werbel, 7-Chloro-3-Substituted Aryl-3,4-dihydro-1,9(2H, 10H) and 10-Hydroxy acridinedioneimines Having Antimalarial Activity, September 22, 1981.

EP.0.	36718	January 2, 1985
W. Germany	3168000	January 2, 1985
Japan		Application pending

Personnel List



Contract No. DADA 17-72-C-2077

Dr. Edward F. Elslager Dr. Leslie M. Werbel Mr. Norman Colbry Ms. Linda S. Newton Ms. Georgianna L. Hill Mrs. Judith L. Johnson

Mrs. Mike Plessas

Mr. Donald F. Worth Ms. Sandra J. Lobbestael

Mrs. Margaret Degman Mr. Dennis J. McNamara Mr. Daniel F. Ortwine

Dr. P. Dan Cook Mr. Stephen Kesten

Contract No. DAMD 17-79-C-9115


Dr. Leslie M. Werbel Mr. Dennis J. McNamara Mr. Stephen Kesten Mrs. Jocelyn Hung Mr. William Turner



Appendix I

The years indicated in the appendix are the years in which the work of the annual report indicated was performed. The dates of the actual reports are as follows:

Report No.	Report Date	Contract No.
1	May 1973	DADA 17-72-C-2077
2	Feb. 1974	н
3	Feb. 1975	П
4	Feb. 1976	н
5	Feb. 1977	п
6	Feb. 1978	н
7	Feb. 1979	и
8	Jan. 1980	u
9	Jan. 1981	DAMD 17-79-C-9115
10	Jan. 1982	П



Cumulative List of Compounds Submitted 1972-1982

I. Folic Acid Inhibitors

- A. 2,4-Diamino-pyrido[3,2-d]pyrimidines
 - l. 6-(arylthio)

AM Number	Name	Annual Report Number	Year	Page
1 183	2,6-Dichloro-3-nitropyridine	1	1972	173
1193	6-(2-Naphthylthio)-3-nitropicolino- nitrile	1	1972	175
1 201	3-Amino-6-(2-naphthylthio)picolino- nitrile	1	1972	176
1 206	2,4-Diamino-6-(2-naphthylthio)pyrido- [3,2- <u>d</u>]pyrimidine	1	1972	177
1210	3-Amino-6-chloropicolinonitrile	1	1972	178
1219	2,4-Diamino-6-[(p-chlorophenyl)thio]- pyrido[3,2-d]pyrimidine	1	1972	179
1221	2,4-Diamino-6-[(p-(dimethylamino)- phenyl]thio]pyrido[3,2-d]pyrimidine	1	1972	181
1 222	3-Amino-6-[[p-(dimethylamino)phenyl]- thio]picolinonitrile	1	1972	182
1 224	2,4-Diamino-6-(2-naphthylsulfonyl)- pyrido[3,2-d]pyrimidine, 0.86 hydrate	1	1972	184
1 240	2,4-Diamino-6-chloropyrido[3,2- <u>d</u>]- pyrimidine, hemihydrate	1	1972	185
1 268	2,4-Diamino-6-[(a,a,a-trifluoro-m- tolyl)thio]pyrido[3,2-d]pyrimidine	1	1972	186
1 2 7 5	2,4-Diamino-6-[(a,a,a-trifluoro-m-tolyl)sulfinyl]pyrido[3,2-d]-pyrimidine, 0.8 hydrate	1	1972	188

AM Number	Name	Annual Report Number	Year	Page
1276	2,4-Diamino-6-[(\alpha,\alpha,\alpha,-trifluoro-m-tolyl)sulfonyl]pyrido[3,2-d]-pyrimidine, 0.2 f wt ethanol of crystallization	1	1972	189
1287	N'-[2-Amino-6-[(a,a,a,-trifluoro-m-tolyl)thio]pyrido[3,2-d]pyrimidin-4-yl]-N,N-dimethylformamidine	1	1972	190
1289	3-Nitro-6-[(4-phenyl-2-thiazolyl)- thio]picolinonitrile	1	1972	192
1324	2,4-Diamino-6-[(3,4-dichlorophenyl)-thio]pyrido[3,2-d]pyrimidine	1	1972	193
1334	2,4-Diamino-6-[(3,4-dichlorophenyl)-sulfinyl]pyrido[3,2-d]pyrimidine	1	1972	194
1336	2,4-Diamino-6-[(p-fluorophenyl)thio]- pyrido[3,2-d]pyrimidine	1	1972	195
1341	2,4-Diamino-6-[(3,4-dichlorophenyl)-sulfonyl)pyrido[3,2-d]pyrimidine	1	1972	196
1345	2,4-Diamino-6-(l-naphthylthio)pyrido- [3,2-d]pyrimidine	1	1972	197
1 3 5 2	2,4-Diamino-6-[(p-fluorophenyl)-sulfinyl]pyrido[3,2-d]pyrimidine	1	1972	198
1384 (BC-09382)	2,4-Diamino-6-[(p-fluorophenyl)- sulfonyl]pyrido[3,2-d]pyrimidine	2	1973	104
1393 (BC-57039)	2,4-Diamino-6-[(p-chlorophenyl)-sulfonyl]pyrido[3,2-d]pyrimidine	2	1973	105
1415 (BC-59033)	2,4-Diamino-6-[(2,4,5-trichloro-phenyl)thio]pyrido[3,2-d]pyrimidine	2	1973	106
1517 (BD-55316)	6-[(4-Chlorophenyl)sulfonyl]pyrido- [3,2-d]pyrimidine-2,4-diamine-1,5- dioxide, 0.71 hydrate	2	1973	107

2. 6-(aryloxy)

AM Number	Name	Annual Report Number	Year	Page
1231	2,4-Diamino-6-[(1,6-dibromo-2-naphthyl)oxy]pyrido[3,2-d]pyrimidine, 0.62 hydrate	1	1972	199

3. 6-[(Benzyl)amino]

AM Number	Name	Annual Report Number	Year	Page
1182	2,6-Dibromo-3-nitropyridine	1	1972	201
1192	6-[(3,4-Dichlorobenzyl)methylamino]- 3-nitropicolinonitrile	1	1972	202
1199	6-[(3,4-Dichlorobenzyl)amino]-3- nitropicolinonitrile	1	1972	204
1211	3-Amino-6-[(3,4-dichlorobenzyl)- amino]picolinonitrile	1	1972	205
1213	2,4-Diamino-6-[(3,4-dichlorobenzyl)- methylamino]pyrido[3,2-d]pyrimidine	1	1972	206
1216	6-[(3,4-Dichlorobenzyl)methylamino]- pyrido[3,2-d]pyrimidine-2,4(1H,3H)- dithione	1	1972	208
1227	6-[(p-Chlorobenzyl)isopropylamino]- 3-nitropicolinonitrile	1	1972	209
1 248	2,4-Diamino-6-[(p-chlorobenzyl)- isopropylamino]pyrido[3,2-d]- pyrimidine, l f wt acetonitrile of crystallization	1	1972	210
1 262	2,4-Diamino-6-[(3,4-dichlorobenzyl)- amino]pyrido[3,2-d]pyrimidine, 0.18 hydrate	1	1972	212



AM Number	Name	Annual Report Number	Year	Page
1 263	N-(2,4-Diaminopyrido[3,2-d]pyrimidin- 6-y1)-N-(3,4-dichlorobenzyl)formamide	1	1972	213
	6-Chloro-3-nitropicolinonitrile	2	1973	108
1356 (BC-50129)	2,4-Diamino-6-[(p-chlorobenzyl)- methylamino]pyrido[3,2- <u>d</u>]pyrimidine	2	1973	109
1359 (BC-50209)	2,4-Diemino-6-[(p-chlorobenzyl)ethyl- amino]pyrido[3,2-d]pyrimidine	2	1973	111
1360 (BC-50263)	2,4-Diamino-6-[(p-chlorobenzyl)- propylamino]pyrido[3,2-d]pyrimidine	2	1973	113
1370 (BC-08634)	2,4-Diamino-6-[(m-bromobenzyl)methyl- amino]pyrido[3,2-d]pyrimidine	2	1973	115
1395 (BC-57057)	2,4-Diamino-6-[(3,4-dichloro-a-methylbenzyl)methylamino]pyrido- [3,2-d]pyrimidine	2	1973	117
1416 (BC-59042)	2,4-Diamino-6-(benzylethylamino)- pyrido[3,2-d]pyrimidine	2	1973	119
1417 (BC-59051)	N''-(p-Chlorobenzyl)-N,N',N''- pyrido[3,2-d]pyrimidine-2,4-6-triyl)- trisacetamide	2	1973	121
1422 (BC-59104)	2,4-Diamino-6-[(m-chlorobenzyl)- methylamino]pyrido[3,2-d]pyrimidine	2	1973	124
1485 (BD-27741)	N ⁶ -Methyl-N ⁶ -[[4-trifluoromethyl]-phenyl]methyl]pyrido[3,2-d]-pyrimidine-2,4,6-triamine	2	1973	126

4. 6-[(Anilino and arylthio)methyl]

AM Number	Name	Annual Report Number	Year	Page
1198	6-Methylpyrido[3,2-d]pyrimidine-2,4-diol, 0.05 hydrate	1	1972	221
1303	2,4-Diamino-6-methylpyrido[3,2- <u>d</u>]- pyrimidine	1	1972	222
1331	N,N'-(6-Methylpyrido[3,2-d]- pyrimidine-2,4-diyl)bisbenzamide	1	1972	224

6-(Piperidino and pyrrolidinyl)

AM Number	Name	Annual Report Number	Year	Page
1229	6-[2-(p-Chlorobenzyl)piperidino]-3- nitropicolinonitrile	1	1972	214
1252	6-(2-Benzylpiperidino)-3-nitro- picolinonitrile	1	1972	215
1256	2,4-Diamino-6-[2-(p-chlorobenzyl)- piperidino]pyrido[3,2-d]pyrimidine, l f wt ethanol of crystallization, 0.2 hydrate	1	1972	216
1259	2,4-Diamino-6-(2-benzylpiperidino)- pyrido[3,2-d]pyrimidine, 0.33 hydrate	1	1972	218
1280	2,4-Diamino-6-piperídinopyrido- [3,2- <u>d</u>]pyrimidine	1	1972	220
1491 (BD-28891)	6-(1-Piperidinyl)pyrido[3,2- <u>d</u>]- pyrimidine-2,4-diamine-5-oxide	2	1973	128

B. 2,4-Diamino-6-[(anilino)methyl]pyrido[2,3-d]pyrimidines

AM Number	Name	Annual Report Number	Year	Page
1451 (BD-25498)	2,4-Diamino-6-[(3,4-dichloranilino)-methyl]pyrido[2,3-d]pyrimidine	2	1973	133
1457 (BD-09672)	3',4'-Dichloro-N-[(2.4~diaminopyrido- [2,3-d]pyrimidin-6-y1)methyl]- formanilide	2	1973	134
1459 (BD-09690)	2,4-Diamino-6-[(4-chloro-a,a,a,tri-fluoro-m-toluidino)methyl]pyrido-[2,3-d]pyrimidine	2	1973	135
1461 (BD-09716)	4'-Chloro-N-[(2,4-diaminopyrido- [2,3-d]pyrimidin-6-yl)methyl]- α , α , α - trifluoro-m-formotoluidide, 0.6 hydrate	2	1973	136
1466 (BD-26066)	6-[[(4-Chloro-l-naphthalenyl)amino]-methyl]pyrido[2,3-d]pyrimidine-2,4-diamine, 0.5 f wt N,N-dimethyl-formamide of crystallization	2	1973	137
1468 (BD-26084)	6-[[(3,4-Dichlorophenyl)nitroso-amino]methyl]pyrido[2,3-d]pyrimidine-2,4-diamine	2	1973	139
1469 (BD-26093)	N-[(2,4-Diaminopyrido[2,3-d]-pyrimidin-6-yl)methyl-N-(3,4-dichlorophenyl)acetamide, 0.4 hydrate	2	1973	140
1471 (BD-26119)	N-(4-Chloro-l-naphthalenyl)-N-[(2,4-diaminopyrido[2,3-d]pyrimidin-6-yl) methyl]formamide	2	1973	141
1474 (BD-27447)	6-[[[4-Chloro-3-(trifluoromethyl)-phenyl]nitrosoamino]methyl]pyrido-[2,3-d]pyrimidine-2,4-diamine	2	1973	142
1484 (BD-27732)	6-[[(3-Bromophenyl)amino]methyl]- pyrido[2,3-d]pyrimidine-2,4-diamine	2	1973	143
1489 (BD-28873)	N-(3-Bromophenyl)-N-[(2,4-diamino-pvrido[2,3-d]pyrimidin-6-yl)methyl]-formamide, 0.2 hydrate	2	1973	146



AM Number	Name	Annual Report Number	Year	Page
1497 (BD-29183)	6-[[(3-Bromophenyl)nitrosoamino]- methyl]pyrido[2,3-d]pyrimidine-2,4- diamine	2	1973	147
1566 (BD-59047)	N-(4-Chlorophenyl)-N-[(2,4-diamino-pyrido[2,3-d]pyrimidin-6-yl)methyl]-formamide	3	1974	115
1618 (BE-14749)	6-[[(4-Chlorophenyl)amino]methyl]- pyrido[2,3-d]pyrimidine-2,4-diamine	3	1974	117

C. 5,7-Diamino-3-[(anilino and arylthio) methyl]pyrimido[5,4-e] as triazines

AM Number	Name	Annual Report Number	Year	Page
1456 (BD-09663)	N-(p-Chlorophenyl)glycine, 2-[2,4-diamino-5-[(p-chlorophenyl)azo]-6-pyrimidinyl]hydrazide, hemihydrate	2	1973	303
1490 (BD-28882)	[1,2,5]0xadiazolo[3,4-d]pyrimidine- 5,7-diamine	2	1973	305
1544 (BD-57301)	N-(4-Chlorophenyl)glycine, 2-(5- amino[1,2,5]oxadiazolo[3,4-d]- pyrimidin-7-yl)hydrazide	2	1973	307
1545 (BD-57310)	N-(3,4-Dichlorophenyl)glycine, 2-(5-amino[1,2,5]oxadiazolo[3,4-d]-pyrimidin-7-yl)hydrazide	2	1973	308
1546 (BD-57329)	N-[3-(Trifluoromethyl)phenyl]glycine, 2-(5-amino[1,2,5]oxadiazolo[3,4-d]- pyrimidin-7-yl)hydrazide	2	1973	310
1689	3-[[(3,4-Dichlorophenyl)amino]- methyl]pyrimido[5,4-e]-1,2,4- triazine-5,7-diamine	4	1975	138
1693	N-[(5,7-Diaminopyrimido[5,4-e]-1,2-4-triazin-3-yl)methyl]-N-(3,4-dichlorophenyl)formamide	4	1975	142

AM Number	Name	Annual Report Number	Year	Page
1699	3-[[(3,4-Dichlorophenyl)nitroso- amino]methyl]pyrimido[5,4-e]-1,2,4- triazine-5,7-diamine	4	1975	143
1741	3-[[(4-Chlorophenyl)thio]methyl]- pyrimido[5,4-e]-1,2,4-triazine-5,7- diamine	4	1975	144
1742	3-[[(4-Chlorophenyl)sulfinyl]methyl]- pyrimido[5,4-e]-1,2,4-triazine-5,7- diamine, compound with N,N-dimethyl- formamide	4	1975	146


D. Miscellaneous Pyrimidines

AM Number	Name	Annual Report Number	Year	Page
1189	2,4-Diaminopyrimido[4,5-d]pyrimidine	1	1972	379
1 195	2,4,7-Triaminopyrimido[4,5-d]- pyrimidine, 1.2 hydrochloride, 1.4 hydrate	1	1972	380
1448 (BD-25461)	4-Amino-5-bromo-2-(methylthio)- pyrimidine	2	1973	130

E. 2,4-Diaminoquinazolines

1. 6-thio

AM Number	Name	Annual Report Number	Year	Page
1 285	2,4-Diamino-5-chloro-6-[(α,α,α-tri-fluoro-m-tolyl)thio]quinazoline	1	1972	283
1312	2,4-Diamino-5-chloro-6-[(α,α,α-tri-fluoro-m-tolyl)sulfinyl]quinazoline	1	1972	285
1 323	2,4-Dichloro-6-[(p-chlorobenzyl) thio]benzonitrile	1	1972	286
1 325	2,4-Diamino-5-chloro-6-[(a,a,a-tri-fluoro-m-tolyl)sulfonyl]quinazoline	1	1972	289
1 329	2,4-Diamino-5-chlog 6-[(p-chloro- benzyl)thio]quinazoline	1	1972	286
1 342	2,4-Diamino-5-chloro-6-[(p-chloro- benzyl)sulfinyl]quinazoline	1	1972	290
1 343	2,4-Diamino-5-chloro-6-[(p-chloro- benzyl)sulfonyl]quinazoline	1	1972	291
1 330	2,4-Diamino-6-[(4-phenyl-2- thiazolyl)sulfonyl]quinazoline	1	1972	292
1 3 3 7	N',N'''-[6-[(4-Phenyl-2-thiazolyl)-sulfonyl]-2,4-quinazolinediyl]bis- [N,N-dimethylformamidine]	1	1972	293
1 338	N',N'''-[6-[(4-Phenyl-2-thiazolyl)-thio]2,4-quinazolinediyl]bis[N,N-dimethylformamidine]	1	1972	294
1 344	2,4-Diamino-6-[(5-bromo-4-phenyl-2- thiazolyl)thio]quinazoline	1	1972	296
1355 (BC-50049)	2,4-Diamino-6-[(5-bromo-4-phenyl-2-thiazolyl)sulfonyl]quinazoline	2	1973	327




here expresses, andresse accordes assesses

AM Number	Name	Annual Report Number	Year	Page
1683	N ² , N ⁴ -Dihydroxy-6-[(2-naphthalenyl)-sulfonyl]-2,4-quinazolinediamine, compound with N,N-dimethylformamide	4	1975	125
1688	N ⁴ -Hydroxy-6-[[3-(trifluoromethyl)-phenyl]thio]-2,4-quinazolinediamine	4	1975	126
1704	N ⁴ -Methoxy-6-[[3-(trifluoromethyl)-phenyl]thio]-2,4-quinazolinediamine	4	1975	128
1728	N ² , N ⁴ -Dihydroxy-6-[[3-(trifluoro-methyl)phenyl]thio]-2,4-quinazoline-diamine	4	1975	129
1744	4-(1-Methylhydrazino)-6-(2- naphthalenylsulfonyl)-2-quinazoline- amine	4	1975	130
1745	4-(1-Methylhydrazino)-6-[[3-(tri-fluoromethyl)phenyl]thio]-2-quin-azolinamine	4	1975	131
920 (BK-12473)	6-[(4-Chlorophenyl)sulfonyl]-2,4- quinazolinediamine, hydrate (20:17)	10	1981	193
2653 (BK-12455)	6-[(4-Trifluoromethylphenyl)sulfonyl]- 2,4-quinazolinediamine	10	1981	195

2. 6-Amino

AM Number	Name	Annual Report Number	Year	Page
1190	2-Chloro-3-[2-(p-chlorobenzyl)- piperidino]-6-nitrobenzonitrile	1	1972	298
1 2 2 8	5-[2-(<u>p</u> -Chlorobenzyl)-1-pyrrolidinyl]- 2-nitrobenzonitrile	1	1972	300
1318	2,4-Diamino-6-[2-(p-chlorobenzyl)- piperidino]quinazoline	1	1972	302
1237	2,4-Diamino-5-(dimethylamino)-6-nitro- quinazoline	1	1972	273
1 244	2,4,6-Triamino-5-(dimethylamino)- quinazoline, 0.6 hydrate	1	1972	274
1 251	2,4-Diamino-6-[(3,4-dichlorobenzyl)-amino]-5-(dimethylamino)quinazoline	1	1972	275
1 296	2,4-Diamino-6-[(3,4-dichlorobenzyl)- nitrosamino]-5-(dimethylamino)- quinazoline	1	1972	277
1 301	N-[2,4-Diamino-5-(dimethylamino)-6- quinazolinyl]-N-(3,4-dichlorobenzyl)- formamide	1	1972	279
894 (BE-17348)	N-(4-Acetamido-2-amino-5,6,7,8-tetra-hydro-6-quinazolinyl)-N-(p-chloro-benzyl)acetamide	3	1974	137



AM Number	Name	Annual Report Number	Year	Page
1226	p-Chloro-N-(2,4-diamino-6- quinazolinyl)benzamide	1	1972	308
1 2 3 4	3,4-Dichloro-N-(2,4-diamino-6-quinazolinyl)benzamide, l/2 f wt N,N-dimethylformamide of crystallization, monohydrate	1	1972	309
1 246	3,4-Dichloro-N-(2,4-diamino-5-chloro- 6-quinazolinyl)benzamide	1	1972	310
1 2 5 0	p-Chloro-N-(2,4-diamino-5-chloro-6-quinazolinyl)benzamide	1	1972	311

4. 6-[(Anilino)methyl]

AM Number	Name	Annual Report Number	Year	Page
1278	2,4-Diamino-6-[(3,4-Dichloro-N-methylanilino)methyl]quinazoline, l f wt dimethylformamide of crystalline	1	1972	253
1 288	2,4-Diamino-6-[[(3,4-dichlorobenzyl)-methylamino]methyl]quinazoline	1	1972	257
1 295	2,4-Diamino-6-[(p-bromo-N-methyl-anilino)methyl]quinazoline, 0.7 f wt of N,N-dimethylformamide of crystallization	1	1972	259
1 309	2,4-Diamino-6-(anilinomethyl)- quinazoline, monoacetate, 0.6 hydrate	1	1972	261
1 322	N',N'''-[6-[3,4-Dichloro-N-mechyl- anilino)methyl]-2,4-quinazolinediyl]- bis[N,N-dimethylformamidine]	1	1972	263
1 340	2,4-Diamino-6-[(p-chloro-N-ethyl- anilino)methyl]quinazoline, mono- acetate, 1.3 hydrate	1	1972	265

AM Number	Name	Annual Report Number	Year	Page
1378 (BC-08910)	2,4-Diamino-6-[(p-bromo-N-ethyl- anilino)methyl]quinazoline, 1.8 f wt hydrochloride, 1.2 hydrate	2	1973	245
1410 (BC-58483)	2,4-Diamino-6-[(3,4-dichloro-N-pro-pylanilino)methyl]quinazoline, l.66 hydrochloride	2	1973	247
1418 (BC-59060)	2,4-Diamino-6-[(3,4-dichloro-N-iso-propylanilino)methyl]quinazoline, 0.1 hydrate	2	1973	249
1429 (BD-23029)	2,4-Diamino-6-[(p-fluoro-N-methyl-anilino)methyl]quinazoline	2	1973	251
1436 (BD-24106)	2,4-Diamino-6-[(N-methyl-\alpha,\alpha,\alpha-tri-fluoro-m-toluidino)methyl]-quinazoline, l.l f wt acetate, 0.6 hydrate	2	1973	253
1440 (BD-24142)	2,4-Diamino-6-[(m-chloro-N-methyl-anilino)methyl]quinazoline	2	1973	255
1453 (BD-25514)	2,4-Diamino-6-[(N-ethyl- <u>p</u> -anisidino)-methyl]quinazoline	2	1973	257
1460 (BD-09707)	2,4-Diamino-6-[(p-chloro-N-methyl-anilino)methyl]quinazoline, 1.33 f wt acetate, monohydrate	2	1973	259
1465 (BD-26057)	2,4-Diamino-6-(l-indolinylmethyl]- quinazoline	2	1973	261
1467 (BD-26075)	6-[[Ethyl(4-methylphenyl)amino]- methyl]-2,4-quinazolinediamine, 0.25 hydrate	2	1973	263
1470 (BD-26100)	6-[[(2-Chloro-4-methylphenyl)methyl-amino]methyl]-2,4-quinazolinediamine, 0.9 hydrate	2	1973	265
1477 (BD-27474)	6-[[(2,5-Dichlorophenyl)methylamino]-methyl]-2,4-quinazolinediamine, l.l fwt acetate, 0.8 hydrate	2	1973	267

AM Number	Name	Annual Report Number	Year	Page
1479 (BD-27492)	6-[(1,2,3,4-Tetrahydro-1-quinolinyl)-methyl]-2,4-quinazolinediamine	2	1973	269
1482 (BD-27527)	6-[[(3,4-Dichlorophenyl)ethylamino]-methyl]-2,4-quinazolinediamine	2	1973	271
1487 (BD-27769)	6-[[Ethyl[3-(trifluoromethyl)phenyl]-amino]methyl]-2,4-quinazolinediamine	2	1973	273
1492 (BD-28908)	2,4-Diamino-6-quinazolinemethanol, monoacetate	2	1973	275
1494 (BD-28926)	6-[[(4-Chlorophenyl)(l-methylethyl)- amino]methyl]-2,4-quinazolinediamine, 0.15 hydrate	2	1973	277
1500 (BD-29218)	6-[[[3,5-bis(Trifluoromethyl)phenyl]-methylamino]methyl]-2,4-quinazolinediamine	2	1973	279
1502 (BD-54266)	6-[[(4-Chlorophenyl)amino]methyl]- 5-ethyl-2,4-quinazolinediamine, 0.1 hydrate	2	1973	334
899	6-[[4-Chlorophenyl)amino)methyl]-5- methyl-2,4-quinazolinediamine, mono- acetate, monohydrate	6	1977	422
946	2,4-Diamino-6-[(3,4-dichloro-N-nitrosoanilino)-methyl]-5-methyl-quinazoline, compound with N,N-dimethylformamide (1:0.05)	6	1977	424
954	N-[(2,4-Diamino-5-methyl-6-quinazolinyl)methyl]-N-(3,4-dichloro-phenyl)formamide, dihydrate	6	1977	426

5. 6-[(Anilino)methyl]-5,6,7,8-tetrahydro

AM Number	Name	Annual Report Number	Year	Page
1676 (BE-66743)	6-[[(3,4-Dimethylphenyl)amino]- methyl]-2,4-quinazolinediamine, dihydrochloride monohydrate	3	1974	152
1677 (BE-66752)	N-[(2,4-Diamino-6-quinazolinyl)-methyl]-N-(3,4-dimethylphenyl)-acetamide, 0.3 hydrate, 1.9 hydro-chloride	3	1974	153
1694	N-[(2,4-Diamino-6-quinazolinyl)- methyl]-N-[3-(trifluoromethyl)- phenyl]acetamide, monohydrate, mono- hydrochloride	4	1975	150
1 705	N-[(2,4-Diamino-5,6,7,8-tetrahydro-6-quinazolinyl)methyl]-N-(3,4-dimethylphenyl)acetamide, compound with methanol (1:0.5), hydrate (1:0.66)	4	1975	152
1711	N-[(2,4-Diamino-5,6,7,8-tetrahydro-6-quinazolinyl)methyl]-N-(3,4-tri-fluoromethylphenyl)acetamide, 1.05 hydrochloride	4	1975	153
1743	6-[[(3,4-Dimethylphenyl)ethylamino]-methyl]-5,6,7,8-tetrahydro-2,4-quinazolinediamine, 0.64 hydrate	4	1975	154
1 756	6-[[(4-methoxyphenyl)amino]methyl]- 2,4-quinazolinediamine, compound with methanol (1:0.08), hydrate (1:0.08)	4	1975	156
1757	N-[(2,4-Diamino-6-quinazolinyl)- methyl]-2,2,2-trifluoro-N-(4-methoxy- phenyl)acetamide, mono(trifluoro- acetate), hydrate (1:0.55)	4	1975	157

AM Number	Name	Annual Report Number	Year	Page
1867 (BG-47337)	N-[(2,4-Diamino-5,6,7,8-tetrahydro-6-quinazolinyl)methyl]-2,2,2-tri-fluoro-N-(4-methoxyphenyl)acetamide salt with trifluoroacetic acid (1:0.9), compound with ethanol (1:0.2)	5	1976	326
1871 (BG-47373)	6-[[(4-Methoxyphenyl)amino]methyl]- 5,6,7,8-tetrahydro-2,4-quinazoline- diamine, compound with methanol (1:0.2), hydrate (1:0.75)	5	1976	328
2175	6-[[(3,4-Dichlorophenyl)amino]- methyl]-5,6,7,8-tetrahydro-2,4- quinazolinediamine, compound with 2-propanol (1:0.1)	6	1977	159

6. 6-[[(Aryl)thio, sulfinyl, and sulfonyl]methyl]

AM Number	Name	Annual Report Number	Year	Page
1 320	2,4-Diamino-6-[[(3,4-dichlorophenyl)-thio]methyl]quinazoline, 0.2 hydrate	1	1972	267
1321	N,N'-[6-[[(3,4-Dichlorophenyl)thio]-methyl]-2,4-quinazolinediyl]bis-benzamide	1	1972	269
1 346	2,4-Diamino-6-[[(p-chlorophenyl)-thio]methyl]quinazoline	1	1972	271
1368 (BC-08616)	2,4-Diamino-6-[[(a,a,a-trifluoro-m-tolyl)thio]methyl]quinazoline	2	1973	281
1379 (BC-08929)	2,4-Diamino-6-[(2-naphthylthio)-methyl]quinazoline	2	1973	283
1407 (BC-58456)	2,4-Diamino-6-[(2-naphthylsulfinyl)-methyl]quinazoline, hemihydrate	2	1973	285
1414 (BC-58527)	2,4-Diamino-6-[{(3,4-dichlorophenyl)- sulfonyl]methyl]quinazoline, hemi- hydrate	2	1973	286
1424 (BC-59122)	2,4-Diamino-6-[[(3,4-dichlorophenyl)- sulfinyl]methyl]quinazoline, 0.33 hydrate	2	1973	287
1434 (BD-24080)	2,4-Diamino-6-[(2-naphthylsulfonyl)- methyl]quinazoline, 1.0 f wt of acetonitrile of crystallization	2	1973	289



7. 6-Sulfonamides

AM Number	Name	Annual Report Number	Year	Page
1403 (BC-57146)	2,4-Diamino-5-chloro-N,N-diethyl-6- quinazolinesulfonamide	2	1973	312
1404 (BC-57155)	2,4-Diamino-5-chloro-N,N-dimethyl-6-quinazolinesulfonamide	2	1973	314
1405 (BC-58438)	2,4-Diamino-N,N-5-trimethyl-6-quina- zolinesulfonamide	2	1973	315
1439 (BC-24133)	2,4-Diamino-N-isopropyl-N-methyl-6- quinazolinesulfonamide	2	1973	317
1441 (BD-24151)	2,4-Diamino-6-(pireridinosulfonyl)- quinazoline	2	1973	318
1443 (BD-25416)	2,4-Diamino-6-(l-pyrrolidinyl- sulfonyl)quinazoline, 0.2 hydrate	2	1973	319
1444 (BD-25425)	2,4-Diamino-6-(1,4'-bipiperidin-1'- ylsulfonyl)quinazoline, 0.2 hydrate	2	1973	320
1445 (BD-25434)	2,4-Diamino-6-[[[2-(diethylamino)- ethyl]methylamino]sulfonyl]- quinazoline, 0.2 hydrate	2	1973	321
1447 (BD-25461)	2,4-Diamino-6-(morpholinosulfonyl)- quinazoline	2	1973	322
1 449 (BD-25470)	2,4-Diamino-6-(thiomorpholino- sulfonyl)quinazoline	2	1973	323
1450 (BD-25489)	2,4-Diamino-6-[(4-methyl-1- piperazinyl)sulfonyl]quinazoline	2	1973	324
1452 (BD-25505)	4-[(2,4-Diamino-6-quinazolinyl)- sulfonyl]-l-piperazinecarboxylic acid ethyl ester	2	1973	325
1458 (BD-09681)	2,4-Diamino-6-[(2-benzylpiperidino)- sulfonyl]quinazoline	2	1973	326

8. 6-(Aryloxy)

AM Number	Name	Annual Report Number	Year	Page
1 204	2-Chloro-3-[(1,6-dibromo-2-naphthyl)-oxy]-6-nitrobenzonitrile	1	1972	280
1 205	6-Chloro-5-[(1,6-dibromo-2-naphthyl)-oxy]anthranilonitrile	1	1972	281
1217	2,4-Diamino-5-chloro-6-[(1,6-dibromo- 2-naphthyl)oxy]quinazoline, diacetate	1	1972	282

9. 6-(2-Thiazolyl)

AM Number	Name	Annual Report Number	Year	Page
1286	2,4-Diamino-6-(4-phenyl-2-thiazolyl)-quinazoline, l.5 f wt of N,N-dimethylformamide of crystallization, 0.2 hydrate	1	1972	237
1314	2,4-Diamino-6-[4-(p-chlorophenyl)-2-thiazolyl)quinazoline, 1.7 f wt of N,N-dimethylformamide of crystallization	1	1972	239
1316	2,4-Diaminothio-6-quinazoline- carboxamide, 0.3 f wt N,N-dimethyl- formamide of crystallization, 1.4 f wt hydrochloride	1	1972	241

10. N'-(Quinazolinyl]-N, N-dialkyl formamidines

AM Number	Name	Annual Report Number	Year	Page
1220	N',N'''-[6-(2-Naphthylthio)-2,4- quinazolinediyl)-bis[N,N-dimethyl- formamidine]	1	1972	244
1230	N',N'''-[6-(2-Naphthylsulfonyl)-2,4-quinazolinediyl]bis[N,N-dimethyl-formamidine], 1/3 f wt N,N-dimethyl-formamide of crystallization	1	1972	245
1235	N'-[2-Amino-6-(2-naphthylthio)-4- quinazolinyl]-N,N-dimethyl- formamidine, 1/3 f wt N,N-dimethyl- formamide of crystallization	1	1972	246
1238	N'-[2-Amino-6-[(3,4-dichlorophenyl)-sulfonyl]-4-quinazolinyl]-N,N-dimethylformamidine	1	1972	247
1 2 3 9	N',N'''-[6-[(3,4-Dichlorophenyl)-sulfonyl)-2,4-quinazolinediyl]bis-[N,N-dimethylformamidine]	1	1972	248
1 243	N'-[2-Amino-6-(2-naphthylsulfonyl)-4-quinazolinyl]-N,N-dimethylformamidine	1	1972	249
1 245	$N'-[2-Amino-6-[(\alpha,\alpha,\alpha-trifluoro-m-tolyl)thio]-4-quinazolinyl]-N,N-dimethylformamidine$	1	1972	250
1 253	N',N'''-(5-Piperonyl-2,4-pyrimidine- diyl)bis[N,N-dimethylformamidine]	1	1972	251
1 2 5 4	N',N'''-[6-[(a,a,a-Trifluoro-m-tolyl)thio]-2,4-quinazolinediyl]bis-[N,N-dimethylformamidine]	1	1972	252

11. 6-Thiourea

AM Number	Name	Annual Report Number	Year	Page
1 242	l-(2,4-Diamino-6-quinazolinyl)-3- ethyl-2-thiourea, 0.33 hydrate	1	1972	312
1 249	3-(2,4-Diamino-6-quinazolinyl)-l- ethyl-2-methyl-2-thiopseudourea, monohydroiodide	1	1972	313
1 294	l-(2,4-Diamino-6-quinazolinyl)-3- (3,4-dichlorophenyl)-2-thiourea, monohydrate	1	1972	314
1354 (BC-50030)	l-Butyl-3-(2,4-diamino-6- quinazolinyl)-2-thiourea, monohydro- chloride, monohydrate	2	1973	328
1364 (BC-08572)	3-(2,4-Diamino-6-quinazolinyl)-1- (3,4-dichlorophenyl)-2-methyl-2-thio- pseudourea, monohydroiodide	2	1973	330

12. 6,6'-[Alkanediylbis(oxy) and (thio)

AM Number	Name	Annual Report Number	Year	Page
1507 (BD-54319)	3,3'-[1,3-Propanediylbis(oxy)]bis- [6-nitrobenzaldehyde]	2	1973	369
1533 (BD-55478)	2,2'-Trimethylenebis[2-thio- pseudourea], dihydrobromide	2	1973	370
1535 (BD-55496)	6,6'-[1,3-Propanediylbis(oxy)]bis- [2,4-quinazolinediamine], hemihydrate	2	1973	371
1536 (BD-55503)	6,6'-[1,5-Pentanediylbis(oxy)]bis- [2,4-quinazolinediamine], hemihydrate	2	1973	374
1538 (BD-55521)	2,2'-Pentamethylenebis[2-thiopseudo- urea], dihydrobromide	2	1973	376
1560 (BE-57883)	6,6'-[1,3-Propanediylbis(thio)]bis- [2,4-quinazolinediamine], 0.3 f wt N,N-dimethylformamide of crystallization	3	1974	111
1576 (BE-11159)	6,6'-[1,5-Pentanediylbis(thio)]bis- [2,4-quinazolinediamine], 0.1 f wt dimethylsulfone, 0.025 f wt hydrogen chloride	3	1974	113

13. Thioquinazoline Analogs of Folic Acid

AM Number	Name	Annual Report Number	Year	Page
1188	p-[(3-Cyano-4-nitrophenyl)thio]- benzoic acid	1	1972	315
1 2 0 0	p-[(4-Amino-3-cyanophenyl)thio]- benzoic acid	1	1972	318
1207	p-[(2,4-Diamino-6-quinazolinyl)thio]- benzoic acid, monohydrate	1	1972	319
1215	p-[(2,4-Diamino-6-quinazolinyl)thio]-benzoic acid, methyl ester, 0.75 hydrate	1	1972	320
1 2 7 0	N-[p-{2,4-Diamino-6-quinazolinyl)- thio]benzoyl]-L-glutamic acid, diethyl ester	1	1972	322
1 328	N-[p-[(2,4-Diamino-6-quinazolinyl)-thio]benzoyl-L-glutamic acid, 0.25 fwt hydrochloride, 1.3 hydrate	1	1972	324

14. Miscellaneous Fused Ring Quinazolines

AM Number	Name	Annual Report Number	Year	Page
1 2 3 2	3-(2,4-Diamino-6-quinazolinyl)-3,4- dihydro-1,2,3-benzotriazine, 1.5 H ₂ O	1	1972	236
1421 (BC-59097)	8,10-Diamino-2,3-dimethylpyrazino- [2,3-f]quinazoline	2	1973	232
1425 (BC-59131)	8,10-Diamino-2,3-diphenylpyrazino- [2,3- <u>f</u>]quinazoline, 0.3 hydrate	2	1973	233
1432 (BC-23056)	13,15-Diaminodipyrido[3,2-a:2',3'-c]- pyrimido[5,4-h]phenazine, 1.05 f wt hydrochloride, 1.2 hydrate	2	1973	234

AM Number	Name	Annual Report Number	Year	Page
1433 (BD-23065)	13,15-Diaminodibenzo(a,c)pyrimido- [5,4-h]phenazine, 0.15 f wt dimethyl- sulfoxide of crystallization, 0.7 hydrate	2	1973	235
1455 (BD-25532)	1,3-Diamino-2 (and/or 8) H-indeno- [1',2' and/or 2',1'):5,6]pyrazino- [2,3-f]quinazolin-12 (and/or 8)-one, monohydrochloride	2	1973	236
1473 (BD-26137)	2 (and 3)-Methyl-3 (and 2)-phenyl- pyrazino[2,3- <u>f</u>]quinazoline-8,10- diamine	2	1973	237
1481 (BD-27518)	2 (and/or 3)-Phenylpyrazino[2,3-f]- quinazoline-8,10-diamine, 0.3 hydrate	2	1973	238
1437 (BD-24115)	o-[(2,4-Diamino-6-quinazolinyl)thio]-benzoic acid, methyl ester, l.l f wt of N,N-dimethylformamide of crystallization, 0.l hydrate	2	1973	240
1475 (BD-27456)	2-[(2,4-Diamino-6-quinazolinyl)thio]- benzoic acid, l.2 f wt N,N-dimethyl- formamide of crystallization	2	1973	243
1480 (BD-27509)	1,3(or 2,4)-Diamino-12H (or 11H)-[1]-benzothiopyrano[3,2-f] (or 2,3-g]-quinazolin-12 (or 11)-one, 0.2 hydrate	2	1973	244
1591 (BE-12647)	[1]Benzothieno[3,2-f]quinazoline-1,3-diamine	3	1974	139
1616 (BE-14614)	[1]Benzothieno[3,2-f]quinazoline-1,3-diamine, 7,7-dioxide	3	1974	142
1563 (BD-59010)	12H-[1]Benzothiopyrano[3,2-f]- quinazoline-1,3-diamine, 1.8 acetate	3	1974	143
1569 (BE-10527)	N-(4-Methoxyphenyl)glycine, 2-(5-amino[1,2,5]oxadiazolo[3,4-d]-pyrimidin-7-yl)hydrazide	3	1974	144

AM Number	Name	Annual Report Number	Year	Page
1793	14H-Naphtho[2',3':5,6]thiopyrano- [2,3-f]quinazoline-1,3-diamine, compound with acetic acid (1:0.68)	4	1975	132
2726 (BK-39554)	3-Amino-8-(3,4-dichloropheny1)-8,9- dihydro-7H-pyrrolo[3,4-f]quinazoline- l-ol	11	1983	195

15. Miscellaneous Quinazolines

AM Number	Name	Annual Report Number	Year	Page
1197	l,5-Bis-2-Dibenzothienylbiguanide, monohydrochloride	1	1972	243
1212	6-(2-Naphthylthio)-2,4-(1H,3H)- quinazolinedithione	1	1972	304
1214	6-(2-Benzylpiperidino)-2,4(1H,3H)- quinazolinedithione	1	1972	306
1241	2,4-Diamino-6-nitro-5-quinazoline thiol, 0.4 hydrate	1	1972	230
1247	2,4-Diamino-6-nitro-5-quinazoline thiol, sodium salt, 2.3 hydrate	1	1972	231
1225	2,4-Diamino-5-(methylamino)-6-nitro- quinazoline	1	1972	232
1257	2,4,5-Triamino-6-nitroquinazoline, 0.l hydrate	1	1972	233
1273	2,4,5,6-Tetraaminoquinazoline, dihydrochloride	1	1972	235
1396 (BC-57066)	m-[[(2,4-Diamino-6-quinazolinyl)-methyl]amino]-N,N-dimethylbenzamide, 0.1 hydrate	2	1973	331

AM Number	Name	Annual Report Number	Year	Page
1397 (BC-57075)	N-[(2,4-Diamino-5-chloro-6-quinazo- linyl)methyl]acetamide, 0.3 hydrate	2	1973	333
1540 (BC-56706)	5,6,7,8-Tetrahydro-6-phenyl- phosphorino[4,3-d]pyrimidine-2,4- diamine	2	1973	335
1768	3-[(2,4-Diamino-6-quinazolinyl)- [(3,4-dichlorophenyl)methyl]amino]- 3-oxopropanoic acid, ethyl ester, hydrate (1:0.3)	4	1975	147
1845	3-[(2,4-Diamino-6-quinazolinyl)- [(3,4-dichlorophenyl)methyl]amino]- 3-oxopropanoic acid, hydrate (1:0.7) hydrochloride (1:0.05)	4	1975	149

F. Diaminopteridines

1. 6-Amino

		Annual		
AM Number	Name	Report Number	Year	Page
1261	2,4-Diamino-6-piperidinopteridine, monohydrochloride, 1.8 hydrate	1	1972	228
1 269	2,4-Diamino-6-[(3,4-dichlorobenzyl)- methylamino pteridine	1	1972	229
1375 (BC-08885)	2,4-Diamino-6-[(p-chlorobenzyl) methylamino pteridine	2	1973	156
1394 (BC-57048)	2,4-Diamino-6-[2-(p-chlorophenyl)-1- pyrrolidinyl]pteridine	2	1973	157
1413 (BC-58518)	2,4-Diamino-6-[(m-bromobenzyl)methyl- amino]pteridine	2	1973	158
1419 (BC-59079)	2,4-Diamino-6-[(o-chlorobenzyl)- methylamino]pteridine	2	1973	159
1423 (BC-59113)	2,4-Diamino-6-[methyl(l-naphthyl-methyl)amino]pteridine	2	1973	162
1427 (BC-59159)	2,4-Diamino-6-[methyl(2-naphthyl-methyl)amino]pteridine	2	1973	163
1463 (BD-09734)	2,4-Diamino-6-[(p-fluorobenzyl)- methylamino]pteridine, 0.2 hydrate	2	1973	164
1476 (BD-27465)	6-[Methyl(2-phenylethyl)amino]-2,4- pteridinediamine, l.6 hydrate	2	1973	165
1478 (BD-27483)	6-[Methyl[(3,4,5-trimethoxyphenyl)-methyl]amino]-2,4-pteridinediamine	2	1973	165
1486 (BD-27750)	6-(3,4-Dihydro-2(lH)-isoquinolinyl)- pteridine-2,4-diamine, 0.2 hydrate	2	1973	167
1488 (BD-27778)	6-(4-Phenyl-l-piperidinyl)-2,4- pteridinediamine, hemihydrochloride, 0.l hydrate	2	1973	168
1521 (BD-55352)	N ⁶ -Methyl-N ⁶ -(phenylmethyl)-2,4,6- pteridinetriamine, monohydrochloride, monohydrate	2	1973	169

TOTAL TO BEHAVE BEFORE THE PERSON TOTAL PROPERTY OF THE PERSON TO BEFORE THE PERSON TO THE PERSON TO THE PERSON TO THE PERSON THE PERSON TO THE PERSON THE PERSON TO THE P

AM Number	Name	Annual Report Number	Year	Page
1543 (BD-57294)	N ⁶ -[(4-Methoxy-l-naphthalenyl)- methyl]-N ⁶ -methyl-2,4,6-pteridine- triamine	2	1973	170
1552 (BD-57605)	N ⁶ -[(2-Methoxy-l-naphthalenyl)- methyl]-N ⁶ -methyl-2,4,6-pteridine- triamine, 0.8 hydrate	2	1973	171
1567 (BD-59056)	N ⁶ -(9H-Fluoren-2-yl-methyl)-N ⁶ - methyl-2,4,6-pteridinetriamine, mono- hydrochloride	3	1974	133
1573 (BE-10563)	N ⁶ -(9-Anthracenylmethyl)-N ⁶ -methyl- 2,4,6-pteridinetriamine, 0.7 hydrate	3	1974	134
1575 (BE-10581)	N ⁶ -Methyl-N ⁶ -(9-phenanthrenylmethyl)- 2,4,6-pteridinetriamine, 0.3 f wt N,N-dimethylformamide of crystallization, 0.6 hydrate	3	1974	135
1611 (BE-14016)	N ⁶ -Methyl-N ⁶ -[[3-(trifluoromethyl)-phenyl]methyl]-2,4,6-pteridine-triamine, hydrate (1:0.2)	3	1974	136
1423	2,4-Diamino-6-[methyl(l-naphthyl-methyl)amino]pteridine	4	1975	379
1423 (BG-47168)	2,4-Diamino-6-[methyl(l-naphthyl-methyl)amino]pteridine	5	1976	458

2. 6-[(Aryl)thio]

AM Number	Name	Annual Report Number	Year	Page
1332	2,4-Diamino-6-[(3,4-dichlorophenyl)-thio]pteridine	1	1972	225
1333	2,4-Diamino-6-(2-naphthylthio)- pteridine	1	1972	226
1339	2,4-Diamino-6-[(α,α,α-trifluoro- <u>m</u> -tolyl)thio]pteridine	1	1972	227
1408 (BC-58465)	2,4-Diamino-6-chloropteridine	2	1973	148
1362 (BC-50370)	2,4-Diamino-6-[(o-chlorophenyl)thio]- pteridine	2	1973	150
1367 (BC-08607)	2,4-Diamino-6-(1-naphthylthio)- pteridine	2	1973	151
1380 (BC-09346)	2,4-Diamino-6-[(2,4,5-trichloro-phenyl)thio]pteridine	2	1973	152
1406 (BC-58447)	2,4-Diamino-6-[(p-methoxyphenyl)-thio]pteridine	2	1973	153
1515 (BD-54855)	6-[[(4-Chlorophenyl)methyl]thio]-2,4- pteridinediamine	2	1973	154
1409 (BC-58474)	N,N'''-[6-[(3,4-Dichlorophenyl)thio]- 2,4-pteridinediyl]bis[N,N-dimethyl- formamidine]	2	1973	155

3. 6-[(Anilino)methyl

AM Number	Name	Annual Report Number	Year	Page
1493 (BD-28917)	6-[[(3,4-Dichlorophenyl)methylamino]-methyl]-2,4-pteridinediamine, 8-oxide	2	1973	172
1498 (BD-29192)	6-[[(3,4-Dichlorophenyl)methylamino]-methyl]-2,4-pteridinediamine	2	1973	174
1499 (BD-29209)	6-[[(3,4-Dichlorophenyl)amino]- methyl]-2,4-pteridinediamine, 8-oxide	2	1973	176
1501 (BD-29227)	6-[[(3,4-Dichlorophenyl)amino]- methyl]-2,4-pteridinediamine, 0.3 f wt N,N-dimethylformamide	2	1973	178
1505 (BD-54293)	6-[[(3,4-Dichlorophenyl) (1-methyl- ethyl)amino]methyl]-2,4-pteridine- diamine	2	1973	180
1506 (BD-54300)	6-[[(3,4-Dichlorophenyl) (1-methyl- ethyl)amino]methyl]-2,4-pteridine- diamine, 8-oxide	2	1973	182
1508 (BD-54784)	6-[(2,3-Dihydro-lH-indol-l-yl)- methyl]-2,4-pteridinediamine, 8-oxide	2	1973	184
1509 (BD-54793)	6-[(3,4-Dihydro-1(2H)-quinolinyl)-methyl]-2,4-pteridinediamine, 8-oxide, 0.9 f wt N,N-dimethyl-formamide of crystallization	2	1973	186
1510 (BD-54800)	N-[(2,4-Diamino-6-pteridinyl)methyl]- N-(3,4-dichlorophenyl)formamide	2	1973	188
1511 (BD-54819)	6-[[(4-Chlorophenyl)ethylamino]- methyl]-2,4-pteridinediamine	2	1973	189
1512 (BD-54828)	6-[[(4-Chlorophenyl)ethylamino]- methyl]-2,4-pteridinediamine, 8-oxide	2	1973	191
1514 (BD-54846)	6-[(3,4-Dihydro-l(2H)-quinolinyl)- methyl]-2,4-pteridinediamine	2	1973	193

AM Number	Name	Annual Report Number	Year	Page
1518 (BD-55325)	6-[(2-Phenyl-l-piperidinyl)methyl]- 2,4-pteridinediamine, 8-oxide	2	1973	195
1519 (BD-55334)	6-[[(4-Chlorophenyl)methylamino]- methyl]-2,4-pteridinediamine	2	1973	197
1520 (BD-55343)	6-[[(4-Chlorophenyl)methylamino]- methyl]-2,4-pteridinediamine, 8-oxide	2	1973	199
1522 (BD-55361)	6-[(2,3-Dihydro-lH-indol-l-yl)- methyl]-2,4-pteridinediamine	2	1973	201
1523 (BD-55370)	6-[[(3,4-Dichlorophenyl)propylamino]- methyl]-2,4-pteridinediamine	2	1973	203
1524 (BD-55389)	6-[[(3,4-Dichlorophenyl)propylamino]- methyl]-2,4-pteridinediamine, 8-oxide	2	1973	205
1525 (BD-55398)	6-[[(4-Chlorophenyl) (1-methylethyl)- amino]methyl]-2,4-pteridinediamine, 0.5 f wt N,N-dimethylformamide of crystallization	2	1973	207
1526 (BD-55405)	6-[[(4-Chlorophenyl) (1-methylethyl)- amino]methyl]-2,4-pteridinediamine, 8-oxide	2	1973	210
1529 (BD-55432)	6-[(2-Phenyl-l-piperidinyl)methyl]- 2,4-pteridinediamine, 0.2 f wt N,N- dimethylformamide of crystallization	2	1973	212
1530 (BD-55441)	6-[[2-(Phenylmethyl)-l-piperidinyl]-methyl]-2,4-pteridinediamine, 0.9 fwt N,N-dimethylformamide of crystallization	2	1973	214
1531 (BD-55450)	6-[[2-(Phenylmethyl)-l-piperidinyl]-methyl]-2,4-pteridinediamine, 8-oxide l f wt N,N-dimethylformamide of crystallization	2	1973	216
1553 (BD-57614)	6-[[Ethyl(4-methoxyphenyl)amino]- methyl]-2,4-pteridinediamine	2	1973	218



CONTRACTOR CONTRACTOR

AM Number	Name	Annual Report Number	Year	Page
1554 (BD-57623)	6-[[Ethyl(4-methoxyphenyl)amino]- methyl]-2,4-pteridinediamine, 8-oxide, 0.25 hydrate	2	1973	220
1572 (BE-10554)	6-[[Ethyl(4-methoxyphenyl)amino]- methyl]-7,8-dihydro-2,4-pteridine- diamine, 0.75 hydrate	3	1974	118
1603 (BD-99201)	6-[(Methyl-1-naphthalenylamino)- methyl]-2,4-pteridinediamine	3	1974	120
1605 (BD-99229)	6-[(Methyl-1-naphthalenylamino)- methyl]-2,4-pteridinediamine, 8-oxide	3	1974	122
1609 (BD-13993)	6-[[Methyl(3,4,5-trimethoxyphenyl)- amino]methyl]-2,4-pteridinediamine	3	1974	124
1610 (BE-14007)	6-[[Methyl(3,4,5-trimethoxyphenyl)- amino]methyl]-2,4-pteridinediamine, 8-oxide	3	1974	126
1525-B (BG-47462)	6-[[(4-Chlorophenyl) (1-methylethyl)- amino]methyl]-2,4-pteridinediamine	5	1976	459

4. 6-[(Arylthio)methyl]

AM Number	Name	Annual Report Number	Year	Page
1495 (BD-28935)	6-[[(4-Chlorophenyl)thio]methyl]- 2,4-pteridinediamine, 8-oxide	2	1973	222
1496 (BD-28944)	6-[[(4-Chlorophenyl)thio]methyl]-2,4- pteridinediamine	2	1973	224
1503 (BD-54275)	6-[[(4-Chlorophenyl)sulfinyl]methyl]- 2,4-pteridinediamine, 0.8 hydrate	2	1973	226
1504 (BD-54284)	6-[[(4-Chlorophenyl)sulfonyl]methyl]-2,4-pteridinediamine, 0.3 f wt N,N-dimethylformamide of crystallization	2	1973	227
1527 (BD-55414)	6-[(2-Naphthalenylthio)methyl]-2,4- pteridinediamine, 8-oxide	2	1973	228
1528 (BD-55423)	6-[(2-Naphthalenylthio)methyl]-2,4- pteridinediamine	2	1973	230

5. 6-[(Aryloxy)methyl]

AM Number	Name	Annual Report Number	Year	Page
1559 (BD-57874)	6-[(4-Chlorophenoxy)methyl]-2,4- pteridinediamine, 8-oxide	3	1974	129
1568 (BD-10518)	6-[(4-Chlorophenoxy)methyl]-2,4- pteridinediamine, 0.2 hydrate	3	1974	131



G. Anilinoquinazolines

AM Number	Name	Annual Report Number	Year	Page
2017 (BG-89193)	N ⁴ -(3,4-Dichlorophenyl)-N ² -[2- (diethylamino)ethyl]-2,4-quinazoline- diamine, 1.9 hydrochloride, 0.26 hydrate	5	1976	447
2017-2B	N ⁴ -(3,4-Dichlorophenyl)-N ² -[2- (diethylamino)ethyl]-2,4-quinazoline- diamine, dihydrochloride, monohydrate	6	1977	115
2032	N ² -(1-Ethyl-3-piperidinyl)-N ⁴ -[4- (trifluoromethyl)phenyl]-2,4- quinazolinediamine, dihydrochloride, hydrate (1:0.31)	6	1977	117
2038	N ⁴ -(3,4-Dichlorophenyl)-N ² -(1-ethyl- 3-piperidinyl)-2,4-quinazoline- diamine, hydrochloride, hemihydrate	6	1977	119
2040	N ⁴ -(3,5-Dichlorophenyl)-N ² -(1-ethyl- 3-piperidinyl)-2,4-quinazolinediamine, hydrochloride (1:2.4), sesquihydrate	6	1977	121
2046	N,N-Diethyl-N'-[4-[[4-(trifluoro-methyl)phenyl]amino]-2-quinazolinyl]-l,2-ethanediamine	6	1977	123
2064	2-[[3-(1-Piperidinyl)propyl]amino]- 4-quinazolinol, hydrochloride (1:1.13), hydrate (1:0.52)	6	1977	125
2 080	N ⁴ -(3,4-Dichlorophenyl)-N ² -[3-(1-piperidinyl)propyl]-2,4-quinazolinediamine, dihydrochloride, monohydrate	6	1977	126
2084	N ⁴ -(3,4-Dichlorophenyl)-N ² -[3- (diethylamino)propyl]-2,4- quinazolinediamine, dihydrochloride, hydrate (1:1.6)	6	1977	128

AM Number	Name	Annual Report Number	Year	Page
2085	N ⁴ -(3,5-Dichlorophenyl)-N ² -[3-(1-piperidinyl)propyl]-2,4-quinazolinediamine, dihydrochloride, hydrate (1:0.2)	6	1977	130
2087	N ² -[3-(1-Piperidinyl)propyl]-N ⁴ -[4- (trifluoromethyl)-phenyl]-2,4- quinazolinediamine, dihydrochloride, hydrate (1:1.8)	6	1977	132
2090	N ⁴ -(3,5-Dichlorophenyl)-N ² -[3- (diethylamino)propyl]-2,4-quinazoline- diamine, hydrochloride (1:2.6)	6	1977	133
2103	N ² -[3-(Diethylamino)propyl]-N ⁴ -[4- (trifluoromethyl)-phenyl]-2,4- quinazolinediamine, hydrochloride (1:2.1) hydrate (1:0.4)	6	1977	135
2119	N ⁴ -(3,5-Dichlorophenyl)-N ² -[3-(1-pyrrolidinyl)propyl]-2,4-quinazoline-diamine, dihydrochloride, hydrate (1:1.9)	6	1977	137
2124	N ² -[4-(Dimethylamino)cyclohexyl]-N ⁴ - [4-(trifluoromethyl)phenyl]-2,4- quinazolinediamine, dihydrochloride, hydrate (1:1.8)	6	1977	139
2126	N ⁴ -[3-Bromophenyl)-N ² -[4-(dimethyl-amino)cyclohexyl]-2,4-quinazolinediamine, hydrochloride (1:1.8), monohydrate	6	1977	141
2127	N ⁴ -(3,5-Dichlorophenyl)-N ² -[4- (dimethylamino)cyclohexyl]-2,4- quinazolinediamine, hydrochloride (1:1.9), hydrate (1:1.7)	6	1977	143
2132	N ⁴ -(3,4-Dichlorophenyl)-N ² -[4- (diethylamino)-l-methylbutyl]-2,4- quinazolinediamine, dihydrochloride, hydrate (1:1.8)	6	1977	145

AM Number	Name	Annual Report Number	Year	Page
2135	N^4 -(3,5-Dichlorophenyl)- N^2 -[4- (diethylamino)-1-methylbutyl]-2,4- quinazolinediamine, hydrochloride (1:2.1), hydrate (1:2.1)	6	1977	147
2136	N^2 -[4-(Diethylamino)-1-methylbutyl]- N^4 -(3,4,5-trimethoxyphenyl)-2,4-quinazolinediamine, hydrate (1:0.9)	6	1977	149
2137	4-[[2-[[4-(Diethylamino)-1-methyl-butyl]amino]-4-quinazolinyl]amino]-2-[(diethylamino)methyl]phenol, hydro-chloride (1:2.7), dihydrate	6	1977	151
2139	N ² -[4-(Diethylamino)-l-methylbutyl]- N ⁴ -(4-nitrophenyl)-2,4-quinazoline- diamine, hydrochloride (1:2.2), hydrate (1:1.7)	6	1977	153
2141	N^2 -[4-(Dimethylamino)cyclohexyl]- N^4 - [4-(dimethylamino)phenyl]-2,4- quinazolinediamine, hydrate (1:0.7)	6	1977	155
2146	N^2 -[4-(Diethylamino)-1-methylbutyl]- N^4 -[4-(trifluoromethyl)phenyl]-2,4- quinazolinediamine, hydrochloride (1:2.2), dihydrate	6	1977	157





H. 2-Amino-4-Hydroxyquinazolines and Analogs

AM Number	Name	Annual Report Number	Year	Page
2100	2-Amino-6-[[3,4-dichlorophenyl)- methyl]amino]-4-quinazolinol, hydrate (1:1.6)	6	1977	163
2111	N-(2-Amino-4-hydroxy-6-quinazolinyl)- N-[(3,4-dichlorophenyl)methyl]- formamide, hydrate (1:1.4)	6	1977	164
2123	2-Amino-6-[[3,4-dichlorophenyl)- methyl]nitrosoamino]-4-quinazolinol	6	1977	165

II. Purine/Pyrimidine Inhibitors

A. Purines

1. S-Purin-6-yl Esters

AM Number	Name	Annual Report Number	Year	Page
1170	Thiocarbonic acid, O-ethyl-S-purin-6-yl ester	1	1972	326
1171	Thiocarbonic acid, O-methyl-S-purin- 6-yl ester	1	1972	327
1174	Thiocarbonic acid, O-n-propyl-S-purin-6-yl ester	1	1972	328
1175	Thiocarbonic acid, O-phenyl-S-purin- 6-yl ester	1	1972	329
1179	Dithiocarbonic acid, S-ethyl-S-6- purinyl ester	1	1972	330
1180	Thiocarbonic acid, O-n-heptyl-S- purin-6-yl ester	1	1972	331
1184	Thiocarbonic acid, 0-3-chloropropyl- S-purin-6-yl ester	1	1972	332
1293	Thiocarbonic acid, O-benzyl-S-purin- 6-yl ester	1	1972	333
1311	Thiocarbonic acid, O-p-methoxyphenyl- S-purin-6-yl ester	1	1972	334

2. Nucleosides and Related Compounds

AM Number	Name	Annual Report Number	Year	Page
1196	9-β-D-Arabinofuranosyl-9H-purine-6- thiol, triacetate ester	1	1972	335
1 2 6 0	8-Bromoadenine	1	1972	336
1 264	4-Amino-7-(b-D-ribofuranosyl)-7H- pyrrolo[2,3- <u>d</u>]pyrimidine; Tubercidin	1	1972	337
1 265	N-Furfuryladenosine	1	1972	338
1266	9-B-D-Arabinofuranosyl-6-chloro-9H- purine, triacetate	1	1972	339
i 267	9-B-D-Arabinofuranosyl-N ⁶ -cyclohexyl-adenine	1	1972	341
1271	9-β-D-Arabinofuranosyl-N-ethyladenine	1	1972	343
1 2 7 2	N-Allyl-9-B-D-arabinofuranosyl- adenine, O.l hydrate	1	1972	344
1277	N-Furfuryl-N-nitrosoadenosine	1	1972	345
1281	9-B-D-Arabinofuranosyl-N-ethyl-N- nitrosoadenine	1	1972	346
1 282	9-8-D-Arabinofuranosyl-N,N-dimethyl-adenine	1	1972	347
1 283	9-β-D-Arabinofuranosyl-N-furfuryl- adenine	1	1972	348
1 284	9-β-D-Arabinofuranosyl-N-cyclohexyl- N-nitrosoadenine	1	1972	349
1299	N-Allyl-9-B-D-arabinofuranosyl-N- nitrosoadenine	1	1972	350
1 300	9-β-D-Arabinofuranosyl-N-furfuryl-N- nitrosoadenine	1	1972	351
1 302	N-(3-Methyl-2-butenyl)-N-nitroso- adenosine	1	1972	352

AM Number	Name	Annual Report Number	Year	Page
1 304	N-Methyl-N-nitrosoadenine	1	1972	353
1 3 0 5	9-β-D-Arabinofuranosyl-N-cyclopropyl- adenine	1	1972	354
1 307	N,N-Dimethyladenosine	1	1972	355
1 308	N-Benzyl-N-nitrosoadenosine	1	1972	356
1310	N-Methyl-N-nitrosoadenosine	1	1972	357
1313	8-Bromoadenosine, triacetate ester	1	1972	358
1315	8-Bromoadenosine	1	1972	359
1317	9-β-D-Arabinofuranosyladenine, l-oxide	1	1972	360
1319	9-B-D-Arabinofuranosyl-N-methyl-N- nitrosoadenine, 2' (or 3'), 5'-di- benzoate ester	1	1972	361
1 326	9-B-D-Arabinofuranosyl-N-methyl-N-nitrosoadenine, 5'-p-toluenesulfonate ester, 0.7 f wt ethanol of crystallization	1	1972	362
1 327	9-β-D-Arabinofuranosyl-N-methyl-N- nitrosoadenine, 5'-p-anisate ester	1	1972	364
1 335	9-B-D-Arabinofuranosyl-N-methyl-N- nitrosoadenine, 2' (or 3'), 5'-bis- (3,4,5-trimethoxybenzoate ester)	1	1972	365
1 347	l-Adamantanecarboxylic acid, 5'-ester with 9-B-D-arabinofuranosyl-N-methyl-N-nitrosoadenine	1	1972	367
1 348	Palmitic acid, 5'-ester with 9-β-D- arabinofuranosyl-N-methyl-N-nitroso- adenine	1	1972	369
1 350	9-β-D-Arabinofuranosyl-N-isopropyl- adenine	1	1972	370
1351	9-β-D-Arabinofuranosyl-N-methyl-N- nitrosoadenine	1	1972	371

AM Number	Name	Annual Report Number	Year	Page
1357 (BC-50138)	N-Methyl-N-nitroso-9-(5-0-trityl-β- D-arabinofuranosyl)adenine	2	1973	336
1361 (BC-50361)	9-B-D-Arabinofuranosyl-N-methyl-adenine, l-oxide	2	1973	337
1369 (BC-08625)	9-(2,6-Dichlorobenzyl)adenine	2	1973	338
1371 (BC-08643)	6-Chloro-9-(tetrahydro-2H-pyran-2- yl)-9H-purine	2	1973	339
1372 (BC-08858)	N-Methyl-9-(tetrahydro-2H-pyran-2- yl)-adenine	2	1973	341
1373 (BC-08867)	9-(2,6-Dichlorobenzyl)adenine, l-oxide	2	1973	342
1381 (BC-09355)	2'-Deoxy-N-methyladenosine	2	1973	343
1 382 (BC-09364)	4-(Methylamino)-7-β- <u>D</u> -ribofuranosyl- 7H-pyrrolo[2,3- <u>d</u>]pyrimidine	2	1973	345
1385 (BC-09391)	9-(2,6-Dichlorobenzyl)-N-methyl-adenine	2	1973	347
1392 (BC-57020)	9-(5-Azido-5-deoxy-β- <u>D</u> -arabino- furanosyl)-N-methyl-N-nitrosoadenine	2	1973	348
1398 (BC-57084)	9-(2,6-Dichlorobenzyl)-N-methyl-N- nitrosoadenine	2	1973	349
I 399 (BC-57093)	4-(Methylnitrosamino)-7-β-D-ribo- furanosyl-7H-pyrrolo[2,3-d]pyrimidine	2	1973	350
1402 (BC-57137)	N-Methyl-N-nitroso-9-(tetrahydro-2H- pyran-2-yl)adenine	2	1973	351
1420 (BC-59088)	8-Bromo-N-methyladenosine	2	1973	352

AM Number	Name	Annual Report Number	Year	Page
1428 (BD-23010)	8-Bromo-N-methyl-N-nitrosoadenosine	2	1973	353
1430 (BD-23038)	9-β- <u>D-Arabinofuranosyl-N-hydroxy-</u> adenine	2	1973	354
1431 (BD-23047)	N-Methyladenosine, l-oxide	2	1973	355
1435 (BD-24099)	N-9-Dimethyladenine	2	1973	356
1438 (BD-24124)	N-Cyclohexyladenosine	2	1973	358
1442 (BD-24160)	N,9-Dimethyl-N-nitrosoadenine	2	1973	359
1454 (BD-25523)	N-Cyclohexyl-N-nitrosoadenosine	2	1973	360
1483 (BD-27723)	3-(6-Amino-9H-purin-9-yl)-1,2- propanediol, 0.3 hydrate	2	1973	361
1513 (BD-54837)	N-Methyl-2',2'-0-(1-methylethyl- idene)-N-nitrosoadenosine	2	1973	362
1537 (BD-55512)	3,β-D-Ribofuranosyldiimidazo[1,2- <u>c</u> : 4',5 ^T - <u>e</u>]pyrimidine, monohydrochloride	2	1973	364
1541 (BD-57271)	6-(l-Methylhydrazino)-9-β- <u>D</u> -ribo- furanosyl)-9H-purine	2	1973	365
1550 (BD-57589)	3-[6-(Methylnitrosoamino)-9H-purin- 9-yl]-1,2-propanediol	2	1973	366
1551 (BD-57598)	3,8,D-Arabinofuranosyldiimidazo- [1,2- <u>c</u> :4',5'- <u>e</u>]pyrimidine, mono- hydrochloride	2	1973	368
1556 (BD-57847)	9-(Methoxymethyl)-N-methyladenine	3	1974	173



badas represent rayanyan indistrik adalahan restrasir bedekada bibilirah badasekan kababaan restrasir

AM Number	Name	Annual Report Number	Year	Page
1570 (BE-10536)	9-[4-(1,3-Diphenyl-2-imidazolidinyl)- 2,3,0-(1-methylethylidene)-8-D- erythrofuranosyl]-N-methyl-N-nitroso- 9H-purin-6-amine	3	1974	174
1574 (BE-10572)	9-(Methoxymethyl)-N-methyl-N-nitroso- 9H-purin-6-amine	3	1974	175
1580 (BE-11837)	6-(1,2-Dimethylhydrazino)-9-8-D-ribo- furanosyl-9H-purine	3	1974	176
1617 (BE-14623)	Uridine-2',3',5'-tribenzoate (ester); 1-2,3,5-tri-O-benzoyl-β-D-ribofuran- osyl-2,4-(1H,3H)-pyrimidinedione	3	1974	177
2 2 0 4	6-Amino-9-β-D-arabinofuranosyl-1- (phenylmethoxy)-9H-purinium, bromide	6	1977	405
2205	9-β-D-Arabinofuranosyl-8-bromo- adenine, triacetate ester	6	1977	407
2206	6-Amino-1,5-dihydro-4H-imidazo- [4,5- <u>c]</u> pyridin-4-one (3-Deazaguanine)	6	1977	409
2207	6-Amino-3,5-dihydro-3-B-D-ribofuran- osyl-4H-imidazo[4,5-c]pyridin-4-one (7-Ribosyl-3-deazaguanine)	6	1977	410
2208	6-Amino-1,5-dihydro-1-β-D-ribofuran- osyl-4H-imidazo[4,5-c]pyridin-4-one (3-Deazaguanosine)	6	1977	411
2209	4-Nitro-lH-benzimidazole	6	1977	412
2210	l-β-D-Arabinofuranosyl-lH-benz- imidazol-4-amine, hydrate (1:0.25)	6	1977	413

-				
AM Number	Name	Annual Report Number	Year	Page
2219 (BH-57114)	l-β-D-Arabinofuranosyl-lH-imidazo- [4,5-c]pyridin-4-amine (3-Deaza- ara-A)	7	1978	145
2220 (BH-57123)	3-β-D-Arabinofuranosyl-3H-imidazo- [4,5-c]pyridin-7-amine (2-Aza-1,3-dideaza-ara-A)	7	1978	147
2223 (BH-57150)	4-Chloro-7H-pyrrolo[2,3-d]pyrimdine	7	1978	149
2224 (BH-57169)	4-Chloro-lH-imidazo[4,5-c]pyridine	7	1978	150
2233 (BH-58228)	3-H-Imidazo[4,5- <u>b</u>]pyridine (3-Deaza- purine)	7	1978	153
2234 (BH-58237)	3,7-Dihydro-4H-pyrrolo[2,3- <u>d</u>]- pyrimidine-4-one (7-Deazahypoxanthine)	7	1978	154
2235 (BH-58246)	3-H-Imidazo[4,5-b]pyridine 4-oxide	7	1978	155
2236 (BH-58602)	7-Nitro-3H-imidazo[4,5- <u>b]</u> pyridine 4-oxide	7	1978	156
2237 (BH-58611)	9-B-D-Arabinofuranosyl-1,9-dihydro- 6H-purin-6-one (Ara-Hx)	7	1978	157
2240 (BH-58648)	2,3-Dihydro-2-thioxo-1H-imidazole-4- carboxylic acid, ether ester	7	1978	158
2241 (BH-58657)	l-β-D-Ribofuranosyl-lH-imidazole- 4,5-dicarboxamide, hemihydrate	7	1978	159
2242 (BH-58666)	7-β-D-Arabinofuranosyl-7H-pyrrolo- [2,3-d]pyrimidin-4-amine (7-Deaza- ara-A, ara-tubercidin)	7	1978	161
2243 (BH-58675)	6-Amino-7-B-D-arabinofuranosyl-3,5-dihydro-4H-imidazo[4,5-c]pyridin-4-one	7	1978	164

AM Number	Name	Annual Report Number	Year	Page
2251 (BH-65509)	4-Chloro-1H-1,2,3-triazolo[4,5-c]- pyridine	7	1978	167
2252 (BH-67361)	l-β- <u>D</u> -Ribofuranosyl-lH-imidazole-4- carboxamide (2-Deazaribavirin)	7	1978	168
2253 (BH-67370)	4-Chloro-3-B-D-ribofuranosyl-3H- imidazo[4,5- <u>c</u>]pyridine	7	1978	170
2258 (BH-67423)	4-Chloro-3-(2,3,5-tri-0-benzoyl-β-D-ribofuranosyl)-3H-imidazo[4,5- <u>c</u>]-pyridine	7	1978	171
2259 (BH-67512)	6-Amino-3,5-dihydro-3-(tetrahydro-2H- pyran-2-y1)-(±)-4H-imidazo[4,5- <u>c</u>]- pyridin-4-one	7	1978	173
2260 (BH-67521)	5-Cyanomethyl-1-β-D-ribofuranosyl-1H- imidazole-4-carboxamide, compound with methanol (1:0.5)	7	1978	175
2266 (BH-67585)	3,7-Dihydro-2-(methylthio)-4H- pyrrolo[2,3-d]pyrimidin-4-one	7	1978	177
2271 (BH-69883)	2-Imidazolethiol	7	1978	179
2272 (BH-69892)	2-[[(2-Methoxyethoxy)methyl]thio]-lH-imidazole	7	1978	180
2273 (BH-69909)	5-Chloro-7-nitro-3H-imidazo[4,5- <u>b</u>]- pyridine	7	1978	181

B. Pyrimidines

1. 2,4-Diamino-5-[p-[(benzyl)amino]phenyl]pyrimidines

AM Number	Name	Annual Report Number	Year	Page
870-1L (BG-89219)	2,4-Diamino-6-ethyl-5-[p-[(p-nitro-benzyl)amino]phenyl]pyrimidine, 0.7 hydrate	5	1976	441
2026 (BG-94809)	N-[4-(2,4-Diamino-6-ethyl-5- pyrimidinyl)phenyl]-N-[(4-nitro- phenyl)methyl]formamide, compound with ethanol (1:0.3), 0.07 hydrate	5	1976	445
1899 (BG-59784)	2,6-Diamino-5-(4-chlorophenyl)-4- pyrimidinecarboxylic acid, acetate salt (1:0.25), hydrate (1:0.2)	5	1976	330
1991 (BG-81786)	2-Amino-5-bromo-6-methyl-4- pyrimidinol, monohydrobromide	5	1976	333
2000 (BG-81875)	2-Amino-6-methyl-5-(l-naphthalenyl- thio)-4(3 <u>H</u>)pyrimidinone, 0.6 hydrate	5	1976	334
2003 (BG-89264)	2-Amino-6-methyl-5-(2-naphthalenyl-thio)-4(3 \underline{H})pyrimidinone, hemihydrate	5	1976	335
2005 (BG-89282)	2,5-Diamino-6-methyl-4-pyrimidinol, hydrate (1:0.9)	5	1976	336
2006 (BG-89291)	2-Amino-5-[[(3,4-dichlorophenyl)-methylene]amino]-6-methyl-4(3H)-pyrimidinone	5	1976	338
2014 (BG-89166)	2-Amino-5-[[(3,4-dichlorophenyl)-methyl]amino]-6-methyl-4(3H)-pyrimidinone, 0.93 hydrate	5	1976	339



2. Miscellaneous Pyrimidines

AM Number	Name	Annual Report Number	Year	Page
2031	N-(2-Amino-1,6-dihydro-4-methyl-6- oxo-5-pyrimidinyl)-N-[(3,4-dichloro- phenyl)methyl]formamide, compound with ethanol (1:0.15), hydrate (1:0.25)	6	1977	167
2033	2-Amino-5-[[(3,4-dichlorophenyl)-methyl]nitrosoamino]-6-methyl-4(3 <u>H</u>)-pyrimidinone	6	1977	169
2110	$1-Butyl-2,4(1\underline{H},3\underline{H})-pyrimidinedione$	6	1977	170
2125	l-Butyl-5-methyl-2,4-(l <u>H</u> ,3 <u>H</u>)- pyrimidinedione	6	1977	171
2131	5-Fluoro-l-(phenylmethyl)-2,4-(l <u>H</u> , 3 <u>H</u>)-pyrimidinedione	6	1977	172
2150	5-Fluoro-1,3-bis(phenylmethy1)-2,4- $(1\underline{H},3\underline{H})$ -pyrimidinedione	6	1977	173
2185	5'-0-(Triphenylmethyl)thymidine	6	1977	175
2212 (BH-50053)	l-[2-Deoxy-3-0-(methylsulfonyl)-5-0- (triphenylmethyl)-β-D-ribofuranosyl]- 5-methyl-2,4-(lH,3H)pyrimidinedione	7	1978	142
2231 (BH-58200)	4-Hydroxy-2(lH)-pyridinone (3-Deaza- uracil)	7	1978	143
2232	4-Amino-2(lH)-pyridinone (3-Deaza- cytosine)	7	1978	144
2544 (BJ76445)	2,4-Dichloro-6-ethyl-5-nitro- pyrimidine	9	1980	249
2545 (BJ76454)	2-(1-Ethyl-4(1H)-pyridinylidene-3- oxopentanenitrile	9	1980	251
2546 (BJ76463)	5-Nitro-N,N'-bis(phenylmethyl)-2,4- pyrimidinediamine	9	1980	254
2548 (BJ76481)	6-Ethyl-5-nitro-N,N'-bis(phenyl- methyl)-2,4-pyrimidinediamine	9	1980	256



AM Number	Name	Annual Report Number	Year	Page
2553 (BJ-79035)	6-Ethyl-5-(1-piperidinyl)-2,4-(1H, 3H)pyrimidinedione	9	1980	257
2554 (BJ-79044)	5-(1,4-Dioxa-8-azaspiro[4,5]dec-8-yl)-6-ethyl-2,4(1H,3H)-pyrimidine-dione	9	1980	259
2555 (BJ-79053)	5-[(3-Ethoxy-3-oxopropyl)amino]-3,4-dihydro-2,4-dioxo-1(2H)-pyrimidine-propanoic acid, ethyl ester, mono-hydrochloride	9	1980	260
2556 (BJ-79062)	6-Ethyl-5-(4-phenyl-1-piperazinyl)- 2,4-(1H,3H)-pyrimidinedione	9	1980	261
2557 (BJ-82541)	5-(1,4-Dioxa-8-azaspiro[4,5]dec-8-yl)-6-methyl-2,4(1H,3H)pyrimidine-dione, hydrate (20:1)	9	1980	262
2558 (BJ-82550)	6-Methyl-5-(4-phenyl-l-piperazinyl)- 2,4(lH,3H)-pyrimidinedione, hydrate (13:1)	9	1980	263
2565 (BJ-83353)	6-Methyl-5-(4-morpholinyl)-2,4-(1H, 3H)-pyrimidinedione, hydrate (20:1)	9	1980	264
2566 (BJ-83360)	6-Ethyl-5-(4-pyridinyl)-2,4- pyrimidinediamine	9	1980	266
2567 (BJ-83379)	6-Methyl-5-(4-phenyl-l-piperazinyl)- 2,4-pyrimidinediamine, hydrochloride (5:1)	9	1980	268
2568 (BJ-83388)	6-Methyl-5-[4-(phenylmethyl)-1- piperazinyl]-2,4-(1H,3H)-pyrimidine- dione, compound with methanol (5:1)	9	1980	270

AM Number	Name	Annual Report Number	Year	Page
2569 (BJ-83397)	6-Ethyl-5-(4-phenyl-1-piperazinyl)- 2,4-pyrimidinediamine	9	1980	271
2571 (BJ-83413)	6-Methyl-5-(4-morpholinyl)-2,4- pyrimidinediamine, hydrochloride (20:1)	9	1980	273
2576 (BJ-84330)	6-Ethyl-5-(4-morpholinyl)-2,4(1H,3H)-pyrimidinedione	 9 	1980	275
2577 (BJ-84358)	6-Ethyl-5-(4-morpholinyl)-2,4- pyrimidinediamine, hydrate (25:2)	9	1980	276
2578 (BJ-84358)	6-Ethyl-5-[4-(phenylmethyl)-1- piperazinyl]-2,4-(1H,3H)-pyrimidine- dione	9	1980	278
2579 (BJ-84367)	6-Ethyl-5-(4-thiomorpholinyl)-2,4- (1H,3H)-pyrimidinedione	9	1980	279
2580 (BJ-84376)	6-Ethyl-5-(4-thiomorpholinyl)-2,4- pyrimidinediamine, hydrate (25:2)	9	1980	280
2581 (BJ-85140)	6-Methyl-5-[4-(phenylmethyl)-1- piperazinyl]-2,4-pyrimidinediamine	10	1981	130
2583 (BJ-86218)	6-Chloro-5-(4-chlorophenyl)-2,4- pyrimidinediamine	10	1981	132
2584 (BJ-86227)	5-[4-(2,4-Dinitrophenyl)amino]- phenyl]-6-ethyl-2,4-pyrimidine- diamine	10	1981	135
2585 (BJ-86236)	2,4,6-Trichloro-5-phenylpyrimidine	10	1981	138
2586 (BJ-86245)	6-Ethyl-5-(1-piperidiny1)-2,4- pyrimidinediamine	10	1981	139
2587 (BJ-86254)	5-(3-Azabicyclo[3,2,2]non-3-y1)-6- ethyl-2,4(1H,3H)pyrimidinedione, hydrate (10:1)	10	1081	140

AM Number	Name	Annual Report Number	Year	Page
2588 (BJ-86263)	6-Ethyl-5-[4-(phenylmethyl)-1- piperazinyl]-2,4-pyrimidinediamine, hydrate (10:1)	10	1981	141
2590 (BJ-87162)	6-Chloro-5-phenyl-2,4-pyrimidine-diamine, hydrate (100:3)	10	1981	143
2591 (BJ-87171)	6-Hydroxy-5-(4-nitrophenyl)-2,4(1H, 3H)-pyrimidinedione	10	1981	144
2592 (BJ-87180)	6-Methyl-5-(1-piperidinyl)-2,4- pyrimidinediamine	10	1981	145
2593 (BJ-87199)	N ⁴ -Methyl-5-phenyl-2,4,6-pyrimidine- triamine	10	1981	147
2594 (BJ-87206)	3-(2,4-Dichloro-6-ethyl-5- pyrimidinyl)-3-azabicyclo[3,2,2]- nonane	10	1981	148
2599 (BJ-90883)	5-(4-Chlorophenyl)-N ⁴ -methyl-2,4,6- pyrimidinetriamine	10	1981	149
2600 (BJ-90892)	2-[[4-(2,4-Diamino-6-ethyl-5- pyrimidinyl)phenyl]amino]-5-nitro- benzene sulfonic acid, hydrate (10:7)	10	1981	150
2610 (BJ-92252)	6-Hydroxy-5-(1-piperidiny1)-2,4(1H, 3H)pyrimidinedione	10	1981	151
2611 (BJ-92261)	5-(3-Azabicyclo[3,2,2]non-3-y1)-6- ethyl-2,4-pyrimidinediamine	10	1981	153
2613 (BJ-92654)	6-Hydroxy-5-(4-phenyl-l-piperazinyl)- 2,4(lH,3H)pyrimidinedione	10	1981	154
2614 (BJ-92663)	6-Chloro-5-(4-phenyl-1-piperazinyl)- 2,4-pyrimidinediamine	10	1981	156
2620 (BJ-93606)	6-Hydroxy-5-(4-thiomorpholiny1)-2,4- (1H,3H)pyrimidinedione	10	1981	158
2621 (BJ-93615)	6-Chloro-5-(l-piperidinyl)-2,4- pyrimidinediamine	10	1981	160

AM Number	Name	Annual Report Number	Year	Page
2622 (BJ-93624)	N ⁴ -Methyl-5-(4-phenyl-l-piperazinyl)- 2,4,6-pyrimidinetriamine, hydrate (4:1)	10	1981	162
2628 (BK-02002)	2,4,6-Trichloro-5-(4-thiomorpho- linyl)pyrimidine	10	1981	163
2629 (BK-02011)	6-Chloro-5-(4-thiomorpholinyl)-2,4- pyrimidinediamine	10	1981	164
2630 (BK-02020)	6-Chloro-N ² -methyl-N ² -phenyl-5-(1-piperidinyl)-2,4-pyrimidinediamine	10	1981	165
2631 (BK-02799)	N ⁴ -Methyl-5-(4-thiomorpholinyl)-2,4-6-pyrimidinetriamine, hydrate (20:1)	10	1981	167
2632 (BK-02806)	11H-Pyrimido[5',4':4,5]pyrrolo- [3,2-c]quinoline-7,9-diamine, hydrate (100:9)	10	1981	168
2641 (BK-05174)	5-[4-(4-Chlorophenyl)-l-piperazinyl]- 6-methyl-2,4-pyrimidinediamine	10	1981	170
2642 (BK-05183)	5-(3,4-Dihydro-2(1H)-isoquinolinyl)- 6-ethyl-2,4-pyrimidinediamine, hydrate (20:1)	10	1981	172
2647 (BK-09305)	6-(l-Methylhydrazino)-2,4-pyrimidine- diamine	10	1981	174
2648 (BK-09314)	6-Methyl-5-(1-piperazinyl)-2,4- pyrimidinediamine, hydrate (100:91)	10	1981	175
2649 (BK-09323)	5-[4-(2,4-dinitrophenyl)-1- piperazinyl]-6-methyl-2,4-pyrimidine- diamine	10	1981	176
2650 (BK-12428)	6-Methyl-5-[4-(4-nitrophenyl)-1- piperazinyl]-2,4-pyrimidinediamine, hydrate (10:1)	10	1981	177

AM Number	Name	Annual Report Number	Year	Page
2655 (BK-12982)	6-[1-(2-(Diethylamino)ethyl]- hydrazino]-2,4-pyrimidinediamine, monohydrochloride	10	1981	178
2662 (BK-15214)	5-(Hexahydro-1(2H)-azocinyl)-6- methyl-2,4-pyrimidinediamine	10	1981	179
2663 (BK-15223)	6-[1-[2-(Diethylamino)ethyl]-2-[(2-nitrophenyl)-methylene]hydrazino]-2,4-pyrimidinediamine	10	1981	181
2664 (BK-15232)	5-(Azacyclotridec-l-yl)-6-methyl-2,4- pyrimidinediamine	10	1981	182
2673 (BK-16293)	5-[3-Azabicyclo[3,2,2]non-3-yl]-6- methyl-2,4-pyrimidinediamine	11	1982	173
2674 (BK-16300)	N-[4-[4-(2,4-Diamino-6-methyl-5-pyrimidinyl)-l-piperazinyl]benzoyl]-L-glutamic acid, diethyl ester	11	1982	175
2679 (BK-16953)	N-[4-[4-(2,4-Diamino-6-methyl-5-pyrimidinyl)-l-piperazinyl]benzoyl]-L-glutamic acid	11	1982	178
2680 (BK-16962)	N ⁵ -[(3,4-dichlorophenyl)methylene]- 2,4,5-pyrimidinetriæmine	11	1982	179
2681 (BK-17183)	N ⁵ -[(4-Bromophenyl)methylene]-2,4,5- pyrimidinetriamine	11	1982	181
2682 (BK-17192)	N ⁵ -[3,4-Dichlorophenyl)methyl]-2,4,5-pyrimidinetriamine	11	1982	182
2683 (BK-17209)	N ⁵ -[(4-Bromophenyl)methyl]-2,4,5,- pyrimidinetriamine	11	1982	183
2699 (BK-21954)	N ⁵ -[(4-Bromophenyl)methyl]-N ⁵ - nitroso-2,4,5-pyrimidinetriamine	11	1982	184
2700 BK-21963)	N-(2,4-Diamino-5-pyrimidinyl)-N- [(3,4-dichlorophenyl)methyl]- formamide	11	1982	185

AM Number	Name	Annual Report Number	Year	Page
2701 (BK-21972)	N-[(4-Bromophenyl)methyl]-N-(2,4- diamino-5-pyrimidinyl)formamide	11	1982	186
2702 (BK-21981)	4-[4-(2,4-Diamino-6-methyl-5- pyrimidinyl)-l-piperazinyl]benzoic acid, hydrochloride (10:11)	11	1982	187
2712 (BK-23154)	5-[[3,4-Dichlorophenyl)imino]methyl]- 2,4-pyrimidinediamine	11	1982	188
2713 (BK-23163)	5-[[(4-Bromophenyl)imino]methyl]-2,4- pyrimidinediamine	11	1982	190
2714 (BK-23172)	5-[[(4-Bromophenyl)amino]methyl]-2,4- pyrimidinediamine	11	1982	191
2724 (BK-39536)	5-[[(3,4,5-Trimethoxyphenyl)imino]-methyl]-2,4-pyrimidinediamine	11	1982	192
2725 (BK-39545)	5-[[(3,4,5-Trimethoxyphenyl)amino]-methyl]-2,4-pyrimidinediamine	11	1982	193
903 (BK-15581)	5-[[3,4-Dichlorophenyl)amino]methyl]- 2,4-pyrimidinediamine	11	1982	194



ally accessed addition opposed respects assistant consens. Terroles authorise is selected by the policy

III. Aminoquinolines and Related Compounds

A. 8-Aminoquinolines

1. 7-Methylprimaquine

AM Number	Name	Annual Report Number	Year	Page
1581 (BE-11846)	N ⁴ -(7-Methyl-8-quinolinyl)-1,4- pentanediamine, phosphate (1:1)	3	1974	154
1593 (BE-12665)	5-Methoxy-2,1,3-benzothiadiazole	3	1974	156
1593	Improved Procedure	3	1974	158
1594 (BE-12674)	4-Methoxy-3-methyl-1,2-benzenediamine	3	1974	159
1595 (BD-99121)	4-(Chloromethyl)-5-methoxy-2,1,3-benzothiadiazole	3	1974	161
1597 (BD-99149)	5-Methoxy-4-methyl-2,1,3-benzothia-diazole	3	1974	162
1599 (BD-99167)	1,3-Dihydro-5-methoxy-2,1,3-benzo- thiadiazole, 2-oxide	3	1974	163
1631 (BE-16627)	N ⁴ -(6-Methoxy-7-methyl-8-quinolinyl)- l,4-pentanediamine, diphosphate	3	1974	164

2. Quinocide

AM Number	Name	Annual Report Number	Year	Page
1679 (RE-66770)	N ¹ -(6-Methoxy-8-quinolinyl)-1,4- pentanediamine, phosphate (1:1) (Quinocide monophosphate)	3	1974	167
1679-6В	N ¹ -(6-Methoxy-8-quinolinyl)-1,4- pentanediamine, phosphate (1:2) quinocide, diphosphate	4	1975	301

3. Oxygen Isostere of Primaquine

AM Number	 Name	Annual Report Number	Year	Page
2034	5-Methoxy-7-benzofuranamine, mono- hydrochloride	6	1977	108
2114	N ⁴ -(5-Methoxy-7-benzofuranyl)-1,4- pentanediamine, phosphate (1:1)	6	1977	111

4. Miscellaneous Analogs

AM Number	Name	Annual Report Number	Year	Page
1794	N-(6-Methoxy-4-methyl-8-quinolinyl)- N'-(1-methylethyl)-1,8-octanediamine, dihydrochloride, dihydrate	4	1975	302
1796	1-[8-[(4-Amino-l-methylbutyl)amino]- 6-methoxy-5-quinolinyl]-2,2,2-tri- fluoroethanone, ethanedioate (1:1) (salt)	4	1975	305
1809	N-(6-Methoxy-4-methyl-8-quinolinyl)- N'-(1-methylethyl)-1,7-heptane- diamine, phosphate (1:2.1), mono- hydrate	4	1975	308
1882 (BG-56612)	4-[6-[(6-Methoxy-4-methyl-8- quinolinyl)amino]hexyl]-l-piperazine- ethanol	5	1976	340
2116	N,N-Diethyl-N'-(6-methoxy-4-methyl-8-quinolinyl)-N'-nitroso-1,6-hexanediamine, phosphate (1:2), hydrate (1:0.7)	6	1977	113



5. 8-Aminoquinoline N-oxides

AM Number	Name	Annual Report Number	Year	Page
1627 (BE-16583)	2,2,2-Trifluoro-N-[4-[(6-methoxy-8-quinolinyl)amino]pentyl]acetamide	3	1974	170
1634 (BE-17375)	2,2,2-Trifluoro-N-(6-methoxy-8-quinolinyl)acetamide, l'-oxide	3	1974	171
1760	N ¹ ,N ¹ -Diethyl-N ⁴ -(6-methoxy-8-quinolinyl)-1,4-pentanediamine, N'-oxide, dihydrochloride, hydrate (1:0.3) Pamaquine-N-oxide	4	1975	311
1839	N,N-Diethyl-N'-(6-methoxy-4-methyl- 8-quinolinyl)-1,6-hexanediamine, N- oxide, dihydrochloride compound with 2-propanol (1:0.1), hydrate (1:0.3)	4	1975	314
1862 (BG-46778)	2,2,2-Trifluoro-N-(6-methoxy-8-quinoliny1)-N-[1-methyl-4-(tri-fluoroacetyl)butyl]acetamide, N-oxide, compound with 2-propanol (1:0.1)	5	1976	343





B. 4-Aminoquinolines

AM Number	Name	Annual Report Number	Year	Page
1218	4-[(7-Chloro-4-quinolyl)amino]-α,α'- bis(diethylamino)-2,6-xylenol	1	1972	408
1366 (BC-08590)	4-[(7-Chloro-4-quinolyl)amino]-α,α'- bis(diethylamino)-2,6-xylenol, l'- oxide	2	1973	384
1710	2-(4-Chlorophenyl)-2,4-cyclo- hexadiene-1,4-dione, 4-oxime	4	1975	365
1716	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-phenyl- phenol	4	1975	367
1716-2B	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-phenyl- phenol, dihydrochloride, monohydrate	4	1975	370
1725	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(diethylamino)methyl]- [1,1'-biphenyl]-2-ol	4	1975	371
1729	2-Phenyl-2,5-cyclohexadiene-1,4-dione, 4-oxime	4	1975	374
1739	4'-Chloro-5-[(7-chloro-4-quinolinyl)-amino]-3-[(diethylamino)methyl]-[1,1'-biphenyl]-2-ol, N^{ω} -oxide, hydrate (1:0.4)	4	1975	375
1824	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(diethylamino)methyl]- [1,1'-biphenyl]-2-ol, l-oxide	4	1975	376
1880 (BG-56596)	4'-Chloro-3-[[(1,1-dimethylethyl)- amino]methyl]-5-nitro[1,1'-biphenyl]- 2-o1	5	1976	345
1900 (BG-59793)	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[[(1,1'-dimethylethyl)- amino]methyl][1,1'-biphenyl]-2-ol	5 	1976	347

AM Number	Name	Annual Report	Year	Page
		Number		
1923 (BG-63493)	N-[3-(4-Chlorophenyl)-5-[[(1,1,-dimethylethyl)amino]methyl]-4-hydroxyphenyl]acetamide, phosphate (1:1)	5	1976	349
1933 (BG-66850)	4'-Chloro-5-[(7-chloro-4-quinolinyl)-amino]-3-[[(1,1-dimethylethyl)amino]-methyl]-[1,1'-biphenyl]-2-o1, N^{ω} -oxide, monohydrate	5	1976	351
1942 (BG-70498)	2-Cyclohexyl-2,5-cyclohexadiene-1,4-dione, 4-oxime	5	1976	353
1944 (BG-70514)	N-[3-[(Diethylamino)methyl]-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-acetamide, hydrochloride (1:1.45), hydrate (1:0.1)	5	1976	354
1959 (BG-72447)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1,1-di- methylethyl)phenol	5	1976	356
1966 (BG-74932)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1,l-di- methylethyl]phenol, N ^w -oxide	5	1976	358
1967 (BG-74941)	4-[(7-Chloro-4-quinolinyl)amino]-2-cyclohexyl-6-[(diethylamino)methyl]-phenol	5	1976	360
1968 (BG-74950)	4-[(7-Chloro-4-quinolinyl)amino]-2- cyclohexyl-6-[(diethylamino)methyl]- phenol, Nω-oxide	5	1976	363
1974 (BG-78949)	N-[3-[(Diethylamino)methyl]-4- hydroxy-5-(phenylmethyl)phenyl]- acetamide	5	1976	365
1977 (BG-78976)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(phenyl- methyl)phenol	5	1976	367
1978 (BG-78985)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(phenyl- methyl)phenol, N ^{to} -oxide	5	1976	369

AM Number	Name	Annual Report Number	Year	Page
2004 (BG-89273)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl] [1,1'- biphenyl]-2-ol, N^{ω} -oxide, hydrate (1:0.9)	5	1976	371
2010 (BG-89120)	3'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(diethylamino)methyl] [1,1'-biphenyl]-2-ol	5	1976	373
2011 (BG-89139)	3'-Chloro-5-[(7-chloro-4-quinolinyl)-amino]-3-[(diethylamino)methyl] [1,1'-biphenyl]-2-ol, N^{ω} -oxide	5	1976	376
2012 (BG-89148)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-3'-(trifluoro- methyl) [1,1'-biphenyl]-2-ol	5	1976	378
2013 (BG-89157)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-3'-(trifluoro- methyl) [1,1'-biphenyl]-2-ol, NW-oxide	5	1976	381
2027 (BG-94818)	5-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(diethylamino)methyl] [1,1'-biphenyl]-2-ol	5	1976	383
2028 (BG-94827)	2'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(diethylamino)methyl] [1,1'-biphenyl]-2-ol, N^{ω} -oxide	5	1976	386
2029 (BG-94836)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2'-methoxy- [1,1'-biphenyl]-2-o1, monohydrate	5	1976	388
2030 (BG-94845)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2'-methoxy- [1,1'-biphenyl]-2-ol, N ^ω -oxide	5	1976	391
2035	4'-Chloro-5-(8-chloro-3-methoxybenzo- [B][1,7]naphthyrid-5-yl)-3-[[(1,1-dimethylethyl)amino]methyl] [1,1'-biphenyl]-2-ol, compound with 2-propanol (1:0.1), hydrochloride (1:2.1), hydrate (1:0.3)	6	1977	176



		Annual		
AM Number	Name	Report Number	Year	Page
2039	4'-Chloro-5-[(2,3-dimethoxy-6-nitro-9-acridinyl)amino]-3-[[(1,1-dimethyl-ethyl)amino]methyl] [1,1'-biphenyl]-2-ol, dihydrochloride	6	1977	178
2041	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2',5'- dimethoxy[1,1'-biphenyl]-2-ol, Nω-oxide	6	1977	180
2042	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2',5'- dimethoxy[1,1'-biphenyl]-2-ol, hydrate (1:0.3)	6	1977	182
2043	4'-Chloro-5-[(6-chloro-2-methoxy-9-acridinyl)amino]-3-[[(1,1-dimethyl-ethyl)amino]methyl] [1,1'-biphenyl]-2-ol, dihydrochloride, hydrate (1:1.2)	6	1977	185
2044	2-[(4-Chlorophenyl)thio]-4-[(7- chloro-4-quinolinyl)amino]-6- [(diethylamino)methyl]phenol	6	1977	187
2045	4-[(7-Chloro-4-quinolinyl)amino]-1- naphthalenol	6	1977	190
2049	3',4'-Dichloro-5-[(7-chloro-4- quinolinyl)amino]-3-[(diethylamino)- methyl] [1,1'-biphenyl]-2-ol	6	1977	191
2050	3',4'-Dichloro-5-[(7-chloro-4-quinolinyl)amino]-3-(1-pyrrolidinyl-methyl) [1,1'-biphenyl]-2-ol, dihydrochloride, compound with ethanol (1:0.1)	6	1977	195
2051	3',4'-Dichloro-5-[(7-chloro-4-quinolinyl)amino]-3-[[(1,1-dimethyl-ethyl)amino]methyl] [1,1'-biphenyl]-2-ol N ^{\Omega} -oxide, monohydrate	6	1977	197

AM Number	Name	Annual Report Number	Year	Page
2052	2-[(4-Chlorophenyl)thio]-4-[(7-chloro-4-quinolinyl)amino]-6- [(diethylamino)methyl]phenol, NW-oxide, hydrate (1:0.2)	6	1977	199
2053	3',4'-Dichloro-5-[(7-chloro-4-quinolinyl)amino]-3-[(diethylamino)-methyl] [1,1'-biphenyl]-2-ol, N ^ω -oxide, hydrate (1:0.7)	6	1977	201
2054	4-Amino-2-[(diethylamino)methyl]-6- ethylphenol, dihydrochloride	6	1977	203
2055	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-ethylphenol	6	1977	206
2056	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-ethylphenol, Nw-oxide	6	1977	208
2057	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1-methyl- ethyl)phenol	6	1977	210
2058	3',4'-Dichloro-5-[(7-chloro-4-quinolinyl)amino]-3-(1-pyrrolidinyl-methyl) [1,1'-biphenyl]-2-o1, Nw-oxide, compound with N,N-dimethyl-formamide (1:0.1)	6	1977	213
2059	3',4'-Dichloro-5-[(7-chloro-4-quinoliny1)amino]-3-[[(1,1-dimethyl-ethyl)amino]methyl] [1,1'-biphenyl]-2-ol, hydrate (1:0.4)	6	1977	215
2060	4-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-6-(1- naphthalenyl)phenol	6	1977	217
2061	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-methoxy- [1,1'-biphenyl]-2-ol	6	1977	221



AM Number	Name	Annual Report Number	Year	Page
2062	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1- naphthalenyl)phenol, Nω-oxide	6	1977	224
2063	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-methoxy- [1,1'-biphenyl]-2-ol, N\omega-oxide	6	1977	226
2074	4-Amino-2-[(diethylamino)methyl]-6- methylphenol, dihydrochloride	6	1977	228
2075	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-methylphenol	6	1977	231
2076	N-[3-[(Diethylamino)methyl]-4- hydroxy-5-(l-methylethyl)phenyl]- acetamide	6	1977	232
2077	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1-methyl- ethyl)phenol, Nω -oxide	6	1977	233
2078	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1-methyl- propyl)phenol	6	1977	235
2079	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(1-methyl- propyl)phenol, Nω-oxide	6	1977	238
2082	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-methyl- phenol, Nω-oxide	6	1977	239
2099	7-Chloro-N-[4'-[(diethylamino)-methyl]-6-methoxy-[1,1'-biphenyl]-3-yl]-4-quinolinamine	6	1977	240
2117	7-Chloro-N-[5-[(diethylamino)methyl]-6-methoxy-[1,1'-biphenyl]-3-y1-4-quinolinamine, dihydrochloride, hydrate (1:1.2)	6	1977	243

 Y_{i}

		Annual		
AM Number	Name	Report Number	Year	Page
2118	5-[(7-Cnloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-methyl [1,1'-biphenyl]-2-ol, hydrate (1:0.1)	6	1977	246
2120	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-methyl [1,1'-biphenyl]-2-ol, N^{ω} -oxide, hydrate (1:0.8)	6	1977	249
2121	7-Chloro-N-[5-[(diethylamino)methyl]-6-methoxy[1,1'-biphenyl]-3-yl]-4-quinolinamine, l-oxide, compound with methylbenzene (1:0.2), hydrate (1:0.3)	6	1977	251
2128	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-3',4'- dimethoxy-[l,l'-biphenyl]-2-ol, hemihydrate	6	1977	253
2129	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-3',4'-di- methoxy[1,1'-biphenyl]-2-ol, Nw-oxide	6	1977	256
2147	4'-Chloro-5-[(7-Chloro-4-quinolinyl)- amino]-3-[[(1-methylpropyl)amino]- methyl] [1,1'-biphenyl]-2-ol, dihydrochloride	6	1977	258
2152	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[[(1-methylpropyl)amino]- methyl] [1,1'-biphenyl]-2-ol, Nw-oxide, hemihydrate	6	1977	260
2174	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[[(2-methylpropyl)amino]- methyl] [1,1'-biphenyl]-2-ol, dihydrochloride	6	1977	262
2187	5-[(7-Chloro-4-quinolinyl)amino]-3- [[(1,1-dimethylethyl)amino]methyl] [1,1'-biphenyl]-2-o1, monohydrate	6	1977	264



AM Number	Name	Annual Report Number	Year	Page
2188	5-[(7-Chloro-4-quinolinyl)amino]-3- [[(1,1-dimethylethyl)amino]methyl] [1,1'-biphenyl]-2-ol, N ^w -oxide	6	1977	266
2199	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-(trifluoro- methyl) [1,1'-biphenyl]-2-ol	6	1977	268
2200	5-[(7-Chloro-4-quinolinyl)amino]-3- [[(1,1-dimethylethyl)amino]methyl]- 4'-(trifluoromethyl) [1,1'-biphenyl]- 2-ol, dihydrochloride	6	1977	271
2201	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-(trifluoro- methyl) [1,1'-biphenyl]-2-ol, N ^O -oxide, monohydrate	6	1977	273
2283 (BH-72737)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-5,6,7,8-tetra- hydro-1-naphthalenol	7	1978	73
2310 (BH-74044)	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(dipropylamino)methyl]- [1,1'-biphenyl]-2-ol	7	1978	76
2313 (BH-76226)	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(dimethylamino)methyl]- [1,1'-biphenyl]-2-ol	7	1978	78
2314 (3H-76235)	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(dimethylamino)methyl]- [1,1'-biphenyl]-2-ol, No-oxide, hydrate (1:0.3)	7	1978	80
2316 (BH-76253)	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(dibutylamino)methyl]- [1,1'-biphenyl]-2-o1	7	1978	81
2317 (BH-76262)	4'-Chloro-5-[(7-chloro-4-quinolinyl)- amino]-3-[(dibutylamino)methyl]- [1,1'-biphenyl]-2-ol, N^{ω} -oxide, mono- hydrate	7	1978	82



AM Number	Name	Annual Report Number	Year	Page
2319 (BH-81549)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-fluoro- [1,1'-biphenyl]-2-o1	7	1978	84
2322 (BH-81576)	7-Chloro-N-[4'-chloro-5-[(diethyl-amino)methyl]-6-ethoxy[1,1'-biphenyl]-3-yl]-4-quinolinamine	7	1978	87
2329 (BH-81852)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl] [1,1'- biphenyl]-2,4'-diol	7	1978	89
2330 (вн-81861)	4-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-fluoro- [1,l'-biphenyl]-2-o1, Nω-oxide, hemihydrate	7	1978	92
2331 (BH-84031)	7-Chloro-N-[4'-chloro-5-[(diethyl-amino)methyl]-6-ethoxy[1,1'-biphenyl]-3-yl]-4-quinolinamine, l-oxide, hydrate (1:03)	7	1978	94
2332 (вн-84040)	5-[(7-Chloro-4-quinolinyl)amino]-3- [[(1,1-dimethylethyl)amino]methyl]- 4'-fluoro[1,1'-biphenyl]-2-ol, hydrate (1:0.35)	7	1978	96
2333 (вн-84059)	4'-Chloro-5-[(7-chloro-4-quinolinyl)-amino]-3-[(cyclohexylamino)methyl]-[1,1'-biphenyl]-2-ol, compound with cyclohexane (1:0.1)	7	1978	98
2347 (BH-86571)	5-[(7-Chloro-4-quinolinyl)amino]-3- nitro-[1,1'-biphenyl]-2-ol, mono- hydrochloride	7	1978	101
2353 (BH-89134)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(2- pyridinyl)phenol, N^{ω} -oxide, hydrate (10:17)	7	1978	103
2354 (BH-89143)	4-[(7-Chloro-4-quinclinyl)amino]-2- [(diethylamino)methyl]-6-(2- pyridinyl)phenol, hydrate (10:3)	7	1978	106




		Annual	1	
AM Number	Name	Report Number	Year	Page
2355 (BH-89152)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(3- pyridinyl)phenol	7	1978	108
2356 (BH-89750)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(4- pyridinyl)phenol, hydrate (10:3)	7	1978	112
2357 (BH-89769)	$4-[(7-Chloro-4-quinolinyl)amino]-2-[(diethylamino)methyl]-6-(4-pyridinyl)phenol, N^{\omega}-oxide, hydrate (4:1)$	7	1978	115
2360 (BH-89796)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2'-(trifluoro- methyl) [1,1'-biphenyl]-2-o1	7	1978	117
2361 (BH-89803)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2'-(trifluoro- methyl)[1,1'-biphenyl]-2-ol, Nω-oxide	7	1978	121
2362 (BH-96228)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-3'-fluoro- [1,1'-biphenyl]-2-ol	7	1978	123
2363 (BH-96237)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-3'-fluoro- [l,l'-biphenyl]-2-ol, N ^w -oxide, mono- hydrate	7	1978	126
2364 (BH-96246)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-(methyl- thio)-1,1'-biphenyl]-2-ol	7	1978	128
2365 (BH-96255)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2'-fluoro- [l,l'-biphenyl]-2-ol	7	1978	131
2366 (BH~96264)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-2'-fluoro- [l,l'-biphenyl]-2-ol, N ^w -oxide, 0.8 hydrate	7	1978	134


AM Number	Name	Annual Report Number	Year	Page
2367 (BH-96273)	5-[(7-Chloro-4-quinolinyl)amino]-3- [(diethylamino)methyl]-4'-(methyl- thio)-1,1'-biphenyl]-2-ol, No-oxide, 0.2 hydrate	7	1978	136
2454 (BJ-39451)	4-[7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(2,3- difluorophenyl)phenol	8	1979	60
2455 (BJ-39460)	7-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(2,6- difluorophenyl)phenol	8	1979	64
2478 (BJ-45628)	4-[(7-Chloro-4-quinolinyl)amino]-2- [(diethylamino)methyl]-6-(penta- fluorophenyl)phenol, compound with cyclohexane (3:2)	8	1979	68
2480 (BJ-45646)	2-(4-Chlorophenyl)-4-[(7-chloro-4-quinolinyl)amino]-6-[(tricyclo-[3.3.1.13,7]dec-1-ylamino)methyl]-phenol, compound with ethanol (4:1) hydrate (10:1)	8	1979	72
2656 (BK-12651)	4'-Chloro-6-[(7-chloro-4-quinolinyl)- amino]-4-[(diethylamino)methyl]-[1,1'- biphenyl]-3-ol	10	1981	184

C. Camoform Analogs

AM Number	Name	Annual Report Number	Year	Page
2456 (3J-39782)	4-(1,1-Dimethylethyl)-2-(2-propenyl)-6-(1-pyrrolidinylmethyl)phenol, mono-hydrochloride, hydrate (4:1)	8	1979	253
2458 (BJ-39808)	3,3'-Bis[[(1,1-dimethylethyl)amino]- methyl]-5,5'-di-2-propenyl[1,1'-bi- phenyl]4,4'-diol, dihydrochloride, hydrate (5:6)	8	1979	255
2459 (BJ-39817)	3,3'-Dipropyl-5,5'-bis(l-pyrrolidinyl-methyl)[1,1'-biphenyl]-4,4'-diol, dihydrochloride, hydrate (4:1)	8	1979	257
2465 (BJ-44603)	3,3 -Di-2-propenyl-5,5'-bis[(tri-cyclo[3.3.1.1. ^{3.7}]dec-l-ylamino)-methyl][1,1'-biphenyl]-4,4'-diol, hydrate (10:1)	8	1979	259
2492 (BJ-51724)	4,4'''-Dichloro-5',5''-bis(1- pyrrolidinylmethyl)[1,1':3',1'':3'', 1'''-quaterphenyl]-4'',6'-diol	9	1980	230
2503 (BJ-57084)	4,4'0xybis[2-(2-propenyl)-6-(1- pyrrolidinylmethylphenol]dihydro- chloride	9	1980	234
2509 (BJ-58330)	4,4'-Oxybis[2-[[(1,1-dimethylethyl)-amino]methyl]-6-(2-propenyl)-phenol], dihydrochloride	9	1980	236
2510 (BJ-58349)	4,4'-(1-Methylethylidene)bis[2-(2-propenyl)-6-(1-pyrrolidinylmethyl)-phenol]dihydrochloride, hydrate (20:7)	9	1980	238
2511 (BJ-58358)	4,4'-(1-Methylethylidene)bis[2-[[(1,1-dimethylethyl)amino]methyl]-6-(2-propenyl)phenol], dihydrochloride	9	1980	241

AM Number	Name	Annual Report Number	Year	Page
2519 (BJ-58590)	5,5'-(1-Methylethylidene)bis[3-(1-pyrrolidinylmethyl) [1,1'-biphenyl]-2-ol], compound with ethanol (10:3)	9	1980	243
2520 (BJ-58607)	5,5'-(l-Methylethylidene)bis[3-[[(1,1-dimethylethyl)amino]methyl] [1,1'-biphenyl]-2-ol]	9	1980	245
2530 (BJ-63813)	<pre>1,1''[(4,4'-Diethoxy-5,5'-di-2- propenyl[1,1'-biphenyl]-3,3'-diy1)- bis(methylene)][pyrrolidine], dihydrochloride</pre>	9	1980	247





D. Indoloquinolines

AM Number	Name	Annual Report Number	Year	Page
2267 (BH-69847)	2-(4-Chloro-2-nitrophenyl)-1H-indole	7	1978	138
2351 (BH-891)	3-Chloro-N,N-diethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine, 5-oxide, hydrate (25:4)	7	1978	140
2442 (BJ-36914)	3-Chloro-N,N-diethyl-8-methoxy-11H- indolo[3,2-c]quinoline-9-methanamine	8	1979	241
2449 (BJ-36987)	N'-(7-Chloro-3-phenyl-4-quinolinyl)- N,N-diethyl-1,2-ethanediamine, dihydrochloride	8	1979	245
2466 (BJ-44612)	8-Methoxy-11H-indolo[3,2-c]quinoline, monohydrochloride, hydrate (10:7)	8	1979	248
2475 (BJ-45593)	2-Chloro-8-methoxy-llH-indolo[3,2-c]-quinoline, monohydrochloride	8	1979	251
2485 (BJ-46125)	3-Chloro-8-methoxy-11 <u>H</u> -indolo[3,2- <u>c</u>]-quinoline	9	1980	175
2487 (BJ-46143)	3-Chloro-8-methoxy-N, N-dimethyl-11H- indolo[3,2-c]quinolin-11-ethanamine	9	1980	177
2489 (BJ-46161)	3-Chloro-11-[2-(diethylamino)ethyl]- 5,ll-dihydro-6 <u>H</u> -indolo[3,2- <u>c</u>]- quinolin-6-one	9	1980	179
2490 (BJ-46170)	3-Chloro-N,N-diethyl-llH-indolo- [3,2-c]quinolin-ll-ethanamine	9	1980	180
2493 (BJ-51733)	2-Chloro-6-methyl-11H-indolo[3,2-c]-quinoline, hydrochloride (10:9), hydrate (5:1)	9	1980	181
2494 (BJ-51742)	6,ll-Dihydro-8-methoxy-5H-benzo[a]- carbazole	9	1980	184
2495 (BJ-51751)	6,11-Dihydro-8-methoxy-[1]benzo- pyrano[4,3- <u>b</u>]indole	9	1980	185


AM Number	Name	Annual Report Number	Year	Page
2496 (BJ-51760)	6,11-Dihydro-8-methoxy[1]benzothio- pyrano[4,3-b]indole	9	1980	186
2497 (BJ-57020)	3-Chloro-6-methyl-11H-indolo[3,2-c]-quinoline, 5-oxide	9	1980	187
2498 (BJ-57039)	8-Methoxy-ll <u>H</u> -benzo[a]carbazole	9	1980	189
2499 (BJ-57048)	5,6-Dihydro-8-methoxy-N,N-dimethyl- llH-benzo[a]carbazole-ll-ethanamine, monohydrochloride	9	1980	190
2504 (BJ-57806)	6-Chloro-3-methyl-1-(2-pyridinyl)-1H- indazole	9	1980	192
2505 (BJ-57815)	3-Chloro-6-phenyl-11H-indolo[3,2-c]-quinoline, 5-oxide	9	1980	194
2506 (BJ-57824)	8-Methoxy-N,N-dimethyl-llH-benzo[a]-carbazole-ll-ethanamine, monohydro-chloride	9	1980	196
2513 (BJ-58376)	2-(4-Chlorophenyl)-N,N-dimethyl-lH- indole-l-ethanamine, monohydro- chloride	9	1980	197
2514 (BJ-58385)	3-Chloro-N,N-diethyl-8-nitro-11H-indolo[3,2-c]quinoline-11-ethanamine, 5-oxide, hydrochloride (10:19), hydrate (10:16)	9	1980	199
2515 (BJ-58394)	ll-Benzoyl-3-chloro-6-phenyl-11H- indolo[3,2-c]quinoline, 5-oxide	9	1980	201
2527 (BJ-63788)	N,N-Dimethyl-llH-indolo[3,2-c]-quinoline-ll-ethanamine, 5-oxide	9	1980	203
2528 (BJ-63797)	8-Methoxy-N,N-dimethyl-[l]benzothio- pyrano[4,3-b]indole-ll-ethanamine, monohydrochloride	9	1980	206
2529 (BJ-63804)	3-Chloro-N, N-dimethyl-6-phenyl-11H- indolo[3,2-c]quinoline-11-ethanamine, 5-oxide	9	1980	208

AM Number	Name	Annual Report	Year	Page
		Number		80
2531 (BJ63822)	llH-Pyrido[3',2':4,5]pyrrolo[3,2-c]- quinoline	9	1980	210
2541 (BJ-76383)	8-Methoxy-11-methyl-11 <u>H</u> -indolo- [3,2- <u>c</u>]quinoline	9	1980	212
2542 (BJ-76392)	8-Methoxy-11-methyl-11H-indolo- [3,2-c]quinoline, 5-oxide	9	1980	213
2560 (BJ-82854)	8-Chloro-11 <u>H</u> -indolo[3,2- <u>c</u>]quinoline	9	1980	214
2561 (BJ-82863)	8-Methoxy-11-(3-methylbutyl)-11 <u>H</u> - indolo[3,2- <u>c</u>]quinoline	9	1980	216
2562 (BJ-82872)	8-Methoxy-11-(3-methylbutyl)-11 <u>H</u> -indolo[3,2- <u>c</u>]quinoline, 5-oxide	9	1980	218
2563 (BJ-82881)	8-Methoxy-ll-(phenylmethyl)-llH- indolo[3,2-c]quinoline	9	1980	220
2564 (BJ-82890)	8-Methoxy-ll-(phenylmethyl)-ll <u>H</u> - indolo[3,2- <u>c</u>]quinoline, 5-oxide hydrochloride (10:11), hydrate (10:1)	9	1980	221
2570 (BJ-83404)	N,N-Diethyl-8-methoxy-11H-indolo- [3,2-c]quinoline-11-ethanamine	9	1980	223
2572 (BJ-83440)	ll-Butyl-8-methoxy-ll <u>H</u> -indolo[3,2- <u>c</u>]-quinoline	9	1980	225
2573 (BJ-33459)	N,N-Diethyl-11H-pyrido[3',2':4,5]- pyrrolo[3,2-c]quinoline-11-ethanamine	9	1980	226
2574 (BJ-83468)	8-Methoxy-N,N-dimethyl-11H-indolo- [3,2-c]quinoline-11-propanamine	9	1980	228
2595 (BJ-90847)	2-Chloro-N, N-dimethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine-5- oxide	10	1981	78
2596 (BJ-90856)	3-Chloro-ll <u>H</u> -indolo[3,2- <u>c</u>]quinoline, hydrate (20:1)	10	1981	83

AM Number	Name	Annual Report Number	Year	Page
2597 (BJ-90865)	8-Chloro-N,N-diethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine	10	1981	84
2598 (BJ-90874)	3-Chloro-9-[(diethylamino)methyl]- N,N-diethyl-8-methoxy-11 <u>H</u> -indolo- [3,2- <u>c</u>]quinoline-11-ethanamine	10	1981	86
2601 (BJ-91415)	3-Chloro-8,9,10,11-tetrahydro-7 <u>H</u> - indolo[3,2- <u>c</u>]quinoline	10	1981	88
2602 (BJ-91424)	3-Chloro-N,N-diethyl-7,8,9,10-tetra- hydro-llH-indolo[3,2-c]quinoline-ll- ethanamine	10	1981	90
2603 (BJ-91433)	2-Chloro-N,N-diethyl-6-methyl-11H- indolo[3,2-c]quinoline-11-ethanamine- 5-oxide, hydrate (5:1)	10	1981	92
2615 (BJ-92672)	3-Chloro-N,N-diethyl-7,8,9,10-tetra- hydro-11H-indolo[3,2-c]quinoline-11- ethanamine, N,5-dioxide	10	1981	95
2623 (BJ-93633)	3,8-Dichloro-N,N-dimethyl-llH-indolo- [3,2-c]quinoline-ll-propanamine, 5-oxide	10	1981	96
2624 (BJ-93642)	3,8-Dichloro-N,N-diethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine-5- oxide, hydrate (5:1)	10	1981	99
2633 (BK-02815)	N,N-Diethyl-11 <u>H</u> -indolo[3,2- <u>c</u>]- quinoline-11-ethanamine	10	1981	101
2634 (BK-02824)	3-Chloro-N,N-dimethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine-5- oxide, hydrate (5:1)	10	1981	103
2635 (BK-02833)	3-Chloro-N,N-diethyl-8-methoxy-llH- indolo[3,2-c]quinoline-ll-ethanamine	10	1981	105
2636 (BK-02842)	3-Chloro-11-[2-(1-piperidinyl)ethyl]- llH-indolo[3,2-c]quinoline-5-oxide, hydrate (5:2)	10	1981	106

AM Number	Name	Annual Report Number	Year	Page
2637 (BK-02851)	N,N-Diethyl-llH-indolo[3,2-c]- quinoline-ll-ethanamine, N,5-dioxide, hydrate (10:13)	10	1981	108
2638 (BK-02860)	3-Chloro-11-(3-methylbutyl)-11H- indolo[3,2-c]quinoline-5-oxide)- hydrate (5:1)	10	1981	109
2639 (BK-02879)	3-Chloro-13H-pyrrolo[3,2-c:4,5-c']- diquinoline, hydrate (10:1)	10	1981	111
2640 (BK-05165)	3-Chloro-N,N-diethyl-8-methoxy-llH- indolo[3,2-c]quinoline-ll-ethanamine- N,5-dioxide, hydrate (5:11)	10	1981	112
2643 (BK-05192)	3-Chloro-8-(1,1-dimethylethyl)-8,9,- 10,11-tetrahydro-7H-indolo[3,2-c]- quinoline	10	1981	113
2651 (BK-12437)	2-Chloro-ll <u>H</u> -pyrido[3',2',:4,5]- pyrrolo[3,2- <u>c</u>]quinoline	10	1981	114
2652 (BK-12446)	3-Chloro-11 <u>H</u> -pyrido[3',2':4,5]- pyrrolo[3,2-c]quinoline	10	1981	115
2654 (BK-12464)	ll-Methyl-llH-pyrido[3',2':4,5]- pyrrolo[3,2-c]quinoline	10	1981	116
2657 (BK-12991)	3-Chloro-8-methoxy-5-methyl-llH- indolo[3,2-c]quinolinium, iodide, hydrate (5:1)	10	1981	118
2658 (BK-13005)	3-Chloro-11-methy1-11H-indolo[3,2-c]-quinoline-5-oxide	10	1981	120
2659 (BK-13014)	3-Chloro-N,N-diethyl-llH-pyrido- [3',2':4,5]pyrrolo[3,2-c]quinoline- ll-ethanamine	10	1981	122
2660 (BK-13023)	2-Chloro-N,N-diethyl-lH-pyrido- [3',2':4,5]pyrrolo[3,2-c]quinoline- ll-ethanamine	10	1981	124

AM Number	Name	Annual Report Number	Year	Page
2661 (BK-13032)	3-Chloro-6,11-dihydro-5-[(4-methyl-phenyl)sulfonyl]-11-phenyl-5H-indolo-[3,2-c]quinoline	10	1981	126
2665 (BK-15241)	3-Chloro-8-methoxy-5-methyl-5H-indolo- [3,2- <u>c</u>]quinoline, monohydrate	10	1981	128
2668 (BK-16248)	3-Bromo-1l <u>H</u> -indolo[3,2- <u>c</u>]quinoline	11	1982	90
2669 (BK-16257)	3-Fluoro-11H-indolo[3,2-c]quinoline	11	1982	9 3
2670 (BK-16266)	3-Chloro-11-methyl-11 <u>H</u> -indolo[3,2- <u>c</u>]-quinoline	11	1982	96
2671 (BK-16275)	3-Bromo-N,N-diethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine	11	1982	97
2672 (BK-16284)	N,N-Diethyl-3-fluoro-11H-indolo- [3,2-c]quinoline-11-ethanamine	11	1982	98
2675 (BK-16319)	3-Chloro-N,N-diethyl-10H-pyrido- [3',2':4,5]pyrrolo[3,2-c]quinoline- 10-ethanamine, hydrochloride (10:21)	11	1982	99
2676 (BK-16926)	3-Bromo-N, N-diethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine, N,5- dioxide	11	1982	101
2677 (BK-16935)	4-Methoxy-ll <u>H</u> -indolo[3,2- <u>c</u>]quinoline	11	1982	103
2678 (BK-16944)	N,N-Diethyl-3-fluoro-11H-indolo- [3,2~c]quinoline-11-ethanamine-N,5- dioxide	11	1982	106
2684 (BK-21105)	7-Chloro-3-methyl-1H-pyrrolo[3,2-c]-quinoline	11	1982	108
2685 (BK-21114)	1-Chloro-ll <u>H</u> -indolo[3,2- <u>c</u>]quinoline	11	1982	110





AM Number	Name	Annual Report Number	Year	Page
2704 (BK-22004)	3-Chloro-N,N-diethyl-8-methoxy-llH- indolo[3,2-c]quinoline-ll-ethanamine, 5-oxide	11	1982	134
2705 (BK-22013)	N,N-Diethyl-4-methoxy-5H-indolo- [3,2-c]quinoline-5-ethanamine	11	1982	136
2706 (BK-22022)	N,N-Diethyl-4-methoxy-11H-indolo- [3,2-c]quinoline-11-ethanamine	11	1982	136
2707 (BK-22031)	N,N-Diethyl-4-methoxy-llH-indolo- [3,2-c]quinoline-11-ethanamine-N,5-dioxide	11	1982	139
2708 (BK-22406)	3-Chloro-N,N-diethyl-7,8,9,10-tetra- hydro-8-(phenylmethyl)-1lH-pyrido- [3',4':4,5]pyrrolo[3,2-c]quinoline- ll-ethanamine	11	1982	139
2709 (BK-22522)	3-Chloro-11-phenyl-11 <u>H</u> -indolo[3,2- <u>c</u>]-quinoline-5-oxide, hydrate (5:2)	11	1982	141
2710 (BK-22504)	N'-[3-Chloro-11-[2-(diethylamino)- ethyl]-11H-indolo[3,2-c]quinolin-6- yl]-N,N-diethyl-1,2-ethanediamine	11	1982	143
2711 (BK-22513)	3-Chloro-8-(1,1-dimethylethyl)-11 <u>H</u> -indolo[3,2- <u>c</u>]quinoline	11	1982	145
2715 (BK-23627)	3-Chloro-8-(1,1-dimethylethyl)-N,N-diethyl-1lH-indolo[3,2-c]quinoline-ll-ethanamine	11	1982	147
2716 (BK-23636)	2-(4-Chloro-2-nitrophenyl)-1-[2- (diethylamino)ethyl]-1H-indole-3- carboxaldehyde	11	1982	149
2717 (BK-23645)	3-Chloro-N,N-diethyl-llH-pyrido- [3',2':4,5]pyrrolo[3,2-c]quinoline- ll-ethanamine-N, 5-dioxide	11	1982	151
2718 (BK-23654)	3-Chloro-8-(methylthio)-llH-indolo- [3,2- <u>c</u>]quinoline	11	1982	153

AM Number	Name	Annual Report Number	Year	Page
2719 (BK-23663)	3-Chloro-5-methyl-8-(methylthio)-5H-indolo[3,2-c]quinoline, hydrate (5:4)	11	1982	155
2720 (BK-23672)	3-Chloro-8-(1,1-dimethylethyl)-11- ethenyl-11H-indolo[3,2-c]quinoline-5- oxide	11	1982	157
2721 (BK-39509)	3-Chloro-N, N-diethyl-llH-pyrido- [3',2':4,5]pyrrolo[3,2-c]quinoline- ll-ethanamine, 5-oxide	11	1982	159
2722 (BK-39518)	3-Chloro-8-(1,1-dimethylethyl)-N,N-diethyl-11H-indolo[3,2-c]quinoline-ll-ethanamine, N,5-dioxide, hydrate (5:11)	11	1982	161
2723 (BK-39527)	5-Chloro-2(l <u>H</u> -indol-2-yl)benzenamine	11	1982	163
2727	7-Chloro-2,3-dihydro-4(lH)quinolinone	11	1982	164
2728	3-Chloro-N, N-diethyl-7,12-dihydro- 13H-benz[5,6]indolo[3,2-c]quinoline- 13-ethanamine	11	1982	165
2729	3-Chloro-7,12-dihydro-5-methyl-5H- benz[5,6]indolo[3,2-c]quinoline	11	1982	167
2730	3-Chloro-7,12-dihydro-5,13-dimethyl- 5H-benz[5,6]indolo[3,2-c]quinolin- 13-ium, iodide, hydrate (25:1)	11	1982	168
2731	6-Chloro-N,N-diethyl-9H-indolo- [3,2-c]tetrazolo[1,5-a]quinoline-9- ethanamine	11	1982	169
2624 (BK-45981)	3,8-Dichloro-N,N-diethyl-llH-indolo- [3,2-c]quinoline-ll-ethanamine-5- oxide, hydrate (5:3)	11	1982	171

IV. Tetrazines

A. 3-Amino-6-aryl-1,2,4,5-tetrazines and 3-amino-5-aryl-4 $\underline{\text{H-}}$ 1,2,4-triazoles

AM Number	Name	Annual Report Number	Year	Page
1555 (BD-57838)	3-Bromo-6-(4-chlorophenyl)-1,2,4,5- tetrazine	3	1974	255
1557 (BD-57856)	6-(4-Chlorophenyl)-N-methyl-1,2,4,5- tetrazin-3-amine	3	1974	257
1558 (BD-57865)	6-(4-Chlorophenyl)-N,N-dimethyl-1,2,-4,5-tetrazin-3-amine	3	1974	258
1565 (BD-59038)	1,2-Diacetyl-6-(4-chlorophenyl)-1,2-dihydro-N,N-dimethyl-1,2,4,5-tetrazin-3-amine	3	1974	259
1583 (BE-11864)	5-(4-Chlorophenyl)-N,N-dimethyl-4H- l,2,4-triazol-3-amine	3	1974	260
1606 (BE-13966)	3-(4-Chlorophenyl)-6-(4-methyl-1-piperazinyl)-1,2,4,5-tetrazine	3	1974	261
1638 (BE-18185)	3-(4-Chlorophenyl)-6-(1- pyrrolidinyl)-1,2,4,5-tetrazine	3	1974	262
1639 (BE-18194)	3-(4-Chlorophenyl)-6-(1-piperidinyl)- 1,2,4,5-tetrazine	3	1974	263
1640 (BE-18201)	3-(4-Chlorophenyl)-6-(4-morpholinyl)- 1,2,4,5-tetrazine	3	1974	264
1642 (BE-18229)	N'-[6-(4-Chlorophenyl)-1,2,4,5- tetrazin-3-yl]-N,N-diethyl-1,2- ethanediamine	3	1974	265
1643 (BE-18238)	6-(4-Chlorophenyl)-N-(1-ethyl-3- piperidinyl)-1,2,4,5-tetrazin-3- amine	3	1974	266
1644 (BE-18247)	N-[6-(4-Chlorophenyl)-1,2,4,5- tetrazin-3-yl]-N',N'-diethyl-N- methyl-1,2-ethanediamine	3	1974	267

AM Number	Name	Annual Report Number	Year	Page
1647 (BE-19128)	6-(4-Chlorophenyl)-N-ethyl-1,2,4,5- tetrazin-3-amine	3	1974	268
1648 (BE-19137)	6-(3,4-Dichlorophenyl)-N-methyl-1,2,- 4,5-tetrazin-3-amine	3	1974	269
1649 (BE-19146)	6-(3,4-Dichlorophenyl)- <u>N,N-dimethyl-</u> 1,2,4,5-tetrazin-3-amine	3	1974	270
1653 (BE-19691)	N-Methyl-6-(2-naphthalenyl)-1,2,4,5- tetrazin-3-amine	3	1974	273
1654 (BE-19708)	$\frac{N,N-Dimethyl-6-(2-naphthalenyl)-1,2,-4}{4,5-tetrazin-3-amine}$	3	1974	275
1656 (BE-19726)	3-(3,4-Dichlorophenyl)-6-(4-methyl-1-piperazinyl)-1,2,4,5-tetrazine	3	1974	276
1657 (BE-19735)	N'-[6-(3,4-Dichlorophenyl)-1,2,4,5- tetrazin-3-yl]-N,N-diethyl-1,2- ethanediamine	3	1974	277
1658 (BE-19744)	3-(4-Methyl-1-piperazinyl)-6-(2- naphthalenyl)-1,2,4,5-tetrazine	3	1974	278
1659 (BE-19753)	$\frac{N,N}{1,2}$ -Diethyl-N'-[6-(2-naphthalenyl)- $\frac{1}{1,2}$,4,5-tetrazin-3-yl]-1,2-ethanediamine	3	1974	279
1660 (BE-50209)	2-(2-Naphthalenylmethylene)hydrazine- carboximidamide, mononitrate	3	1974	280

AM Number	Name	Annual Report Number	Year	Page
1692	6-(4-Chlorophenyl)-1,2,4,5-tetrazin- 3-amine	4	1975	158
1697	6-(3-Bromophenyl)-N-methyl-1,2,4,5- tetrazin-3-amine	4	1975	159
1706	6-(3-Bromophenyl)-N,N-dimethyl-1,2,-4,5-tetrazin-3-amine	4	1975	162
1708	6-(4-Chlorophenyl)-N-(3,4-dichloro- phenyl)-1,2,4,5-tetrazin-3-amine	4	1975	163
1709	6-(4-Chlorophenyl)-N,N-diethyl-1,2,- 4,5-tetrazin-3-amine	4	1975	164
1712	3-(3,5-Dichlorophenyl)-6-methoxy- l,2,4,5-tetrazine	4	1975	165
1723	6-(4-Chlorophenyl)-N,N-dipropyl- l,2,4,5-tetrazin-3-amine	4	1975	167
1724	3-(4-Chlorophenyl)-6-hydrazino-1,2,- 4,5-tetrazine	4	1975	168
1727	6-(3,4-Dichlorophenyl)-N-methyl-N- (1-methylethyl)-1,2,4,5-tetrazin-3- amine	4	1975	169
1740	6-(4-Chlorophenyl)-N-[3-[(diethyl-amino)methyl]-4-methoxyphenyl]-1,2,-4,5-tetrazin-3-amine	4	1975	170
1751	6-(4-Chlorophenyl)-N-[(3,4-dichlorophenyl)methyl]-1,2,4,5-tetrazin-3-amine	4	1975	171
1 755	3-(4-Chlorophenyl)-7-(2,2-dimethyl-hydrazino)-1,2,4,5-tetrazine	4	1975	172
1777	2,2'-Bis[3,4-dichlorophenyl)- methylene]carbonic dihydrazide	4	1975	173

C. L.

AM Number	Name	Annual Report Number	Year	Page
1779	2-[(3,4-Dichlorophenyl)methylene]- carbonothioic dihydrazide	4	1975	175
1782	3,4-Dichlorobenzoic acid, (2,2,2-trifluoroethylidene)hydrazide	4	1975	176
1783	5-(3,4-Dichlorophenyl)-1,3,4- oxadiazol-2(3 <u>H</u>)-one	4	1975	178
1 790	6-(3-Bromophenyl)-N-[3-[(diethyl- amino)methyl]-4-methoxyphenyl]-1,2,- 4,5-tetrazin-3-amine	4	1975	179
1795	1,4,5,6-Tetrahydro-6-(phenylmethyl)- 2 <u>H</u> -1,2,4,5-tetrazine-3-thione	4	1975	180
1798	6-(3,4-Dichlorophenyl)-1,2,4,5- tetrazin-3-amine	4	1975	181
1805	3,4-Dichlorobenzoic acid, 2-(hydra- zinocarbonyl)hydrazide	4	1975	182
1808	3,4-Dichlorobenzoic acid, 2-[(di- methylamino)carbonyl]hydrazide	4	1975	183
1821	4-Amino-5-(3,4-dichlorophenyl)-2,4- dihydro-3H-1,2,4,-triazol-3-one	4	1975	184
1822	2,2'-Bis(2-phenylethylene)carbonic dihydrazide	4	1975	186
1833	3,4-Dichlorobenzoic acid, 2-[(2,2-dimethylhydrazino)carbonyl]hydrazide	4	1975	187
1837	5-(3,4-Dichlorophenyl)-4-[[(3,4-dichlorophenyl)methylene]amino]-2,4-dihydro-3H-1,2,4-triazol-3-one	4	1975	188
1840	4-Amino-5-(3,4-dichlorophenyl)-2,4-dihydro-3H-1,2,4-triazole-3-thione	4	1975	189
1875 (BG-56041)	[[[4-(Dimethylamino)phenyl]thioxo- methyl]thio]acetic acid	5	1976	141

AM Number	Name	Annual Report Number	Year	Page
1883 (BG-56621)	[[Thioxo(3,4,5-trimethoxyphenyl)-methyl]thio]acetic acid	5	1976	143
1887 (BG-58198)	[[(4-Methylphenyl)thioxomethyl]thio]- acetic acid	5	1976	145
1888 (BG-58205)	[[(4-Methoxyphenyl)thioxomethyl]- thio]acetic acid	5	1976	147
1889 (BG-58214)	[[Thioxo-[3-(trifluoromethyl)phenyl]-methyl]thio]acetic acid	5	1976	149
1894 (BG-58289)	N-Methyl-6-(3,4,5-trimethoxyphenyl)- 1,2,4,5-tetrazin-3-amine	5	1976	151
1895 (BG-58278)	N-Butyl-6-(3,4-dichlorophenyl)-N-methyl-1,2,4,5-tetrazin-3-amine	5	1976	152
1896 (BG-58287)	N,N-Dimethyl-6-(3,4,5-trimethoxy-phenyl)-1,2,4,5-tetrazin-3-amine	5	1976	155
1901 (BG-59800)	6-(4-Methylphenyl)-1,2,4,5-tetrazin- 3-amine	5	1976	157
1902 (BG-59819)	N-Methyl-6-(4-methylphenyl)-1,2,4,5- tetrazin-3-amine	5	1976	158
1903 (BG-59828)	N,N-Dimethyl-6-(4-methylphenyl)-1,2,- 4,5-tetrazin-3-amine	5	1976	159
1904 (BG-59837)	6-(3,4,5-Trimethoxyphenyl)-1,2,4,5- tetrazin-3-amine	5	1976	161
1905 (BG-59846)	N'-[6-(3,4-Dichlorophenyl)-1,2,4,5- tetrazin-3-yl]-N,N-dimethyl-1,3- propanediamine	5	1976	162
1910 (BG-60787)	6-[(3-Trifluoromethyl)phenyl]-1,2,- 4,5-tetrazin-3-amine	5	1976	163
1911 (BG-60796)	N-Methyl-6-[3-(trifluoromethyl)- phenyl]-1,2,4,5-tetrazin-3-amine	5	1976	164
1912 (BG-60803)	N,N-Dimethyl-6-[3-(trifluoromethyl)-phenyl]-1,2,4,5-tetrazin-3-amine	5	1976	165

AM Number	Name	Annual Report Number	Year	Page
1917 (BG-60858)	6-(4-Methoxyphenyl)-N-methyl-1,2,4,5- tetrazin-3-amine	5	1976	167
1918 (BG-60867)	6-(4-Methoxyphenyl)-N,N-dimethyl- 1,2,4,5-tetrazin-3-amine	5	1976	168
1919 (BG-60876)	N-[3-[(Diethylamino)methyl]-4- methoxyphenyl]-6-(4-methylphenyl)- l,2,4,5-tetrazin-3-amine, monohydro- chloride	5	1976	170
1926 (BG-63528)	6-(3,4-Dichlorophenyl)-N-ethyl-N-methyl-1,2,4,5-tetrazin-3-amine	5	1976	171
1927 (BG-63537)	N-[3-[(Diethylamino)methyl]-4-methoxyphenyl)-1,2,4,5-tetrazin-3-amine, monohydrochloride	5	1976	172
1929 (BG-63555)	N-[3-[(Diethylamino)methyl]-4- methoxyphenyl]-6-(3,4,5-trimethoxy- phenyl)-1,2,4,5-tetrazin-3-amine, monohydrochloride, monohydrate	5	1976	173
1931 (BG-63573)	N-[3-[(Diethylamino)methyl]-4- methoxyphenyl]-6-[3-(trifluoro- methyl)phenyl]-1,2,4,5-tetrazin-3- amine, hydrate (1:0.1)	5	1976	175
1932 (BG-63582)	[[(2-Methylphenyl)thioxomethyl]thio]- acetic acid	5	1976	177
1934 (BG-66869)	6-(3,4-Dichlorophenyl)-N-[3-[(diethylamino)methyl]-4-methoxyphenyl]-1,2,4,5-tetrazin-3-amine, monohydrochloride	5	1976	179
1947 (BG-70541)	6-(4-Methoxyphenyl)-1,2,4,5-tetrazin- 3-amine, hydrate (1:0.5)	5	1976	180
1948 (BG-70952)	N,N-Dimethyl-6-(4-nitrophenyl)-1,2,-4,5-tetrazin-3-amine	5	1976	181
1958 (BG-72438)	[[(4~Fluorophenyl)thioxomethyl]thio]-acetic acid	5	1976	184


AM Number	Name	Annual Report Number	Year	Page
1975 (BG-78958)	[[Thioxo[4-(trifluoromethyl)phenyl]-methyl]thio]acetic acid	5	1976	186
1976 (<i>BG</i> -78967)	6-(4-Bromophenyl)-N,N-dimethyl-1,2,- 4,5-tetrazin-3-amine	5	1976	188
1979 (BG-78994)	6-(4-Bromophenyl)-1,2,4,5-tetrazin-3- amine	5	1976	191
1980 (BG-79008)	6-(4-Bromophenyl)-N-methyl-1,2,4,5,- tetrazin-3-amine	5	1976	192
1981 (BG-81473)	6-[4-(Trifluoromethyl)phenyl]-1,2,- 4,5-tetrazin-3-amine	5	1976	193
1982 (BG-81482)	N-Methyl-6-[4-(trifluoromethyl)- phenyl]-1,2,4,5-tetrazin-3-amine	5	1976	194
1983 (BG-81491)	N,N-Dimethyl-6-[4-(trifluoromethyl)-phenyl]-1,2,4,5-tetrazin-3-amine	5	1976	195
1987 (BG-81535)	N-[3-[(Diethylamino)methyl]-4- methoxyphenyl]-6-[4-(trifluoro- methyl)phenyl]-1,2,4,5-tetrazin-3- amine	5	1976	197
1988 (BG-81544)	6-(4-Fluorophenyl)-1,2,4,5-tetrazin- 3-amine	5	1976	198
1989 (BG-81553)	6-(4-Fluorophenyl)-N-methyl-1,2,4,5- tetrazin-3-amine	5	1976	199
1990 (BG-81562)	6-(4-Fluorophenyl)-N,N-dimethyl- 1,2,4,5-tetrazin-3-amine	5	1976	200
1993 (BG-81802)	N-[4-[6-(Dimethylamino)-1,2,4,5- tetrazin-3-yl]phenyl]acetamide	5	1976	202
1994 (BG-81811)	6-[(1,1'-Biphenyl)-3-yl]-1,2,4,5- tetrazin-3-amine	5	1976	205
1995 (BG-81820)	[[[(I,l'-Biphenyl)-3-yl]thioxomethyl]- thio]acetic acid	5	1976	206

AM Number	Name	Annual Report Number	Year	Page
1996 (BG-81839)	6-[(1,1'-Biphenyl)-3-yl]-N-methyl- 1,2,4,5-tetrazin-3-amine	5	1976	209
1998 (BG-81857)	6-[(1,1'-Biphenyl)-3-yl]-N,N-dimethyl- 1,2,4,5-tetrazin-3-amine	5	1976	210
1999 (BG-81866)	6-[(1,1'-Biphenyl)-3-yl]-N-[3-[(di- ethylamino)methyl]-4-methoxyphenyl]- l,2,4,5-tetrazin-3-amine	5	1976	212
2001 (BG-89246)	6-[4-(Dimethylamino)phenyl]-N,N- dimethyl-1,2,4,5-tetrazin-3-amine	5	1976	213



2. 3,6-Dithio-1,2,4,5-Tetrazines and Derivatives

AM Number	Name	Annual Report Number	Year	Page
1759	3,6-Bis(methylthio)-1,2,4,5-tetrazine	4	1975	191
1766	Hexahydro-1,2,4,5-tetrazine-3,6- dithione	4	1975	193
1769	N,N-Dimethyl-6-(methylthio)-1,2,4,5- tetrazin-3-amine	4	1975	194
1770	3,6-Bis[[(3,4-dichlorophenyl)methyl]- thio]-1,4-dihydro-1,2,4,5-tetrazine	4	1975	196
1772	3,6-Bis[[(3,4-dichlorophenyl)methyl]- thio]-1,2,4,5-tetrazine	4	1975	197
1773	6-[[(3,4-Dichlorophenyl)methyl]thio]- N,N-dimethyl-1,2,4,5-tetrazine-3-amine	4	1975	199
1778	N'-(3,4-Dichlorophenyl)-N,N-dimethyl- l,2,4,5-tetrazine-3,6-diamine	4	1975	200
1780	N-[(3,4-Dichlorophenyl)methyl]-6- (methylthio)-1,2,4,5-tetrazin-3-amine	4	1975	202
1781	N'-[(3,4-Dichlorophenyl)methyl]-N,N-dimethyl-1,2,4,5-tetrazine-3,6-diamine	4	1975	203
1788	N-(3,4-Dichlorophenyl)-N'-methyl- l,2,4,5-tetrazin-3,6-diamine	4	1975	204
1789	6-[[(3,4-Dichlorophenyl)methyl]thio]- N-methyl-1,2,4,5-tetrazin-3-amine	4	1975	205
1791	6-[[(3,4-Dichlorophenyl)methyl]thio]- l,2,4,5-tetrazin-3-amine	4	1975	206
1792	6-[[(3,4-Dichlorophenyl)methyl]- sulfinyl]-N,N-dimethyl-1,2,4,5- tetrazin-3-amine	4	1975	207
1799	l,l'-[Dithiobis(methylene)]bis[3,4-dichlorobenzene]	4	1975	208



3. 5-(3,4-Dichlorophenyl)-1,2,4-triazin-3-amines

AM Number	Name	Annual Report Number	Year	Page
1784	5-(3,4-Dichlorophenyl)-1,2,4-triazin- 3-amine	4	1975	214
1785	5-(3,4-Dichlorophenyl)-N,N-dimethyl- l,2-4-triazin-3-amine, monohydriodide	4	1975	216
1786	5-[3,4-Dichlorophenyl)-1,2,4-triazine- 3-thiol	4	1975	218
1811	5-(3,4-Dichlorophenyl)-N-[(diethyl-amino)methyl]-4-methoxyphenyl]-1,2,-4-triazin-3-amine, monohydrochloride, hydrate (1:0.2)	4	1975	219
1827	5-(3,4-Dichlorophenyl)-N-methyl-1,2,- 4-triazin-3-amine	4	1975	221

4. 6-(3,4-Dichlorophenyl)-1,2,4-triazin-3-amines

AM Number	Name	Annual Report Number	Year	Page
1836	6-(3,4-Dichlorophenyl)-1,2,4-triazin- 3-amine	4	1975	222
1841	6-(3,4-Dichlorophenyl)-N,N-dimethyl- l,2,4-triazin-3-amine	4	1975	223
1846	6-(3,4-Dichlorophenyl)-N-methyl- l,2,4-triazin-3-amine	4	1975	225
1860 (BG-46750)	6-[4-(4-methyl-1-piperazinyl)phenyl]- 1,2,4-triazin-3-amine	5	1976	214

5. 3-Amino-6-phenylpyridazines

AM Number	Name	Annual Report Number	Year	Page
1831	6-(3,4-Dichlorophenyl)-4,5-dihydro- 3(2H)pyridazinone	4	1975	227
1832	6-(3,4-Dichlorophenyl)-3(2H)- pyridazinone	4	1975	229
1838	3-Chloro-6-(3,4-dichlorophenyl)- pyridazine	4	1975	230
1849 (BG-44596)	6-(3,4-Dichlorophenyl)-N,N-dimethyl- 3-pyridazinamine	5	1976	216
1859 (BG-46741)	6-(3,4-Dichlorophenyl)-N-methyl-3- pyridazinamine	5	1976	217

6. 5-Amino-1-(4-chlorophenyl)-1H-tetrazoles

AM Number	Name	Annual Report Number	Year	Page
1820	5-Chloro-1-(4-chlorophenyl)-1H- tetrazole	4	1975	231
1825	l-(4-Chlorophenyl)-N,N-dimethyl-lH- tetrazol-5-amine	4	1975	232
1834	l-(4-Chlorophenyl)-N-methyl-lH- tetrazol-5-amine	4	1975	233
1890 (BG-58223)	N ¹ -[1-(4-Chlorophenyl)-1H-tetrazol- 5-yl]-N ² ,N ² -dimethyl-1,2-propane- diamine	5	1976	218
1891 (BG-58232)	N'-[1-(4-Chlorophenyl)-lH-tetrazol- 5-yl]-N,N-diethyl-1,2-ethanediamine	5	1976	219
1892 (BG-58241)	N-[1-(4-Chlorophenyl)-lH-tetrazol-5- yl]-N',N'-diethyl-N-methyl-1,2- ethanediamine	5	1976	220
1913 (BG-60812)	N'-[1-(4-Chlorophenyl)-lH-tetrazol-5- yl]-N,N-diethyl-1,3-propanediamine	5	1976	221
1920 (BG-63466)	l-[l-(4-Chlorophenyl)-lH-tetrazol-5- yl]-4-methylpiperazine	5	1976	222
1924 (BG-63500)	l-(4-Chlorophenyl)-N-[3-[(diethyl- amino)methyl]-4-methoxyphenyl]-lH- tetrazol-5-amine	5	1976	223
1930 (BG-63564)	l-(4-Chlorophenyl)-N-[3-(1- pyrrolidinyl)propyl]-1H-tetrazol-5- amine	5	1976	225
1972 (BG-78930)	l-(4-Chlorophenyl)-4-[(2-diethyl- amino)ethyl]-1,4-dihydro-5H-tetrazol- 5-one, monohydrochloride, monohydrate	5	1976	226
1973 (BG-78921)	l-(4-Chlorophenyl)-l,4-dihydro-4- [3-(1-pyrrolidinyl)propyl]-5H- tetrazol-5-imine, monohydrochloride	5	1976	228

7. 6-(3,4-Dichlorophenyl)-1,2,4-triazolo[3,4-<u>b</u>] [1,2,4,5]-tetrazine-3-amines

AM Number	Name	Annual Report Number	Year	Page
1797	4-Amino-5-hydrazino-4H-1,2,4- triazole-3-thiol	4	1975	234
1835	6-(3,4-Dichlorophenyl)-1,2,4- triazolo[3,4- <u>b</u>] [1,2,4,5-tetrazine- 3(2H)-thione	4	1975	235

8. 5-Amino-2-phenylpyrimidines

AM Number	Name	Annual Report Number	Year	Page
2007 (BG-89308)	2-(4-Chlorophenyl)-5-nitropyrimidine	5	1976	435
2015 (BG-89175)	2-(4-Chlorophenyl)-5-pyrimidinamine	5	1976	438
2019 (BG-94738)	2-(4-Chlorophenyl)-N,N-dimethyl-5- pyrimidinamine	5	1976	439

V. Acridinediones

1. 7-Chloro-3-substituted-3,4-dihydro-10-hydroxy-1,9-(2H,10H)-acridinones

AM Number	Name	Annual Report Number	Year	Page
1856 (BG-46714)	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9-(2 <u>H</u> ,10 <u>H</u>)-acridinedione	5	1976	393
1870 (BG-47364)	7-Chloro-3,4-dihydro-10-hydroxy-3,3-dimethyl-1,9- $(2H,10H)$ -acridinedione	5	1976	395
1873 (BG-56023)	7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione	5	1976	396
1906 (BG-59855)	7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)acridinedione, sodium salt, monohydrate	5	1976	398
1939 (BG-66912)	7-Chloro-3,4-dihydro-3-[3-(trifluoro-methyl)phenyl]-1,9-(2H,10H)-acridine-dione	5	1976	399
1940 (BG-66921)	7-Chloro-3-(3,4-dichlorophenyl)-1- hydrazono-1,2,3,4-tetrahydro-10- hydroxy-9(10H)acridinone, hydro- chloride (1:1.1), hemihydrate	5	1976	401
1946 (BG-70532)	3-(3,4-Dichlorophenyl)-3,4-dihydro- 10-hydroxy-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	5	1976	403
1949 (BG-70961)	2-[(2-Nitrophenyl)methylene]-1H- indene-1,3(2H)-dione	5	1976	405
1952 (BG-70998)	7,8-Dichloro-3-(3,4-dichlorophenyl)- 3,4-dihydro-10-hydroxy-1,9(2H,10H)- acridinedione, compound with N,N- dimethylformamide (1:0.1)	5	1976	406
1953 (BG-71002)	7-Chloro-3-(3,4-dichlorophenyl)-1,3,- 4,10-tetrahydro-1,10-dihydroxy-9(2H)- acridinone	5	1976	407

AM Number	Name	Annual Report Number	Year	Page
1954 (BG-71011)	7-Chloro-3-cyclohexyl-3,4-dihydro-10- hydroxy-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	5	1976	409
1956 (BG-72410)	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-1,9(2H,10H)-acridinedione, hydrate $(1:0.\overline{2})$	5	1976	411
1957 (BG-72429)	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione, 1-[[2-(diethylamino)-ethyl]hydrazone]	5	1976	412
1965 (BG-72509)	1,1'-Azinobis[7-chloro-3-(3,4-di- chlorophenyl)-1,2,3,4-tetrahydro-10- hydroxy-9(10 <u>H</u>)-acridinone]	5	1976	414
2018 (BG-89200)	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-10-hydroxy-9(2 <u>H</u>)- acridinone	5	1976	416
2021 (BG-94756)	4-(Acetyloxy)-7-chloro-3,4-dihydro- 3,3-dimethyl-1,9(2 <u>H</u> ,10 <u>H</u>)-acridine- dione	5	1976	418
2022 (BG-94765)	7-Chloro-4-[(chloroacetyl)oxy]-3- (3,4-dichlorophenyl)-3,4-dihydro-1,9- (2H,10H)-acridinedione, monohydro- chloride	5	1976	420
2023 (BG-94774)	4-(Acetyloxy)-7-chloro-3-(3,4-di- chlorophenyl)-3,4-dihydro-1,9-(2H, lOH)-acridinedione	5	1976	422
2024 (BG-94783)	l-(Butylimino)-7-chloro-3-(3,4-dichlorophenyl)-1,3,4,10-tetrahydro-10-hydroxy-9(2 <u>H</u>)-acridinone	5	1976	424
2047	2,3-Dihydro-2,2-dimethyl-1 <u>H</u> -pheno- thiazin-4(10 <u>H</u>)-one	6	1977	275
2048	2,3-Dihydro-2-(3,4-dichlorophenyl)- lH-phenothiazin-4-(10H)-one	6	1977	276

		Annual		
AM Number	Name	Report Number	Year	Page
2065	7-Chloro-3,4-dihydro-10-hydroxy-3- [4-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, hydrate (1:0.1)	6	1977	277
2066	7-Chloro-3,4-dihydro-10-hydroxy-3- (1-naphthalenyl)-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione	6	1977	279
2067	7-Chloro-3,4-dihydro-10-hydroxy-3- (3,4,5-trimethoxyphenyl)-1,9($2\underline{H}$,10 \underline{H})-acridinedione, hydrate (1:1.1)	6	1977	281
2068	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro- 10-hydroxy-3-[4-(trifluoromethyl)- phenyl]-9(2H)-acridinone, hydrate (1:0.4)	6	1977	284
2069	7-Chloro-3-(3,4-dichlorophenyl)-1- [[2-(diethylamino)ethyl]imino]-1,3,- 4,10-tetrahydro-10-hydroxy-9(2 <u>H</u>)- acridinone	6	1977	286
2070	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione, 1-0-[2-(diethylamino)-ethyl]oxime	6	1977	287
2071	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(diethylamino)propyl]imino]-1,3- 4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	6	1977	289
2072	5-Chloro-2-[(1,4-dihydro-1,4-dioxo-2-naphthalenyl)-amino]benzoic acid	6	1977	290
2073	7-Chloro-1,2,3,4,9,10-hexahydro-10-hydroxy-1,9-dioxo-3-(3,4,5-trimethoxyphenyl)-2-acridinecarboxylicacid, ethyl ester	6	1977	291
2081	7-Chloro-1-[[3-(dimethylamino)-propyl]imino]-1,3,4,10-tetrahydro-10-hydroxy-3-(1-naphthalenyl)-9(2 <u>H</u>)-acridinone	6	1977	293

	<u> </u>	Annual		1
AM Number	Name	Report Number	Year	Page
2083	7-Chloro-1-[[3-(dimethylamino)-propyl]imino]-1,3,4,10-tetrahydro-10-hydroxy-3-(3,4,5-trimethoxyphenyl)-9(2H)-acridinone, hydrate (1:0.15)	6	1977	294
2086	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-3-[3-(trifluoromethyl)- phenyl]-9(2H)acridinone	6	1977	295
2088	7-Chloro-1-(heptylimino)-1,3,4,10- tetrahydro-10-hydroxy-3-[3-(tri- fluoromethyl)phenyl]-9(2 <u>H</u>)acridinone	6	1977	296
2089	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[(3-methoxypropyl)imino]- 3-[3-(trifluoromethyl)phenyl]-9(2H)- acridinone, hemihydrate	6	1977	297
2091	7-Chloro-1-[[(3,4-dichlorophenyl)-methyl]imino]-1,3,4,10-tetrahydro-10-hydroxy-3-[3-(trifluoromethyl)-phenyl]-9(2H)acridinone	6	1977	298
2092	7-Chloro-3-(3,4-dichlorophenyl)-1- [[7-(dimethylamino)-heptyl]imino]- 1,3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	6	1977	299
2093	7-Chloro-3-(3,4-dichlorophenyl)-1,3-4,10-tetrahydro-10-hydroxy-1-[[3-(1-piperidinyl)propyl]imino]-9(2H)-acridinone	6	1977	300
2094	7-Chloro-1,2,3,4,9,10-hexahydro-10-hydroxy-1,9-dioxo-3-[3-(trifluoro-methyl)phenyl]-2-acridinecarboxylicacid, ethyl ester	6	1977	301
2095	7-Chloro-3-[4-[2-(diethylamino)- ethoxy]phenyl]-3,4-dihydro-10- hydroxy-1,9(2H,10H)acridinedione, monosodium salt, hydrate (1:0.4)	6	1977	302



AM Number	Name	Annual Report Number	Year	Page
2096	5,7-Dichloro-2,3,4,9-tetrahydro-3,3-dimethyl-1H-xanthene-1-one	6	1977	304
2097	7-Chloro-3-[4-(dimethylamino)phenyl]-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione, hydrochloride (1:0.3), hydrate (1:0.3)	6	1977	305
2098	3-(3-Bromophenyl)-7-chloro-1,2,3,4,-9,10-hexahydro-10-hydroxy-1,9-dioxo-2-acridinecarboxylic acid, ethyl ester	6	1977	307
2101	7-Chloro-3-(3,4-dichlorophenyl)-1- [[(4-diethylamino)-1-methylbutyl]- imino]-1,3,4,10-tetrahydro-9(2H)- acridinone, dihydrochloride, hydrate (1:1.2)	6	1977	309
2102	7-Chloro-3-(2,6-dichlorophenyl)-1,2,-3,4,9,10-hexahydro-10-hydroxy-1,9-dioxo-2-acridinecarboxylic acid, ethyl ester	6	1977	310
2104	3-(3-Bromophenyl)-7-chloro-3,4- dihydro-10-hydroxy-1,9-(2 <u>H</u> ,10 <u>H</u>)- acridinedione	6	1977	312
2105	7-Chloro-3-[4-(dimethylamino)phenyl]-1-[[(3-dimethylamino)propyl]imino]-1,3,4,10-tetrahydro-10-hydroxy-9(2H)-acridinone, hydrate (1:0.4)	6	1977	314
2106	7-Chloro-3-(3,4-dichlorophenyl)-1,3,-4,10-tetrahydro-10-hydroxy-1-[[3-(methylthio)propyl]imino]-9(2H)-acridinone	6	1977	315
2107	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)-propyl]amino]-1,- 3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	6	1977	316

AM Number	Name	Annual Report Number	Year	Page
2108	7-Chloro-3-(3,4-dichlorophenyl)-1- [[2-(diethylamino)-ethyl]amino]-1,3- 4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	6	1977	317
2109	3,4,5,6,7,9-Hexahydro-3,3,6,6-tetra- methyl-9-(2-nitrophenyl)-1 <u>H</u> -xanthene- l,8(2 <u>H</u>)dione	6	1977	318
2112	7-Chloro-3-(2,6-dichlorophenyl)-3,4- dihydro-10-hydroxy-1,9(2H,10H)- acridinedione, hydrate $(\overline{1}:0.\overline{2})$	6	1977	319
2113	7-Chloro-3-(2,6-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone, hydrate (1:0.7)	6	1977	321
2115	3-(3-Bromophenyl)-7-chloro-1-[[3-(dimethylamino)propyl]imino]1,3,4,10-tetrahydro-10-hydroxy-9(2H)-acridinone, hydrate (1:0.3)	6	1977	323
2122	7-Chloro-3-(3,4-dichlorophenyl)-1,2,-3,4,9,10-hexahydro-10-hydroxy-1,9-dioxo-2-acridinecarboxylic acid, ethyl ester	6	1977	325
2130	9-Chloro-4-(3,4-dichlorophenyl)-1,4,- 5,6-tetrahydro-3,6-dihydroxy-11H- pyrazolo[3,4-a]acridin-11-one, hydrate (1:0.3)	6	1977	327
2133	3,4-Dihydro- $3,3,10$ -trimethyl- $1,9$ - $(2H,10H)$ -acridinedione	6	1977	329
2 1 34	7-Chloro-3-(3,4-dichlorophenyl)-1,3,-4,10-tetrahydro-10-hydroxy-1-(methyl-imino)-9(2 <u>H</u>)-acridinone	6	1977	330
2138	7-Chloro-3,4-dihydro-10-hydroxy-3,3-dimethyl-2-methylene-1,9(2H,10H)-acridinedione, compound with N,N-dimethylformamide (1:0.2)	6	1977	331



AM Number	Name	Annual Report Number	Year	Page
2140	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)-propyl]imino]- 1,3,4,10-tetrahydro-9(2 <u>H</u>)-acridinone	6	1977	332
2142	7-Chloro-3-(3,4-dichlorophenyl)-1- [(1-ethyl-3-piperidinyl)imino]-1,3,- 4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	6	1977	333
2143	7-Chloro-3,4-dihydro-10-hydroxy-3- phenyl-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	6	1977	334
2144	7-Chloro-1,2,3,4,10-hexahydro-10- hydroxy-1,9-dioxo-3-phenyl-2- acridinecarboxylic acid, ethyl ester	6	1977	336
2145	7-Chloro-1[[3-Dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-3-phenyl-9(2H)-acridinone, monohydrate	6	1977	337
2148	7-Chloro-3-(3,4-dichlorophenyl)-1- [[2-[ethyl(2-hydroxy-2-methylpropyl)- amino]ethyl]imino]-1,3,4,10-tetra- hydro-10-hydroxy-9(2H)-acridinone	6	1977	338
2149	l-[[2-(Bis-(2-methylpropyl)amino]- ethyl]imino]-7-chloro-3-(3,4- dichlorophenyl)-1,3,4,10-tetrahydro- 10-hydroxy-9(2 <u>H</u>)acridinone	6	1977	340
2151	7-Chloro-10-hydroxyspiro[acridine-3-(2H), 1'-cyclohexane]-1,9(4H,10H)-dione, hydrate (1:0.1)	6	1977	342
2153	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-[bis(2-hydroxyethyl)amino]- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-9(2H)-acridinone, hydrate (1:0.8)	6	1977	344
2154	7-Chloro-3-(3,4-dichlorophenyl)-1,3,-4,10-tetrahydro-10-hydroxy-1-[[3-[(2-hydroxyethyl)amino]propyl]imino]-9(2H)acridinone	6	1977	346



		,		
		Annual	ļ)
AM Number	Name	Report	Year	Page
		Number		
2155	7-Chloro-3-(3,4-dichlorophenyl)-1- [[4-(diethylamino)-cyclohexyl]imino]- 1,3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone, hydrate (1:0.4)	6	1977	348
2156	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9-(2H,10H)-acridinedione, salt with \overline{N}^1 -($\overline{1}$ -methylethyl)-2-methyl-1,2-propanediamine (1:1) monohydrate	6	1977	350
2157	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-imino-3-[3-(trifluoro- methyl)phenyl]-9(2 <u>H</u>)-acridinone	6	1977	352
2158	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(2-propenylamino)- ethyl]imino]-3-[3-trifluoromethyl)- phenyl]-9(2H)-acridinone	6	1977	354
2159	7-Chloro-3-(3,4-dichlorophenyl)-1- [3-[(diethylamino)-methyl]phenyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-9(2H)-acridinone, hydrate (1:1.1)	6	1977	355
2160	7-Chloro-1-[[3-(dimethylamino)-propyl]imino]-1,10-dihydro-10-hydroxyspiro[acridine-3(2H),1'-cyclohexan]-9(4H)-one	6	1977	357
2161	1-[[2-(Butylamino)butyl]imino]-7-chloro-1,3,4,10-tetrahydro-10-hydroxy-3-[3-(trifluoromethyl)-phenyl]-9(2H)-acridinone	6	1977	358
2162	7-Chloro-1-[[2-(dibutylamino)ethyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-3-[3-(trifluoromethyl)- phenyl]-9(2H)-acridinone	6	1977	359
2163	7-Chloro-3,4-dihydro-3,3-dimethyl- 1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	6	1977	360

AM Number	Name	Annual Report Number	Year	Pε₅e
2164	5-Chloro-3,4-dihydro-6 (or 7), 10-dihydroxy-7 (or 6)-methoxy-1,9(2 <u>H</u> , 10 <u>H</u>)-acridinedione, hydrate (1:0.2)	6	1977	362
2165	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-3,3-dimethyl-9(2H)- acridinone, hemihydrate	6	1977	364
2166	l-[[3-Butylamino)propyl]imino]-7-chloro-3-(3,4-dichlorophenyl)-1,3,4,-l0-tetrahydro-10-hydroxy-9(2H)-acridinone, hydrate (1:0.3)	6	1977	366
2167	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-[ethyl(2-hydroxyethyl)amino]- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-9(2H)-acridinone, hemihydrate	6	1977	367
2168	7-Chloro-3-(3,4-dichlorophenyl)-1,3,-4,10-tetrahydro-10-hydroxy-1-[[3-(4-methyl-1-piperazinyl)propyl]-imino]-9(2H)-acridinone	6	1977	368
2169	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[4-(1-pyrrolidinyl)butyl]- imino]-3-[3-trifluoromethyl)phenyl]- 9(2H)-acridinone	6	1977	369
2170	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(diethylamino)-2,2-dimethyl- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-9(2H)-acridinone	6	1977	370
2171	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[5-(1-pyrrolidiny1)- pentyl]imino]-3-[3-(trifluoromethyl)- phenyl]-9(2H)-acridinone	6	1977	371
2172	7-Chloro-1-[[2-(diethylamino)propyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-3-[3-(trifluoromethyl)- phenyl]-9(2H)-acridinone	6	1977	372

Number Number	Pag 977 373 977 374
Number Number	977 373
7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[{3-(1-pyrrolidinyl)- propyl]imino]-3-[3-(trifluoromethyl)- phenyl]-9(2H)-acridinedione, hydrate (1:0.25) 7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	374
hydroxy-1-[[3-(1-pyrrolidinyl)- propyl]imino]-3-[3-(trifluoromethyl)- phenyl]-9(2H)-acridinedione, hydrate (1:0.25) 7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	374
hydroxy-1-[[3-(1-pyrrolidiny1)- propyl]imino]-3-[3-(trifluoromethy1)- phenyl]-9(2H)-acridinedione, hydrate (1:0.25) 7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethy1)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidiny1)ethyl]- imino]-3-[3-(trifluoromethy1)phenyl]-	374
propyl]imino] -3-[3-(trifluoromethyl)- phenyl] -9(2H)-acridinedione, hydrate (1:0.25) 7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, l-oxime 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	
phenyl]-9(2H)-acridinedione, hydrate (1:0.25) 7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	
(1:0.25) 2176	
2176 7-Chloro-3,4-dihydro-10-hydroxy-3- 6 [3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 2177 7-Chloro-1,3,4,10-tetrahydro-10- 6 hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	
[3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 2177 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	
[3-(trifluoromethyl)phenyl]-1,9- (2H,10H)-acridinedione, 1-oxime 2177 7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	
(2H,10H)-acridinedione, 1-oxime 2177	375
2177	375
hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	375
hydroxy-1-[[2-(1-pyrrolidinyl)ethyl]- imino]-3-[3-(trifluoromethyl)phenyl]-	
imino]-3-[3-(trifluoromethyl)phenyl]-	
9(2 <u>H</u>)-acridinone	
	-
, -,	77 376
nitrilo)bis[7-chloro-1,3,4,10-tetra-	
hydro-10-hydroxy-3-[3-(trifluoro-	
methyl)phenyl]-9(2 <u>H</u>)-acridinone],	
monohydrate	
2179 7-Chloro-1,3,4,10-tetrahydro-10- 6 19	377
hydroxy-1-[[6-(1-piperidinyl)hexyl]-	,,,
imino]-3-[3-(trifluoromethyl)phenyl]-	
9(2H)-acridinone, sesquihydro-	
chloride, hydrate (1:1.1)	
	177 379
hydroxy-1-[[1-(phenylmethyl)-4-	
piperidinyl]imino]-3-[3-(trifluoro-	
methyl)phenyl]-9(2H)-acridinone,	
hydrochloride (1:0.1), hemihydrate	
2181 7-Chloro-1-[[2-(diethylamino)ethyl]- 6 19	77 381
imino]-1,3,4,10-tetrahydro-10-	301
hydroxy-3-[4-(trifluoromethyl)-	1
phenyl] -9(2H)-acridinone	
, and the state of	
	77 382
hydroxy-1-[[3-(1-pyrrolidinyl)-	
propyl]imino]-3-[4-(trifluoromethyl)-	
phenyl]-9(2H)-acridinone	-
	Ļ

AM Number	Name	Annual Report Number	Year	Page
2183	7-Chloro-1-[[3-(diethylamino)propyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-3-[4-(trifluoromethyl)- phenyl]-9(2H)-acridinone	6	1977	383
2184	7-Chloro-1-[[4-(diethylamino)butyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-3-[4-(trifluoromethyl)- phenyl]-9(2 <u>H</u>)-acridinone	6	1977	384
2186	9-Chloro-4-(3,4-dichlorophenyl)-1,2,- 4,5-tetrahydro-6-hydroxy-1 (or 2)- methyl-3H-pyrazolo[3,4-a]acridine- 3,11-(6H)-dione, hemihydrate	6	1977	385
2189	1-[[3-[Bis(2-hydroxyethyl)amino]- propyl]imino]-7-chloro-1,3,4,10- tetrahydro-10-hydroxy-3-[4-(tri- fluoromethyl)phenyl]-9(2H)- acridinone	6	1977	387
2190	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[3-(piperidinyl)propyl]- imino]-3-[4-(trifluoromethyl)phenyl]- 9(2H)-acridinone	6	1977	388
2191	7-Chloro-1-[[3-(diethylamino)-2,2-dimethylpropyl]imino]-1,3,4,10-tetrahydro-10-hydroxy-3-[4-(trifluoromethyl)phenyl]-9(2H)-acridinone	6	1977	389
2192	9-Chloro-4-(3,4-dichlorophenyl)- 1 (or 2)-[2-(diethylamino)ethyl]-1 (or 2), 4,5,6-tetrahydro-3,6-di- hydroxy-1lH-pyrazolo[3,4-a]acridin- ll-one, hydrochloride (1:0.8), hydrate (1:0.8)	6	1977	390
2193	7-Chloro-1-[[3-(diethylamino)propyl]-imino]-1,3,4,10-tetrahydro-10-hydroxy-3-(3,4,5-trimethoxyphenyl)-9(2 <u>H</u>)-acridinone	6	1977	392
2194	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-methyl-1,9-(2 <u>H</u> ,10 <u>H</u>)-acridinedione	6	1977	394

AM Number	Name	Annual Report Number	Year	Page
2195	2-[7-Chloro-3,4,9,10-tetrahydro-10-hydroxy-9-oxo-3-[3-(trifluoromethyl)-phenyl]-1(2H)-acridinylidene]-hydrazinecarboximidamide	6	1977	395
2196	l-(Butylimino)-7-chloro-1,3,4,10- tetrahydro-10-hydroxy-3-[4-(tri- fluoromethyl)phenyl]-9(2 <u>H</u>)-acridinone	6	1977	396
2197	7-Chloro-1-(heptylimino)-1,3,4,10- tetrahydro-10-hydroxy-3-[4-(tri- fluoromethyl)phenyl]-9(2 <u>H</u>)-acridinone	6	1977	397
2198	Bis[7-chloro-3,4-dihydro-3-[3-(tri-fluoromethyl)phenyl]-1,9(2H-9AH)-acridinedionato-0,0']copper, N-oxide	6	1977	398
2202	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[3-(1-pyrrolidiny1)- propyl]imino-3-(3,4,5-trimethoxy- pheny1)-9(2 <u>H</u>)-acridinone	6	1977	399
2203	7-Chloro-I-[[3-(diethylamino)-2,2-dimethylpropyl]imino]-1,3,4,10-tetra-hydro-10-hydroxy-3-(3,4,5-trimethoxy-phenyl)-9(2 <u>H</u>)-acridinone	6	1977	401
1856	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9-(2H,10H)-acridinedione	6	1977	416
1873	7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)-phenyl}-1,9- (2H,10H)acridinedione	6	1977	418
2018	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]-1,- 3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	6	1977	420
2211 BH-50044)	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[2-(2-propenylamino)- ethyl]imino]-3-[4-(trifluoromethyl)- phenyl]-9(2 <u>H</u>)-acridinone	7	1978	182

AM Number	Name	Annual Report Number	Year	Page
2213 (BH-50062)	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[3-(1-piperidinyl)propyl]- imino]-3-(3,4,5-trimethoxyphenyl)- 9(2H)-acridinone	7	1978	183
2214 (BH-50071)	7-Chloro-1-[[2-(diethylamino)ethyl]- imino]-1,3,4,10-tetrahydro-10- hydroxy-3-(3,4,5,-trimethoxyphenyl)- 9(2 <u>H</u>)-acridinone	7	1978	185
2215 (BH-50080)	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-[[3-[(2-hydroxyethyl)- amino]propyl]imino]-3-[4-(trifluoro- methyl)phenyl]-9(2H)-acridinone	7	1978	187
2216 (BH-50099)	l-[[2-(Butylamino)butyl]imino]-7- chloro-1,3,4,10-tetrahydro-10- hydroxy-3-[4-(trifluoromethyl)- phenyl]-9(2H)-acridinone	7	1978	189
2225 (BH-57178)	7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	190
2228 (BH-57203)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	7	1978	192
2 2 4 6 (B II- 6 5 4 5 6)	7-Chloro-3,4-dihydro-10-hydroxy-3- [3-(trifluoromethyl)phenyl]-1,9(2H,-10H)-acridinedione, 1-[3-(dimethyl-amino)propyl]hydrazone, hydrate (1:0.25)	7	1978	193
2248 (BH-65474)	2 (or 4)-Bromo-7-chloro-1,10-di- hydroxy-3-[3-(trifluoromethyl)- phenyl]-9(10 <u>H</u>)-acridinone	7	1978	194
2255 (BH-67398)	7-Chloro-3-(3,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-2-methyl-1,9(2H, 10H)-acridinedione, compound with N,N-dimethylformamide (1:0.3)	7	1978	196



AM Number	Name	Annual Report Number	Year	Page
2261 (BH-67530)	7-Chloro-6-fluoro-3,4-dihydro-10- hydroxy-3-[4-(trifluoromethyl)- phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	199
2262 (BH-67549)	7,8-Dichloro-3,4-dihydro-10-hydroxy- 3-[4-(trifluoromethyl)phenyl]-1,9- (2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	201
2286 (BH-72764)	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]-1,- 3,4,10-tetrahydro-10-hydroxy-2- methyl-9(2H)-acridinone	7	1978	203
2288 (BH-73136)	7-Chloro-3-(2-chlorophenyl)-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione	7	1978	204
2291 (BH-73163)	7-Chloro-3-(2-chlorophenyl)-1-[[3- (dimethylamino)propyl]imino-1,3,4,10- tetrahydro-10-hydroxy-9(2H)- acridinone	7	1978	206
2305 (вн-73994)	7-Chloro-3-(4-cyclohexylphenyl)-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione	7	1978	207
2308 (BH-74026)	7-Chloro-3,4-dihydro-10-hydroxy-3- [2-(trifluoromethyl)phenyl]-1,9(2H, 10H)acridinedione	7	1978	210
2309 (BH-74035)	7-Chloro-3,4-dihydro-10-hydroxy-3- (4-methylphenyl)-1,9(2 \underline{H} ,10 \underline{H})-acridinedione	7	1978	212
2311 (BH-74053)	7-Chloro-3-(4-cyclohexylphenyl)-1- [[3-(dimethylamino)propyl]imino]-1,- 3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	7	1978	214
2312 (BH-76217)	7-Chloro-3,4-dihydro-10-hydroxy-3- (2-methoxyphenyl)-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione	7	1978	215
2315 (BH-76244)	7-Chloro-3,4-dihydro-10-hydroxy-3- (4-methoxyphenyl)-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione	7	1978	217

. N.	
- P. V	

AM Number	Name	Annual Report Number	Year	Page
2324 (BH-81594)	7-Chloro-3-(4-fluorophenyl)-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione	7	1978	219
2340 (BH-84362)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-3-[2-(trifluoromethyl)- phenyl]-9(2H)acridinedione	7	1978	221
2341 (BH-84371)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-3-(2-methoxyphenyl)-9(2H)- acridinone	7	1978	222
2342 (BH-84380)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-3-(4-methoxyphenyl)-9(2H)- acridinone, hydrate (1:0.1)	7	1978	223
2343 (BH-84399)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-10- hydroxy-3-(4-methylphenyl)-9(2H)- acridinone, monohydrate	7	1978	224
2221 (BH-57132)	7-Chloro-3,4-dihydro-3-[4-(trifluoro-methyl)phenyl]-1,9(2H,10H)-acridinedione	7	1978	225
2222 (BH-57141)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-3- [4-(trifluoromethyl)phenyl]-9(2H)- acridinone	7	1978	226
2226 (BH-57187)	4-(Acetyloxy)-7-chlorospiro[acridine- 3(2H)-1'-cyclohexane]-1,9(4H,10H)- dione	7	1978	227
2227 (BH-57196)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,10-dihydrospiro- [acridine-3(2H),1'-cyclohexan]-9(4H)- one	7	1978	228
2230 (BH-58193)	7-Chlorospiro[acridine-3(2н),1'- cyclohexane]-1,9(4н,10н)-dione	7	1978	229



AM Number	Name	Annual Report	Year	 Page
		Number		
2249 (BH-65483)	4-(Acetyloxy)-7-chloro-1-[[3-(di-dimethylamino)propyl]imino]-1,3,4,10-tetrahydro-3,3-dimethyl-9(2H)-acridinone	7	1978	 230
2250 (вн-65492)	7-Chloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-3- [3-(trifluoromethyl)phenyl]-9(2H)- acridinone	7	 1978 	 232
2256 (BH-67405)	1-(Acetyloxy)-7-chloro-3-(3,4- dichlorophenyl)-9(10 <u>H</u>)-acridinone	7	1978	234
2257 (BH-67414)	7-Chloro-3-(3,4-dichlorophenyl)-1- hydroxy-9(10 <u>H</u>)-acridinone, compound with N,N-dimethylformamide (1:0.8)	7	1978	235
2264 (BH-67567)	1-(Butylimino)-7-chloro-3-(3,4-dichlorophenyl)-1,3,4,10-tetrahydro-9(2H)-acridinone	7	1978 	236
2265 (BH-67576)	7-Chloro-3-(3,4-dichlorophenyl)-1- [[2-(diethylamino)ethyl]imino]-1,3,- 4,10-tetrahydro-9(2H)-acridinone	7	1978 	237
2275 (BH-70153)	8,9-Dihydro-8-[4-(trifluoromethyl)- phenyl]benzo[b][1,8]naphthyridine- 5,6(7H,10H)-dione	7	1978 	238
2289 (BH-73145)	3,4-Dihydro-7-iodo-3-[4-(trifluoro- methyl)phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)-acridine- dione	7	1978 	239
2294 (BH-73190)	l-[[3-(Dimethylamino)propyl]imino]- l,3,4,10-tetrahydro-7-iodo-3-[4- (trifluoromethyl)phenyl]-9(2H)- acridinone	7	1978 	241
2296 (BH-73430)	7-Chloro-1-[[2-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-3- [4-(trifluoromethyl)phenyl]-9(2H)- acridinone	7	 1978 	242

			 	
AM Number	Name	Annual Report Number	 Year 	 Page
2297 (BH-73449)	7-Chloro-1-[[2-(diethylamino)ethyl]- imino]-1,3,4,10-tetrahydro-3-[4- (trifluoromethyl)phenyl]-9(2H)- acridinone	7	 1978 	243
2298 (вн-73458)	7-Chloro-1-[[7-(diethylamino)heptyl]- imino]-1,3,4,10-tetrahydro-3-[4-(tri- fluoromethyl)phenyl]-9(2H)- acridinone	7	 1978 	 244
2299 (BH-73467)	l-(Butylimino)-7-chloro-1,3,4,10- tetrahydro-3-[4-(trifluoromethyl)- phenyl]-9(2H)-acridinone	7	1978	245
2300 (BH-73476)	7-Chloro-1-[[4-(diethylamino)-1-methylbutyl]imino]-1,3,4,10-tetra-hydro-3-[4-(trifluoromethyl)phenyl]-9(2H)-acridinone	7	1978	246
2301 (BH-73485)	7-Chloro-1-[[4-(diethylamino)butyl]- imino]-1,3,4,10-tetrahydro-3-[4- (trifluoromethyl)phenyl]-9(2H)- acridinone, hemihydrate	7	1978	 247
2302 (BH-73494)	7-Chloro-3-(2-chlorophenyl)-3,4- dihydro-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	249
2303 (BH-73501)	3,4-Dihydro-7-nitro-3-[4-(trifluoro-methyl)phenyl]-1,9(2H,10H)-acridinedione	7	1978	251
2304 (BH-73510)	7-Chloro-3-(2-chlorophenyl)-1-[[3-dimethylamino)propyl]imino]-1,3,4,10-tetrahydro-9(2 <u>H</u>)-acridinone	7	1978	253
2306 (BH-74008)	1-[[3-(Dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-7-nitro-3-[4- (trifluoromethyl)phenyl]-9(2H)- acridinone	7	1978	255
2307 (BH-74017)	7-Chloro-1-[[3-(diethylamino)-2,2-dimethylpropyl]imino]-1,3,4,10-tetra-hydro-3-[4-(trifluoromethyl)phenyl]-9(2H)-acridinone	7 [1978 	256



AM Number	Name	Annual Report Number	 Year	Page
2318 (BH-76271)	7-Ethyl-3,4-dihydro-3-[4-(trifluoro-methyl)phenyl]-1,9-(2H,10H)-acridine-dione	 7 !	 1978 	 258
2320 (BH-81558)	7-Chloro-3-(4-cyclohexylphenyl)-3,4-dihydro-1,9-(2 <u>H</u> ,10 <u>H</u>)-acridinedione	1 7 	1978	260
2321 (BH-81567)	1-[[3-(Dimethylamino)propyl]imino]-7- ethyl-1,3,4,10-tetrahydro-3-[4-(tri- fluoromethyl)phenyl]-9(2 <u>H</u>)-acridinone	7	1978	262
2323 (BH-81585)	7-Chloro-3-(4-cyclohexylphenyl)-1- [[3-(dimethylamino)propyl]imino]-1,- 3,4,10-tetrahydro-9(2H)-acridinone	7 7 	 1978 	263
2326 (BH-81825)	7-Chloro-3,4-dihydro-3-[4-(trifluoro-methyl)phenyl]-1,9(2H,10H)-acridine-dione,1-[[2-(diethylamino)ethyl]-hydrazone], hemihydrate	7 	 1978 	264
2327 (BH-81834)	5,7-Dibromo-3,4-dihydro-3-[4-(tri-fluoromethyl)phenyl]-1,9(2H,10H)-acridinedione	7	1978	265
2328 (BH-81843)	5,7-Dibromo-1-[[3-(dimethylamino)-propyl]imino]-1,3,4,10-tetrahydro-3-[4-(trifluoromethyl)phenyl]-9(2H)-acridinone	7 7 	1978	267
2334 (BH-84068)	3,4-Dihydro-3,3-dimethyl-1,9(2H,10H)-acridinedione	7	1978	268
2335 (BH-84077)	7-Bromo-3,4-dihydro-3-[4-(trifluoro-methyl)phenyl]-1,9(2H,10H)-acridinedione	7	1978	269
2336 (BH-84080)	3,4-Dihydro-3-[4-(trifluoromethyl)-phenyl]-1,9(2H,10H)-acridinedione	7	1978	271
2337 (BH-84335)	6-[[3-(Dimethylamino)propyl]imino- 6,8,9,10-tetrahydro-8-[4-(trifluoro- methyl)phenyl]benzo[b][1,8]- naphthyridin-5(7H)-one	7 	1978	273



		Annual		
AM Number	Name	Report Number	Year	Page
2338 (BH-84344)	7-Bromo-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3-[4-(tri- fluoromethyl)phenyl]-9(2H)-acridinone	7	1978	274
2339 (BH-84353)	1-[[3-(Dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-3-[4-(trifluoro- methyl)phenyl]-9(2 <u>H</u>)-acridinone	7	1978	275
2344 (BH-86544)	7-Chloro-3,4-dihydro-3-[2-(trifluoro- methyl)phenyl]-1,9(2H,10H)-acridine- dione	7	1978	276
2345 (BH-86553)	7-Chloro-3,4-dihydro-3-(4-methyl- phenyl)-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	277
2346 (BH-86562)	7-Chloro-3,4-dihydro-3-(2-methoxy- phenyl)-1,9-(2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	 278
2358 (BH-89778)	3,4-Dihydro-7-methoxy-3-[4-(tri-fluoromethyl)phenyl]-1,9(2H,10H)-acridinedione	7	 1978 	279
2359 (BH-89787)	1-[[3-(Dimethylamino)propyl]imino]- 7-methoxy-1,3,4,10-tetrahydro-3-[4- (trifluoromethyl)phenyl]-9(2 <u>H</u>)- acridinone	7	 1978 	281
2368 (BH-96282)	5,7-Dichloro-3,4-dihydro-3-[4-(tri- fluoromethyl)phenyl]-1,9(2H,10H)- acridinedione	7	! 1978 	1 282
2369 (BH-96291)	5,7-Dichloro-1-[[3-(dimethylamino)- propyl]imino]-1,3,4,10-tetrahydro-3- [4-(trifluoromethyl)phenyl]-9(2 <u>H</u>)- acridinone	7 	 1978 	284 284
2238 (BH-58620)	8,9-Dihydro-8,8,10-trimethylpyrido- [2,3-b]quinoline-5,6(7 <u>H</u> ,10 <u>H</u>)-dione	7	1978	 285
2239 (BH-58639)	8,9-Dihydro-10-methyl-8-[4-(trifluoro- methyl)phenyl]pyrido[2,3-b]quinoline- 5,6(7H,10H)-dione	7	 1978 	286

AM Number	Name	Annual Report Number	Year	Page
2244 (BH-58684)	7-Chloro-3-(3,4-dichlorophenyl)-3,4- dihydro-10-methyl-1,9(2H,10H)- acridinedione, 1-hydrazone	! ! 7 !	 1978 	 287
2245 (BH-58693)	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]amino]-10- methyl-9(10H)-acridinone	7	1 1978 	288
2268 (BH-69856)	7-Chloro-10-ethyl-3,4-dihydro-3-[4- (trifluoromethyl)phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione	7 ! !	 1978 	290
2269 (BH-69865)	10~Butyl-7-chloro-3,4-dihydro-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione	7	 1978 	! 292
2270 (BH-69874)	7-Chloro-3,4-dihydro-10-(phenyl- methyl)-3-[4-(trifluoromethyl)- phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	 294
2292 (BH-73172)	10-Ethyl-8,9-dihydro-8-[4-trifluoro-methyl)phenyl]-benzo[b][1,8]-naphthyridine-5,6(7H,10H)-dione	7	1978	 296
2293 (вн-73181)	7-Chloro-3,4-dihydro-10-(2-propenyl)- 3-[4-(trifluoromethyl)phenyl]-1,9- (2 <u>H</u> ,10 <u>H</u>)-acridinedione	7	1978	298
2295 (BH-73421)	7-Chloro-10-hexyl-3,4-dihydro-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione	7	1978	300
2370 (BH-96308)	2,3,10,11-Tetrahydro-10-[(4-tri- fluoromethyl)phenyl]-1H,7H-pyrido- [3,2,1-de]acridine-7,8(9H)dione	7	1978	302
2218 (BH-57105)	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-(4-morpholinylimino)-3-[4- (trifluoromethyl)phenyl]-9(2 <u>H</u>)- acridinone	7	1978 	305
2263 (BH-67558) 	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-(1H-1,2,4-triazo1-3-y1- imino)-3-[4-(trifluoromethy1)pheny1]- 9(2H)-acridinone	7 	1978	306

		A1		
AM Number	Name	Annual Report Number	Year	Page
2274 (BH-70144)	7-Chloro-3,4-dihydro-10-hydroxy-3-[4- (trifluoromethyl)phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione, l-(1 <u>H</u> -benzimidazo1-2- yl)hydrazone	7	1978	 307
2276 (BH-70162)	7-Chloro-3,4-dihydro-10-hydroxy-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione, l-(2-benzothiazolyl)- hydrazone, compound with N,N-dimethyl- formamide (1:0.3), hydrate (1:0.4)	7	1978	308
2277 (BH-70171)	7-Chloro-3,4-dihydro-10-hydroxy-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione, 1-(5-phenyl-1,2,4- triazin-3-yl)hydrazone	7	1978	309
2278 (BH-70180)	7-Chloro-3,4-dihydro-10-hydroxy-3- [4-(trifluoromethyl)phenyl]-1,9(2H, 10H)-acridinedione, 1-[4,6-bis(4- methoxyphenyl)-2-pyrimidinyl]hydra- zone, compound with N,N-dimethyl- formamide (1:0.5)	7	1978 	310
2279 (BH-72693)	2-[7-Chloro-3,4,9,10-tetrahydro-10- hydroxy-3-[4-(trifluoromethyl)phenyl]- l(2 <u>H</u>)-acridinylidene]-N-phenyl- hydrazinecarboximidamide	7	1978 	312
2280 (BH-72700)	2-[7-Chloro-3,4,9,10-tetrahydro-10- hydroxy-9-oxo-3-[4-(trifluoromethy1)- phenyl]-1(2H)acridinylidene]-N- [(3,4-dimethoxypheny1)sulfonyl]- hydrazinecarboximidamide	7	1978 	314
2282 (BH-72728)	7-Chloro-3,4-dihydro-10-hydroxy-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione, 1-(2-pyridinylhydra- zone)	7	1978 	315
2287 (BH-72773)	2-[7-Chloro-3,4,9,10-tetrahydro-10-hydroxy-9-oxo-3-[4-(trifluoromethyl)-phenyl]-1(2H)-acridinylidene]-N-(3-phenoxypropyl)hydrazinecarbox-imidamide, monohydroiodide	7	1978 1978 	316

AM Number	Name	Annual Report Number	Year	Page
2325 (BH-81816)	7-Chloro-3,4-dihydro-10-hydroxy-3-[3- (trifluoromethyl)phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione, 1-phenylhydrazone, hemihydrate	7	 1978 	 318
2217 (BH-50106)	3-(3,4-Dichlorophenyl)-3,4-dihydro- l(2 <u>H</u>)acridinone	7	1978	319
2229 (BH-58184)	2,2'-Azoxybis[3-methylpyridine]	7	1978	320
2247 (BH-65465)	7-Chloro-3-(3,4-dichlorophenyl)- 3,4,9,10-tetrahydro-9-imino-1(2 <u>H</u>)- acridinone	7	 1978 	321
2254 (BH-67389)	7-Chloro-3,4,9,10-tetrahydro-9-imino- 3-[4-(trifluoromethy1)pheny1]-1(2 <u>H</u>)- acridinone	7	1978	323
2281 (BH-72719)	8-Chloro-5H-indeno[1,2-b]quinoline- 10,11-dione	7	 1978 	325
2284 (BH-72746)	Pyrimido[4,5-b]quinoline-2,4(1 <u>H</u> ,3 <u>H</u>)- dione	7	1978	326
2285 (BH-72755)	3,4-Dihydro-3,3,9-trimethyl-1(2 <u>H</u>)- acridinone	7	1978	327
2290 (BH-73154)	8-Chloro-11-[[3-(dimethylamino)- propyl]imino]-5,11-dihydro-10H- indeno[1,2-b]quinolin-10-one	7	1 1978 	328
2348 (BH-86580)	7-Chloro-3,4-dihydro-9-(methylamino)- 3-[4-(trifluoromethyl)phenyl]-1(2H)- acridinone	7	1978 	329
2349 (BH-86599)	7-Chloro-9-[[3-(dimethylamino)propyl]- amino]-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1(2 <u>H</u>)acridinone	7	1978	331
2350 (BH-86606)	7-Chloro-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1(2 <u>H</u>)acridinone	7	 1978 	 333
2352 (BH-89152)	N'-[(7-Chloro-1,2,3,4-tetrahydro-3- [(4-trifluoromethyl)phenyl]-1- acridinylidene]-N,N-dimethyl-1,3- propanediamine	7	 1978 	335

AM Number	Name	Annual Report Number	Year	Page
2389 (BJ-06327)	4-(7-Chloro-1,2,3,4,9,10-hexahydro- 10-hydroxy-1,9-dioxo-3-acridiny1)- benzoic acid	8	1979	75
2394 (BJ-07511)	7-Chloro-3,4-dihydro~10-hydroxy-3- (4-pyridinyl)1,9(2 <u>H</u> ,10 <u>H</u>)acridine- dione	8	1979	77
2397 (BJ-07548)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-10-hydroxy- 3-(4-pyridinyl)-9(2H)acridinone	8	 1979 	79
2417 (BJ-23659)	7-Chloro-3-(2,4-dichlorophenyl)-3,4- dihydro-10-hydroxy-2~methyl-1,9(2 <u>H</u> , 10 <u>H</u>)acridinedione	8	1979 	80
2421 (BJ-28396)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-10-hydroxy-2- methyl-9(2 <u>H</u>)acridinone	8	 1979 	82
2423 (BJ-28412)	7-Chloro-3,4-dihydro-10-hydroxy-2- methyl-3-[4-(trifluoromethyl)phenyl]- l,9(2H,10H)acridinedione	8	 1979 	83
2431 (BJ-34205)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-10-hydroxy- 2-methyl-3-[4-(trifluoromethyl)- phenyl]-9(2H)acridinone		 1979 	 84
2371 (BJ-01671)	8-Chloro-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1,9(2H,10H)acridine- dione	8 	 1979 	85
2372 (BJ-01680)	7-Fluoro-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)acridine- dione	 8 	 1979 	 87
2373 (BJ-01699)	l-[[3-(Dimethylamino)propyl]imino]-7- fluoro-1,3,4,10-tetrahydro-3-[4-(tri- fluoromethyl)phenyl]-9(2 <u>H</u>)acridinone	8 	 1979 	 89

AM Number	Name	Annual Report	 Year	 Page
		Number		
2375 (BJ-01715)	 7-Chloro-1-[[3-(dimethylamino)propyl]- imino -1,3,4,10-tetrahydro-3-(2-	8	 1979 	90
	methoxyphenyl)-9(2H)acridinone			<u> </u>
2376 (BJ-02025)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3-(4-	8	1979 	92
	methylphenyl)-9(2 <u>H</u>)acridinone]]]
2377 (BJ-02034)	7-Chloro-3-(2,4-dichlorophenyl)-3,4- dihydro-1,9(2H,10H)acridinedione	8	1979	93
1	1	_		
2379 (BJ-02052)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino- 1,3,4,10-tetrahydro-9(2H)acridinone	8	1979 	95
	<u> </u>			
2380 (BJ-02061)	7-Chloro-3-(3,4-dichlorophenyl)-3,4- dihydro-2-methyl-1,9(2 <u>H</u> ,10 <u>H</u>)acridine- dione	8	1979 	96
2 3 8 3	 5,8-Dichloro-3-(2,4-dichlorophenyl)-	8	1979	98
(BJ-06265)	$3,4$ -dihydro-1,9(2 \underline{H} ,10 \underline{H})acridinedione			
2384 (BJ-06274)	5-Chloro-3-(2,4-dichlorophenyl)-3,4- dihydro-1,9(2 <u>H</u> ,10 <u>H</u>)acridinedione	8	1979	100
2385	3,4-Dihydro-7-(trifluoromethyl)-3-	8	1979	102
(BJ-06283)	[4-(trifluoromethyl)phenyl]-1,9- (2 <u>H</u> ,10 <u>H</u>)acridinedione] 	
2386	5-Chloro-3-(2,4-dichlorophenyl)-1-	8	1979	104
(BJ-06292)	[[3-(dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-9(2 <u>H</u>)acridinone			
2387	8-Chloro-1-[[3-(dimethylamino)propyl]-	8	1979	105
(BJ-06309)	imino]-1,3,4,10-tetrahydro-3-[4-(tri- fluoromethyl)phenyl]-9(2H)acridinone, hydrochloride, hydrate (10:1)			
2388	l-[[3-(Dimethylamino)propyl]imino]-	8	1979	107
(BJ-06318)	1,3,4,10-tetrahydro-7-(trifluoro- methyl)-3-[4-(trifluoromethyl)phenyl)- 9(2H)acridinone			
	Z. Z			

AM Number	Name	Annual Report Number	Year	 Page
2390 (BJ-06336)	7-Chloro-3,4-dihydro-3-(4-methoxy- phenyl)-1,9(2 <u>H</u> ,10 <u>H</u>)acridinedione	8	1979	108
2391 (BJ~06345)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3- (4-methoxyphenyl)-9(2 <u>H</u>)acridinone	8	 1979 	 109
2392 (BJ-07495)	5,8-Dichloro-3-(2,4-dichlorophenyl)- l-[[3-(dimethylamino)propyl]imino]- l,3,4,10-tetrahydro-9(2 <u>H</u>)acridinone	8	1 1979 	 110
2393 (BJ-07502)	7-Chloro-3,4-dihydro-3-(4-pyridinyl)- 1,9(2H,10 <u>H</u>)acridinedione	8	1 1979 	111
2395 (BJ~07520)	7-Chloro-1,2,3,4,9,10-hexahydro-1,9- dioxo-3-(4-pyridiny1)-2-acridine- carboxylic acid, ethyl ester	8	 1979 	113
2396 (BJ-07539)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3- (4-pyridinyl)-9(2H)acridinone	8	 1979 	1115
2398 (BJ-09588)	7-Chloro-3,4-dihydro-3-[4-(methyl- thio)phenyl]-1,9(2H,10H)acridinedione	8	1979	116
2399 (BJ-09597)	7-Chloro-3,4-dihydro-3-(4-nitro- phenyl)-1,9(2 <u>H</u> ,10 <u>H</u>)acridinedione	8	1979	118
2400 (BJ~06904)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3- [4-(methylthio)phenyl]-9(2H)- acridinone	8	1979	120
2401 (BJ-09622)	7-Chloro-1-[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3-(4-nitro- phenyl)-9(2 <u>H</u>)acridinone	8	1979	122
2402 (BJ-09613)	7-Chloro-2-ethyl-3,4-dihydro-3-[4- (trifluoromethyl)-phenyl]-1,9- (2H,10H)acridinedione	8	1979	124
2403 (BJ-21717)	7-Chloro-3,4-dihydro-2-methyl-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione	8	1979	128

AM Number	Name	Annual Report Number	Year	Page
2404 (BJ-21726)	7-Chloro-1,2,3,4,9,10-hexahydro-1,9- dioxo-3-(2-pyridiny1)-2-acridine- carboxylic acid, ethyl ester	8	 1979 	131
2405 (BJ-21735)	7-Chloro-3,4-dihydro-3-(2-pyridiny1)-	8	 1979 	133
2406 (BJ-21744)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3- (2-pyridinyl)-9(2H)acridinone	8	1979	135
2408 (BJ-21762)	7-Chloro-3-(3,4-dichlorophenyl)-3,4- dihydro-2-phenyl-1,9(2 <u>H</u> ,10 <u>H</u>)acridine- dione, hydrate (5:1)	8	1979 	137
2409 (BJ-21771)	Cis(±-7-Chloro-3-(3,4-dichloro- phenyl)-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-2-methyl-9- (2H)acridinone	8	! ! 1979 !	139
2410 (BJ-21780)	Trans(±)-7-Chloro-3-(3,4-dichloro- phenyl)-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-2-methyl- 9(2H)acridinone	8	 1979 	 139
2411 (BJ-21799)	7-Chloro-3-(3,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,3,4,10-tetrahydro-2-phenyl-9(2H)- acridinone	8	! 1979 	143
2412 (BJ-23604)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-2-methyl- 3-[4-(trifluoromethyl)phenyl]-9(2H)- acridinone, cis ±	8	 1979 	 144
2413 (BJ-23613)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-2-methyl- 3-[4-(trifluoromethyl)phenyl]-9(2H)- acridinone, trans ±	8	 1979 	 144
2414 (BJ-23622)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-2-ethyl-1,3,4,10-tetrahydro-3- [4-(trifluoromethyl)phenyl]-9(2H)- acridinone		 1979 	 146



				_
ļ		Annual		! _
AM Number	Name	Report	Year	Page
		Number	Number	
0/15			1070]
2415	7-Chloro-3-[4-chloro-3-(trifluoro-	8	1979	148
(BJ-23631)	methyl)phenyl]-3,4-dihydro-1,9-	1		<u> </u>
	(2H,10H)acridinedione	1		! !
2416	7-Chloro-3-[4-chloro-3-(trifluoro-	1 1 8	1979	l ! 151
(BJ-23640)	methyl)phenyl]-l-[[3-(dimethylamino)-	1	17/7	1 131
(53-23040)	propyl]imino]-1,3,4,10-tetrahydro-	l I		l I
	9(2H)acridinone	,) 1
		; [1
2418	6-Chloro-3-(2,4-dichloropheny1)-3,4-	8	1979	152
(BJ-28369)	dihydro-1,9(2H,10H)acridinedione	i -		
		į		į
2419	7-Chloro-3-(2,4-dichloropheny1)-3,4-	8	1979	154
(BJ-28378)	dihydro-2-methyl-1,9(2H,10H)acridine-	1		ĺ
	dione	1		1
		1		1
2420	6-Chloro-3-(2,4-dichlorophenyl)-1-	8	1979	155
(BJ-28387)	[[3-(dimethylamino)propyl]imino]-	1		ł
	1,3,4,10-tetrahydro-9(2H)acridinone	1		
		!		
2422	7-Chloro-3-(2,4-dichlorophenyl)-1-	8	1979	156
(BJ-28403)	[[2-(diethylamino)ethyl]imino]-	1]
	1,3,4,10-tetrahydro-9(2 <u>H</u>)acridinone]]
2428	7-Chloro-3-(3,4-dichlorophenyl)-1-	l 8	1979	l 157
(BJ-30869)	[[3-(dimethylamino)propyl]imino]-	i	1979 	1 1),
(33 3000))	1,3,4,10-tetrahydro-2-(phenylmethyl)-	Ì		i j
	9(2H)acridinone, hemihydrate	i		! !
		ĺ	į	Ϊ
2429	7-Chloro-3-(2,4-dichlorophenyl)-1-	8	1979	160
(BJ-34189)	[[3-dimethylamino)propyl]imino]-	Ì		j
	1,3,4,10-tetrahydro-2-methyl-9(2H)-	İ		į
	acridinone	İ	ĺ	ĺ
		!		!
2432	7-Chloro-3-(2,4-dichlorophenyl)-1-	8	1979	162
(BJ-34214)	[[4-(diethylamino)butyl]imino]-	!		ļ
	1,3,4,10-tetrahydro-9(2 <u>H</u>)acridinone			!
2/26	7 (%) - 2 (0 / 3) (5 - 2 - 1)	ļ 1 0	1070	
2436 (81-24350)	7-Chloro-3-(2,4-dichlorophenyl)-	! 8 !	1979	163
(BJ-24350)	1,3,4,10-tetrahydro-1-[[3-	[{	1	
	(1-pyrrolidiny1)propyl]imino]-9(2 <u>H</u>)- acridinone	i 1	1	i I
!	activinone	! !	i	1 1
	 	<u> </u>		



AM Number	Name	Annual Report Number	Year	Page
2437 (BJ-34269)	1[[3-[Bis(2-hydroxyethyl)amino]- propyl]imino]-7-chloro-3-(2,4-di- chlorophenyl)-1,3,4,10-tetrahydro- 9(2H)acridinone, hemihydrate	8	 1979 	165
2438 (BJ-34278)	l-[[2-(Butylamino)butyl]imino-7- chloro-3-(2,4-dichlorophenyl)- l,3,4,10-tetrahydro-9(2 <u>H</u>)acridinone	8	1979	167
2439 (BJ-36889)	7-Chloro-3-(2,4-dichloropheny1)-1- [[3-(diethylamino)-2,2-dimethyl- propyl]-1,3,4,10-tetrahydro-9(2H)- acridinone	8	1979	168
2440 (BJ-36898)	7-Chloro-3-(2,4-dichloropheny1)-1- [[4-(diethylamino)-1-methylbuty1]- imino]-1,3,4,10-tetrahydro-9(2H)- acridinone	8	1979	169
2441 (BJ-36905)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[7-(diethylamino)heptyl]imino]- 1,3,4,10-tetrahydro-9(2 <u>H</u>)acridinone	8	1979	170
2447 (BJ-36969)	7-Chloro-3,4-dihydro-2-phenyl-1,9- (2H,10H)acridinedione, compound with N,N-dimethylformamide (10:1)	8	1 1979 	 172
2468 (BJ-44630)	6-Chloro-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1,9(2 <u>H</u> ,10 <u>H</u>)acridine- dione	8	1979	174
2469 (BJ-44649)	7-Chloro-1,3,4,10-tetrahydro-1-imino- 3-[4-(trifluoromethy1)pheny1]-9(2 <u>H</u>)- acridinone	8	1 1979 	176
2471 (BJ-44667)	6-Chloro-1-[[3-(dimethylamino)propyl]- imino[1,3,4,10-tetrahydro-3[4-(tri- fluoromethyl)phenyl]-9(2H)acridinone	8	 1979 	178
2474 (BJ-44694)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-1-[[2-[(2-hydroxy- ethyl)amino]ethyl]imino]-9(2H)- acridinone	8	1979 	179

AM Number	Name	Annual Report Number	 Year	Page
2476 (BJ-45600)	l-[(2-Aminoethyl)imino]-7-chloro-3- (2,4-dichlorophenyl)-1,3,4,10-tetra- hydro-9(2 <u>H</u>)acridinone	 8 	 1979 	180
2374 (BJ-01706)	7-Chloro-1-[[3-(dimethylamino)propyl]- imino]-1,3,4,10-tetrahydro-3-[2-(tri- fluoromethyl)phenyl]-9(2H)acridinone	8	 1979 	1 181
2424 (BJ-28421)	7-Chloro-3-(2,4-dichloropheny1)-3,4- dihydro-10-hydroxy-1,9(2 <u>H</u> ,10 <u>H</u>)- acridinedione, l-dimethylhydrazone	8	 1979 	182
2425 (BJ-30832)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-10-hydroxy-1- (1-pyrrolidinylimino)-9(2H)acridinone	8	1979	183
2426 (BJ-30841)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-10-hydroxy-1- (4-morpholinylimino)-9(2 <u>H</u>)acridinone	8	1979	185
2427 (BJ-30850)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-10-hydroxy-1- (1-piperidinylimino)-9(2 <u>H</u>)acridinone	8	1979	187
2430 (BJ-34198)	7-Chloro-3-(2,4-dichlorophenyl)-1- [(2,6-dimethyl-1-piperidinyl)imino]- 1,3,4,10-tetrahydro-10-hydroxy-9(2H)- acridinone	8	1979	189
2434 (BJ-34232)	7-Chioro-3-(2,4-dichlorophenyl)-3,4- dihydro-10-hydroxy-1,9(2H,10H)- acridinedione, 1-hydrazone	8	1979	191
2435 (BJ-34241)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-10-hydroxy-2- methyl-1-(1-piperidinylimino)-9(2H)- acridinone	8	1979	192
2443 (BJ-36923)	7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-10-hydroxy-1,9(2H,10H)-acridinedione, 1-(phenylmethylene)-hydrazone	8 	1979 	193

		Annual		_
AM Number	Name	Report	Year	Page
		Number		
2444	7-Chloro-3,4-dihydro-10-hydroxy-3-	1 8	1979	195
(BJ-36932)	[4-(trifluoromethyl)phenyl]-1,9(2H,	0	1979	, 195
(DJ-30732)		1		≀ 1
	10H)acridinedione, l-hydrazone	I I		!
2445	7-Chloro-3,4-dihydro-10-hydroxy-3-	8	1979	196
(BJ-36941)	[4-(trifluoromethy1)pheny1]-1,9-]		
	(2H,10H)acridinedione, 1-dimethyl-			
	hydrazone	1		İ
2446	7 (%) 1 2 (0 / 1' 1) 1	l 8	1070	 197
2446	7-Chloro-3-(2,4-dichlorophenyl)-3,4-	1 0	1979	19/
(BJ-36950)	dihydro-10-hydroxy-1,9(2H,10H)-	1		} I
	acridinedione, 1-[(2,4-dichloro-) }]
	phenyl)methylene]hydrazone	1		
2450	7-Chloro-3-(2,4-dichlorophenyl)-3,4-	1 8	1979	199
(BJ-39415)	dihydro-10-hydroxy-2-methyl-1,9-	i		,
(20 0) (20)	(2H,10H)acridinedione, 1-dimethyl-	İ		İ
	hydrazone, hemihydrate			j
2451	7-Chloro-3-(2,4-dichlorophenyl)-	, 8	1979	200
(BJ-39424)	1,3,4,10-tetrahydro-10-hydroxy-1-	1		
	[(4-methyl-l-piperazinyl)imino]-9	1	1	
	(2 <u>H</u>)acridinone	l 1		! !
2452	7-Chloro-3,4-dihydro-10-hydroxy-3-	8	1979	202
(BJ-39433)	[4-(trifluoromethy1)pheny1]-1,9-			•
i	(2H,10H)acridinedione, 1-(phenyl-	1	}	}
	methylene)hydrazone			ļ
2457	7 (0) 1 (0) 1 1 1		1070	
2457 (RT. 20701)	7-Chloro-1-[(2,6-dimethyl-1-	8	1979	203
(BJ-39791)	piperidinyl)imino]-1,3,4,10-tetra-	1		{
	hydro-10-hydroxy-3-[4-(trifluoro- methyl)phenyl]-9(2H)acridinone	1	 	l I
	methyl/phenyl)-9(2h/acridinone			} !
2472	7-Chloro-3-(2,4-dichlorophenyl)-3,4-	8	1979	204
(BJ-44676)	dihydro-10-hydroxy-1,9(2H,10H)-	i		
	acridinedione, 1-(4-methoxyphenyl)-	j	!	ĺ
	hydrazone, monohydrochloride]		
2492	7-0410-0-3-(2 /-4i-41401)-]	1070	1 204
2483 (BJ-45673)	7-Chloro-3-(2,4-dichlorophenyl)-	8	1979	206
	1,3,4,10-tetrahydro-10-hydroxy-2- methyl-1-(4-morpholinylimino-9(2H)-	1		!
	acridinone, monohydrate	1)
1	activitione, mononydiate	i		
	actione, mononyutace	1		

AM Number	 Name 	Annual Report	 Year	 Page
		Number		l
2484 (BJ-45682)	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-(1-piperidinylimino)-3- [4-(trifluoromethyl)phenyl]-9(2 <u>H</u>)- acridinone, hydrate (5:2)	8	1979	208
2488 (BJ-46152)	7-Chloro-10-ethy1-1-[[2-[(2-hydroxy- ethyl)amino]ethyl]amino]-3-[4-(tri- fluoromethyl)phenyl]-9(10H)acridinone	 9 	1980	 114
2521 (BJ-58616)	7-Chloro-3,4-dihydro-4-hydroxy-3-[4- (trifluoromethyl)phenyl]-1,9(2H,10H)- acridinedione	 9 	1980	 116
2522 (BJ-58625)	4-(Acetyloxy)-7-chloro-3,4-dihydro-3- [4-(trifluoromethyl)phenyl]-1,9- (2H,10H)acridinedione, trans	 9 	1980	117
2533 (BJ-64114)	7-Chloro-3,4-dihydro-10-hydroxy-3- [4-(trifluoromethy1)pheny1]-1,9- (2 <u>H</u> ,10 <u>H</u>)acridinedione, 1-oxime	9 !	1980	1118
2534 (BJ-64123)	7-Chloro-1,3,4,10-tetrahydro-10- hydroxy-1-imino-3-[4-(trifluoro- methyl)phenyl]-9(2H)acridinone, hydrate (10:1), compound with ethanol (5:2)	9 	1980	119
2535 (BJ-64132)	7-Chloro-3-(2,4-dichloropheny1)-3,4-dihydro-1H-xanthene-1,9(2H)-dione, 1-[7-chloro-3-(2,4-dichloropheny1)-9-hydrazono-2,3,4,9-tetrahydro-1H-xanthen-1-ylidene]hydrazone, 9-hydrazone, compound with N,N-dimethy1-formamide (1:2)	9	1980	120
2549 (BJ-78681)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-1-imino-9(2H)- acridinone, hydrate (20:7), compound with N,N-dimethylformamide (10:1)	9	1980	1 122
2550 (BJ-78690)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-10-hydroxy-1- imino-9(2 <u>H</u>)acridinone	9	1980	124

AM Number	Name	Annual Report Number	 Year	Page
2551 (BJ-78707)	7-Chloro-3-(2,4-dichlorophenyl)- l,3,4,10-tetrahydro-1-(methylimino)- 9(2 <u>H</u>)acridinone	9	 1980 	126
2552 (BJ-78716)	7-Chloro-3-(2,4-dichlorophenyl)- 1,3,4,10-tetrahydro-10-hydroxy-1- (methylimino)-9(2H)acridinone, hydrate (100:33)	9	1980	127
2582 (BJ-86209)	9-(Acetyloxy)-7-chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1(2H)-acridine, 0-acetyloxime, 10-oxide	10	1981	43
2589 (BJ-86272)	3,3,9-Trichloro-4-(2,4-dichloro-phenyl)-4,5-dihydro-3H-isoxazolo-[3,4,5-kl]acridine, hydrate (5:1)	10	1981	45
2604 (BJ-91442)	8-Chloro-3,4-dimethylisoxazolo[4,5-c]-quinoline	10	 1981 	47
2605 (BJ-91451)	3-Acetyl-6-chloro-2-methyl-4(lH)-quinolinone	10	1981	 48
2606 (BJ-91460)	6-Chloro-3-[1-(hydroxy:mino)ethyl]-2- methyl-4(1 <u>H</u>)quinolinone	10	 1981 	 49
2607 (BJ-91479)	6-Chloro-3-[3-(4-chlorophenyl)-1-oxo- 2-propenyl]-2-methyl-4(1H)quinolinone	10	 1981 	 50
2608 (BJ-91488)	9-(Acetyloxy)-7-chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1(2H)-acridinone-O-acetyloxime	10	 1981) 53
2609 (BJ-91497)	9-Chloro-4-(2,4-dichlorophenyl)-4,5- dihydro-3H-isoxazolo[3,4,5-kl]- acridine-6-oxide	10	 1981 	 55
2612 (BJ-92270)	6-Chloro-3-[3-(4-chlorophenyl)-1- oxopropyl]-2-methyl-4(1 <u>H</u>)quinolinone	10	 1981 	 56

AM Number	Name	Annual Report Number	Year	 Page
2616 (BJ-92690)	7-Chloro-3-(2,4-dichlorophenyl)- 1,2,3,4-tetrahydro-1-[(1-phenylethyl)- imino]-9-acridinol, fast moving, low melting isomer	10	1981	57
2617 (BJ-92707)	7-Chloro-3-(2,4-dichlorophenyl)- 1,2,3,4,-tetrahydro-1-[(1-phenyl- ethyl)imino]-9-acridinol, hydrate (10:1), slow moving, high melting isomer	10	1981	57
2618 (BJ-92716)	(+)-7-Chloro-3-(2,4-dichlorophenyl)- 3,4-dihydro-1,9(2 <u>H</u> ,10 <u>H</u>)acridinedione, hydrate (10:3)	10	1981	60
2619 (BJ-92725)	(-)-7-Chloro-3-(2,4-dichlorophenyl)- 3,4-dihydro-1,9(2 <u>H</u> ,10 <u>H</u>)acridinedione, hydrate (10:1)	10	1981	 62
2625 (BJ-01970)	2,7-Dichloro-3-(2,4-dichlorophenyl)- 1-[[3-(dimethylamino)propyl]amino]- 9(10 <u>H</u>)acridinone, hydrate (10:9), compound with ethanol (5:1)	10	1981	64
2626 (BK-01989)	6-Chloro-3-[3-(2,4-dichlorophenyl)- l-oxo-2-propenyl]-2-methyl-4(1H)- quinolinone, hydrate (4:3)	10	1981	66
2627 (BK-01998)	6-Chloro-3-[3-(2,4-dichlorophenyl)-1- oxopropyl]-2-methyl-4(1H)quinolinone, hydrate (5:2)	10	1981	 68
2644 (BK-12366)	6-Chloro-3-[5-(4-chlorophenyl)-4,5- dihydro-l <u>H</u> -pyrazol-3-yl]-2-methyl- 4-quinolinol hydrate (10:13)	10	1981	70
2645 (BK-12375)	7-Chloro-3-(2,4-dichlorophenyl)- 1,2,3,4-tetrahydro-1-[(1-phenyl- ethyl)imino]-9-acridinol	10	1981	72
2646 (BK-09298)	6-Chloro-3-[3-(2,4-dichlorophenyl)- 1-[[3-(dimethylamino)propyl]imino]- propyl]-2-methyl-4-quinolinol	10	1981 1981 	74
2666 (BK-15250	7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-9-hydroxy-1(2H)acridinone oxime, 10-oxide	10 	1981 	76

2. Isoxazoloacridines and Pyrazoloacridines

AM Number	Name	Annual Report Number	Year	Page
2381 (BJ-02070)	9-Chloro-4,5-dihydro-4-[4-(trifluoro-methyl)phenyl]-3H-isoxaz lo[3,4,5-kl]-acridine	8	1979	210
2448 (BJ-36978)	9-Chloro-1,3,4,5-tetrahydro-4-[4- (trifluoromethyl)phenyl]pyrazolo- [3,4,5-k1]acridine	8	1979	212
2462 (BJ-39844)	7-Chloro-3-(2,4-dichloropheny1)-3,4-dihydro-1,9(2H,10H)acridinedione, l-oxime	8	1979	213
2463 (BJ-44587)	9-Chloro-4-(2,4-dichlorophenyl)-4,5-dihydro-3H-isoxazolo[3,4,5-kl]-acridine	8	1979	214
2464 (BJ-44596)	7-Chloro-3-(2,4-dichloropheny1)-3,4- dihydro-9-hydroxy-2-methyl-1(2H)- acridinone, oxime, hydrate (10:1)	8	1979	215
2467 (BJ-44621)	9-Chloro-4,5-dihydro-4-[4-(trifluoro- methyl)phenyl]3H-isoxazolo[3,4,5-kl]- acridine, 6-oxide	8	1 1979 	216
2470 (BJ-44658)	7-Chloro-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1,9(2H,10H)acridine- dione, l-oxime	8	1 1979 	218
2477 (BJ-45619)	9-Chloro-4,5-dihydro-4-[4-(trifluoro- methyl)phenyl]-3H-isoxazolo[3,4,5-kl]- acridin-5-ol, acetate (ester), trans	8	 1979 	219
2479 (BJ-45637)	9-Chloro-4-(2,4-dichloropheny1)-4,5- dihydro-3-methyl-3H-isoxazolo- [3,4,5-k1]acridine	8 	1 1979 	221
2481 (BJ-45655)	l l-Amino-2,4-dibromo-7-chloro-3-(2,4- l dichlorophenyl)-9-acridinol	8	! 1979 	222
2536 (BJ-72714)	9-Chloro-4-(2,4-dichlorophenyl)-4,5- dihydro-3H-isoxazolo[3,4,5-kl]- acridine, 6-oxide	9	1980 	163

AM Number	Name	Annual Report Number	 Year 	 Page
2537 (BJ-72723)	9-Chloro-4,5-dihydro-4-[3-(trifluoro- methyl)phenyl]-3H-isoxazolo[3,4,5-kl]- acridine	9	! 1980 	 165
2538 (BJ-72732)	4,5-Dihydro-9-nitro-4-[4-(trifluoro-methyl)phenyl]-3H-isoxazolo[3,4,5-kl]-lacridine	9	 1980 	 167
2539 (BJ-72741)	4,5-Dihydro-4-[4-(trifluoromethyl)- phenyl]-3H-isoxazolo[3,4,5-kl]- acridine	9	 1980 	 169
2540 (BJ-72750)	9-Chloro-4,5-dihydro-4-(3,4,5- trimethoxyphenyl)-3H-isoxazolo- [3,4,5-kl]acridine	9	 1980 	171
2543 (BJ-76436)	8-Chloro-4-(2,4-dichlorophenyl)-4,5- dihydro-3H-isoxazolo[3,4,5-kl]- acridine	9	1980 	173
2463 (BJ-44587)	9-Chloro-4-(2,4-dichlorophenyl)-4,5- dihydro-3H-isoxazole-[3,4,5-kl]- acridine	10	 1981 	188
2463 (BJ-92190)	9-Chloro-4-(2,4-dichlorophenyl)-4,5- dihydro-3 <u>H</u> -isoxazolo-[3,4,5-kl]- acridine	10	1981	189
2422 (BK-02771)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[2-(diethylamino)ethyl]imino- 1,3,4,10-tetrahydro-9(2H)acridinone	10	1981	190
2463 (BK-02780)	9-Chloro-4-(2,4-dichlorophenyl)-4,5- dihydro-3H-isoxazolo[3,4,5-kl]- acridine	10	1981	191

3. Xanthene and Thioxanthenediones

AM Number	 Name	Annual Report Number	 Year	 Page
2486 (BJ-46134)	7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1H-xanthene-1,9(2H)dione	9	1980	129
2507 (BJ-57833)	7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1H-xanthene-1,9(2H)dione, l-[2-(diethylamino)ethyl]hydrazone	 9 	 1980 	130
2508 (BJ~57842)	7-Chloro-3-(2,4-dichloropheny1)-3,4-dihydro-1H-xanthene-1,9(2H)dione, 9-[2-(diethylamino)ethyl]hydrazone	9	 1980 	 130
2525 (BJ-59257)	7-Chloro-3-(2,4-dichloropheny1)-3,4- dihydro-1H-xanthene-1,9(2H)dione, l-oxime	9 	 1980 	132
2491 (BJ-51715)	7-Chloro-3-(2,4-dichloropheny1)-3,4- dihydro-2-methyl-1H-thioxanthene- l,9(2H)dione, hydrate (20:1)	 9 	1980 	134
2500 (BJ-57057)	7-Chloro-3-(2,4-dichlorophenyl)-1- (4-morpholinylamino)-9H-thioxanthen- 9-one) } }	 1980 	135
2501 (BJ-57066)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-dimethylamino]propyl]amino]-3,4- dihydro-9H-thioxanthen-9-one	 9 	 1980 	137
2502 (BJ-57075)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]amino]-9H- thioxanthen-9-one	 9 	1980 	139

AM Number	 Name	Annual Report Number	 Year	 Page
2512 (BJ-58367)	7'-Chloro-3'-(2,4-dichlorophenyl)- 3',4'-dihydrospiro[1,3-dioxolane- 2,1'-[1H]thioxanthen]-9'(2'H)-one	 9 	 1980 	141
2523 (BJ-59275)	7-Chloro-3-(2,4-dichlorophenyl)-3,4-dihydro-1H-thioxanthen-1,9(2H)-dione, l-oxime, compound with N,N-dimethyl-formamide (5:2)	9	1980 	143
2526 (BJ-59284)	7'-Chloro-3'-(2,4-dichlorophenyl)- 3',4'-dihydro-spiro[1,3-dioxolane- 2,1'-[1H]thioxanthen]-9'(2'H)-one, 10,10-dioxide	 9 	1980 	144
2532 (BJ-63831)	7'-Chloro-3'-(2,4-dichloropheny1)- 3'4'-dihydrospiro[1,3-dioxolane- 2,1'[1H]thioxanthen]-9(2H)-one, 10'-oxide	9 	1980 	146
2547 (BJ-76472)	5-Chloro-2[[5-(2,4-dichlorophenyl)-3- oxo-l-cyclohexen-1-yl]thio]benzoic acid	 9 	1980	148

4. Novel Related Structures

AM Number	Name	Annual Report Number	 Year	Page
2378 (BJ-02043)	5-Chloro-2,3,10,11-tetrahydro-10-[4- (trifluoromethyl)phenyl]-1H,7H- pyrido[3,2,1-de]acridine-7,8(9H)- dione	8	 1979 	224
2382 (BJ-02089)	7-Chloro-3,4-dihydro-3-[4-(trifluoro- methyl)phenyl]-1(2H)acridinone, 10-oxide	8	1979	227
2407 (BJ-21753)	7-Chloro-1,3-dimethylpyrimido[4,5-b]- quinoline-2,4,5-(1 <u>H</u> ,3 <u>H</u> ,10 <u>H</u>)trione	8	1979	229
2433 (BJ-34223)	6-Chloro-3-(2,4-dichlorophenyl)-9- [[3-[(diethylamino)methyl]-4-hydroxy- phenyl]amino]-3,4-dihydro-1-(2H)- acridinone	8	1979 	230
2453 (BJ-39422)	9-Chloro-4,5-dihydro-4,4-dimethyl- 2,11(3H,6H)oxepino[3,2-b]quinoline- dione	8	1979	233
2460 (BJ-39826)	2,3-Dihydro-2,2-dimethyl-lH-pheno- thiazin-4(10 <u>H</u>)-one, 5-oxide	8	1979	234
2461 (BJ-39835)	9-Chloro-4,5-dihydro-6-hydroxy-4,4-dimethyloxepino[3,2-b]quinoline-2,11-(3H,6H)dione	8	1979	236
2473 (BJ-44685)	6-Chloro-9-[[3-[(diethylamino)methyl]- 4-hydroxyphenyl]amino]-3,4-dihydro- 3-[4-(trifluoromethyl)phenyl]-1(2H)- acridinone	8	1979 	237
2482 (BJ-45664)	7-Chloro-3-(2,4-dichloropheny1)-3,4-dihydro-1 <u>H</u> -thioxanthene-1,9(2 <u>H</u>)dione	8	1 1979	239
2516 (BJ-58401)	3-(2,4-Dichlorophenyl)-3,4-dihydro- 9,10-dihydroxy-1(2 <u>H</u>)anthracenone	9	 1980 	150
2559 (BJ-82569)	3-(2,4-Dichloropheny1)-1-hydroxy- 9,10-anthracenedione	9	 1980 	153

AM Number	Name	Annual Report Number	Year	Page
2575 (BJ-83477)	3-(2,4-Dichlorophenyl)-1-[[3- (dimethylamino)propyl]imino]-1,2,3,4- tetrahydro-9,10-anthracenediol	l 9 	 1980 	 155
2517 (BJ-58572)	7-Chloro-2-(2,4-dichlorophenyl)-2,3- dihydro-1 <u>H</u> -phenothiazin-4(10 <u>H</u>)-one) 9 	1980	157
2524 (BJ-59266)	7-Chloro-2-(2,4-dichloropheny1)-2,3-dihydro-10 <u>H</u> -phenothiazin-4(1 <u>H</u>)-one, 5-oxide	9 	1980	1 152
2518 (BJ-58581)	7,8-Dichloro-3-(2,4-dichlorophenyl)- 2,3,4,5,10,11-hexahydro-11-phenyl-1H- dibenzo[b,e][1,4]diazepin-1-one, hydrochloride (10:9), hydrate (5:1)	9 	1980 	 161
2667 (BK-16239)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,2,3,4-tetrahydro-4,9-acridinediol- 4-acetate	 11 	 1982 	 79
2694 (BK-21203)	7-Chloro-3-(2,4-dichlorophenyl)-1- [[3-(dimethylamino)propyl]imino]- 1,2,3,4-tetrahydro-4,9-acridinediol, hydrate (10:1)	 11 	 1982 	81
2732	(S)-7-Chloro-3-(2,4-dichlorophenyl)- l-[[3-(dimethylamino)propyl]imino-9- acridinol	1 1 1	 1982 	 83
2733	(R)-7-Chloro-3-(2,4-dichlorophenyl)- l-[[3-(dimethylamino)propyl]imino-9- acridinol	! ! 11 !	 1982 	 85
2618B	(R)-7-Chloro-3-(2,4-dichlorophenyl)- 3,4-dihydro-1,9(2H,10H)acridinedione	{ 11 	 1982 	} 87
2619B	(S)-7-Chloro-3-(2,4-dichlorophenyl)- 3,4-dihydro-1,9(2 <u>H</u> ,10 <u>H</u>)acridinedione	 11 	 1982 	 89

VI. Basically Substituted Trichloromethylheterocycles

A. 2-Aryl-4-amino-6-(trichloromethyl)pyrimidines

AM Number	 Name	Annual Report Number	 Year	 Page
1707 (BE-58732)	4-(Methyl-1-piperazinyl)-2-(4-nitro- phenyl)-6-(trichloromethyl)pyrimidine, hydrochloride (1:0.7), hydrate (1:0.7)	4	 1975 	237
1715 (BE-76374)	N,N-Dimethyl-N'-[2-(4-nitrophenyl)- 6-(trichloromethyl)-4-pyrimidinyl]- 1,3-propanediamine, hydrochloride (1:1.3), hydrate (1:0.35)	4	 1975 	240
1753 (BG-01046)	4-(4-Methyl-1-piperazinyl)-6-(tri- chloromethyl)-2-[(3-trifluoromethyl)- phenyl]pyrimidine, hydrochloride (1:0.9), hydrate (1:0.4)	4	 1975 	241
1762 (BG-03933)	N,N-Dimethyl-N'-[6-(trichloromethyl)- 2-[3-(trifluoromethyl)phenyl]-4- pyrimidinyl]-1,3-propanediamine	4	1975 	 244
1810 (BG-32185)	4-(4-Methyl-1-piperazinyl)-6-(tri- chloromethyl)-2-[(4-trifluoromethyl)- phenyl]pyrimidine	4	 1975 	246
1813 (BG-37975)	2-(3,4-Dichlorophenyl)-4-(4-methyl- l-piperazinyl)-6-(trichloromethyl)- pyrimidine	4	1975	249
1818 (BG-37519)	4-(4-Methyl-1-piperazinyl)-2-(2- naphthalenyl)-6-(trichloromethyl)- pyrimidine	4	 1975 	250
1852 (BG-44621)	N^1,N^1 -Dimethyl-N2-[2-(2-naphthalenyl)- 6-(trichloromethyl)-4-pyrimidinyl]- 1,2-propanediamine, compound with 2-propanol (1:0.2), hydrochloride (1:1.1)	5	1976	232
1853 (BG-44630)	N,N-Diethyl-N'-methyl-N'-[2-(2- naphthalenyl)-6-(trichloromethyl)-4- pyrimidinyl]-1,2-ethanediamine, mono- hydrochloride	5	1976	234

AM Number	Name	Annual Report Number	 Year	Page
1858 (BG-46732)	N,N-(Dimethyl)-N'-methyl-N'-[2-(2- naphthalenyl)-6-(trichloromethyl)-4- pyrimidinyl]-1,2-ethanediamine	5	 1976 	 236
1863 (BG-46787)	N ² ,N ² -Dimethyl-N ¹ -[2-(2-naphthalenyl)- 6-(trichloromethyl)-4-pyrimidinyl]- 1,2-propanediamine	5	 1976 	 238
1868 (BG-47346)	N,N-Dimethyl-N'-ethyl-N'-[2-(2- naphthalenyl)-6-(trichloromethyl)-4- pyrimidinyl]-1,2-ethanediamine, mono- hydrochloride	5	1976	239
1881 (BG-56603)	N,N,N'-Triethyl-N'-[2-(2- naphthalenyl)-6-(trichloromethyl)-4- pyrimidinyl]-1,2-ethanediamine, mono- hydrochloride	5	1976	241
1898 (BG-58303)	N ² -[2-(3,4-Dichlorophenyl)-6-(tri- chloromethyl)-4-pyrimidinyl]-N ¹ ,N ¹ - diethyl-1,2-propanediamine, compound with ethanol (1:0.17)	5	1976	243
1907 (BG-60750)	N ¹ -[2-(3,4-Dichlorophenyl)-6-(tri- chloromethyl)-4-pyrimidinyl]-N ² ,N ² - dimethyl-1,2-propanediamine	5	1976	244
1908 (BG-60769)	2-(3,4-Dichlorophenyl)-N-(1-ethyl-3- piperidinyl)-6-(trichloromethyl)-4- pyrimidinamine, ethanedioate (1:1), compound with ethanol (1:0.3)	5	1976	245
1909 (BG-60778)	N-[2-(3,4-Dichlorophenyl)-6-(tri- chloromethyl)-4-pyrimidinyl]-N',N'- diethyl-N-methyl-1,2-ethanediamine	5	1976	247
1915 (BG-60830)	2-(3,4-Dichlorophenyl)-N-[4-(1- pyrrolidinyl)butyl]-6-(trichloro- methyl)-4-pyrimidinamine, compound with ethanedioic acid (1:1)	5	1976	248



B. 2-(Aminoalkylamino)-4-aryl-6-(trichloromethyl)pyrimidines

AM Number	Name	Annual Report Number	Year	Page
1675 (BE-66734)	4-(3,4-Dichlorophenyl)-2-(4-methyl-1- piperazinyl)-6-(trichloromethyl)- pyrimidine	3	1974	295
1678 (BE-66761)	2-(4-Methyl-1-piperazinyl)-6-(2- naphthalenyl)-4-(trichloromethyl)- pyrimidine, monohydrochloride, compound with 2-propanol (1:0.45)	3	1974	297
1684 (BE-67099)	4-(4-Chlorophenyl)-2-(4-methyl-1- piperazinyl)-6-(trichloromethyl)- pyrimidine, monohydrochloride	4	1975	253
1685 (BE-67106)	N'-[4-(3,4-Dichlorophenyl)-6-(tri- chloromethyl)-2-pyrimidinyl]-N,N- diethyl-1,3-propanediamine, mono- hydrochloride, compound with 2-propanol (1:1)	4	1975	255
1695 (BE-58205)	N,N-Dimethyl-N ¹ -[4-(trichloromethyl)- 6-(2-naphthalenyl)-2-pyrimidinyl]- l,4-butanediamine, monohydrate, l.l hydrochloride	4	1975	256
1696 (BE-58214)	N-[2-(1-Methyl-2-pyrrolidinyl)ethyl]- 4-(2-naphthalenyl)-6-trichloromethyl)- 2-pyrimidinamine	4	1975	257
1698 (BE-58545)	4-(3,4-Dichlorophenyl)-N-[3-(1- pyrrolidinyl)propyl]-6-(trichloro- methyl)-2-pyrimidinamine	4	1975	258
1703 (BE-58698)	4-(2-Naphthalenyl)-N-[3-(1-pyr- rolidinyl)propyl]-6-(trichloromethyl)- 2-pyrimidinamine, 1.64 hydrochloride, 1.4 hydrate	4	1975	259
1718 (BE-76409)	4-(3,4-Dichlorophenyl)-N-[2-(1-methyl- 2-pyrrolidinyl)ethyl]-6-(trichloro- methyl)-2-pyrimidinamine	4	1975 	260

		Annual	1	
AM Number	Name	Report Number	Year	Page
1719 (BE-76418)	4-(4-Chlorophenyl)-N-[2-(1-methyl-2-pyrrolidinyl)ethyl]-6-(trichloro-methyl)-2-pyrimidinamine	4	1975	261
1720 (BE-76427)	N,N-Dimethyl-N'-[4-(2-naphthalenyl)-6-(trichloromethyl)-2-pyrimidinyl]-1,3-propanediamine	} 4 	1975	262
1730 (BE-79857)	N ¹ -[4-(4-Chlorophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N ² ,N ² - dimethyl-1,2-propanediamine	 4 	1975	263
1731 (BE-79866)	N ¹ -[4-(3,4-Dichlorophenyl)-6-(tri- chloromethyl)-2-pyrimidinyl]-N,N- diethyl-1,2-ethanediamine	4	1975	264
1732 (BE-79875)	N ¹ -[4-(4-Chlorophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N,N-diethyl- l,2-ethanediamine	4	1975	265
1733 (BE-79884)	4-(3,4-Dichlorophenyl)-N-[(1-ethyl-4- piperidinyl)methyl]-6-(trichloro- methyl)-2-pyrimidinamine	 4 	 1975 	266
1734 (BE-79893)	4-(4-Chlorophenyl)-N-[(1-ethyl-4- piperidinyl)methyl]-6-(trichloro- methyl)-2-pyrimidinamine	4	1975	267
1735 (BE-79900)	N,N-Diethyl-N'-[4-(2-naphthalenyl)- 6-(trichloromethyl)-2-pyrimidinyl]- l,2-ethanediamine	4 	1 1975 	268
1736 (BE-79919)	N,N-Diethyl-N'-[4-(2-naphthalenyl)-6- (trichloromethyl)-2-pyrimidinyl]- 1,3-propanediamine	 4 	1 1975 	269
1758 (BG~03899)	N-[(1-Ethyl-4-piperidinyl)methyl]- 4-(2-naphthalenyl)-6-(trichloro- methyl)-2-pyrimidinamine	 4 	1975	 270
1763 (BG-03942)	N,N-Dimethyl-N'-[4-(2-naphthalenyl)- 6-(trichloromethyl)-2-pyrimidinyl]- 1,2-ethanediamine	 4 	 1975 	271

			1	
AM Number	Name	Annual Report Number	Year	Page
1921 (BG-63475)	N,N-Diethyl-N'-[4-(4-methoxyphenyl)- 6-(trichloromethyl)-2-pyrimidinyl]- l,2-ethanediamine, compound with ethanol (1:0.1), hydrate (1:0.1)	5	1976	250
1928 (BG-63546)	N,N-Diethyl-N'-[4-(4-methoxyphenyl)- 6-(trichloromethyl)-2-pyrimidinyl]- N'-methyl-1,2-ethanediamine, mono- hydrochloride	5	1976	253
1935 (BG-66878)	N'-[4-(3-Bromophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N,N-diethyl- 1,2-ethanediamine, ethanedioate (1:1)	5	 1976 	254
1936 (BG-66887)	N,N-Diethyl-N'-[4-(trichloromethyl)- 6-[3-(trifluoromethyl)phenyl]-2- pyrimidinyl]-1,2-ethanediamine, ethanedioate (1:1.1)	5	1976 	257
1937 (BG-66896)	N-[4-(3-Bromophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N',N'-diethyl- N-methyl-1,2-ethanediamine, ethane- dioate (1:1.15)	5	1976	260
1938 (BG-66903)	N'-[4-(3-Bromophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N,N-dimethyl- l,3-propanediamine, hydrate (1:0.1)	5	1 1976 	 262
1943 (BG-70505)	N ¹ -[4-(4-Methoxyphenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N ² ,N ² -dimethyl- 1,2-propanediamine	5	 1976 	 263
1945 (BG-70523)	N,N-Diethyl-N'-methyl-N'-[4-(tri- chloromethyl)-6-[3-(trifluoromethyl)- phenyl]-2-pyrimidinyl]-1,2-ethane- diamine, ethanedioate (1:1.55) hydrate (1:0.34)	5	1976 	264 264
1950 (BG-70970)	N'-[4-(3-Methoxyphenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N,N-dimethyl- 1,3-propanediamine, dihydrochloride, hydrate (1:1.3)	5	 1976 	 266

AM Number	Name	Annual Report Number	 Year	Page
1955 (BG-71020)	N^1 -[4-(3-Methoxypheny1)-6-(trichloro- methyl)-2-pyrimidiny1]- N^2 , N^2 -dimethyl- l,2-propanediamine, ethanedioate (1:1.5), hydrate (1:0.22)	5	 1976 	268
1960 (BG-72456)	N ¹ -[4-(4-Fluorophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N ² ,N ² -dimethyl- 1,2-propanediamine, hydrochloride (1:1.1)	5	1976 	271
1961 (BG-72465)	N,N-Diethyl-N'-[6-(trichloromethyl)- 4-[4-(trifluoromethyl)phenyl]-2- pyrimidinyl]-l,2-ethanediamine, mono- hydrochloride	5	 1976 	274
1962 (BG-72474)	N,N-Diethyl-N'[4-(3-methoxyphenyl)- 6-(trichloromethyl)-2-pyrimidinyl]- N'-methyl-1,2-ethanediamine, hydro- chloride (1:1.1)	5	 1976 	276
1963 (BG-72483)	4-(4-Fluorophenyl)-2-(4-methyl)-1- piperazinyl)-6-(trichloromethyl)- pyrimidine	5	 1976 	278
1964 (BG-72492)	4-(4-Fluorophenyl)-N-[2-(1-methyl- 2-pyrrolidinyl)ethyl]-6-(trichloro- methyl)-2-pyrimidinamine	 5 	 1976 	 279
1969 (BG-74969)	N'-[4-(4-Fluorophenyl)-6-(trichloro- methyl)-2-pyrimidinyl]-N,N-dimethyl- l,4-butanediamine, salt with ethane- dioic acid (1:1)	5	1976 	280
1984 (BG-81508)	2-(4-Methyl-1-piperazinyl)-4-(tri- chloromethyl)-6-[4-(trifluoromethyl)- phenyl]pyrimidine	 5 	 1976 	 282
1985 (BG-81517)	N,N-Dimethyl-N'-[4-(trichloromethyl)- 6-[4-(trifluoromethyl)phenyl]-2- pyrimidinyl]-1,3-propanediamine, monohydrochloride, hydrate (1:0.13)	5	 1976 	283
1986 (BG-81526)	N,N-Diethyl-N'-methyl-N'-[4-(tri- chloromethyl)-6-[4-(trifluoromethyl)- phenyl]-2-pyrimidinyl]-1,2-ethane- diamine, monohydrochloride, mono- hydrate	 5 	1976 	 284

C. 4-(Aminoalkylamino)-6-aryl-2-(trichloromethyl)pyrimidines

AM Number	Name	Annual Report Number	Year	Page
1801 (BG-22143)	2-Methyl-4-(4-methyl-1-piperazinyl)- 6-phenylpyrimidine, hydrochloride (1:2.06), hydrate (1:0.65), compound with 2-propanol (1:0.04)	4	1975	272
1802 (BG-22152)	N,N-Dimethyl-N'-(2-methyl-6-phenyl- 4-pyrimidinyl)-1,3-propanediamine, hydrochloride (1:2.03), hydrate (1:1.05), compound with 2-propanol (1:0.1)	4	1975	275
1803 (BG-22161)	N,N-Diethyl-N'-(2-methyl-6-phenyl-4- pyrimidinyl)-1,2-ethanediamine, hydrochloride (1:2.04), hydrate (1:1.01)	4	1975	276
1804 (BG-22170)	N-[(1-Ethyl-4-piperidinyl)methyl]-2- methyl-6-phenyl-4-pyrimidinamine, hydrate (1:0.2), compound with oxalic acid (1:2.07)	4	1975 	278
1807 (BG-32158)	N-[3-[(Diethylamino)methyl]-4- methoxyphenyl]-2-methyl-6-phenyl-4- pyrimidinamine	 4 	1975	279

D. 2-(Aminoalkylamino)-4-(trichloromethyl)-pyrimidines

AM Number	Name	Annual Report Number	Year	 Page
1771 (BG~10652)	2-(4-Methyl-l-piperazinyl)-4-(tri- chloromethyl)pyrimidine	 4 	1975.	281
1775 (BG-11551)	4-(Trichloromethyl)-N-[(1-ethyl-4- piperidinyl)methyl]-2-pyrimidinamine	 4 	1975 1975	283
1776 (BG-11560)	N-[2-(1-Methyl-2-pyrrolidinyl)ethyl]- 4-(trichloromethyl)-2-pyrimidinamine	4 	1975	284
1828 (BG-41522)	N-(3,4-Dichlorophenyl)-4-(trichloro- methyl)-2-pyrimidinamine	4	1975	285
1829 (BG-41531)	N-[3-[(Diethylamino)methyl]-4- methoxyphenyl]-4-(trichloromethyl)- 2-pyrimidinamine	4	1975 	286
1847 (BG-44578)	N,N-Diethyl-N'-[4-(trichloromethyl)- 2-pyrimidinyl]-1,2-ethanediamine, compound with 2-propanol (1:0.05), hydrochloride (1:1.95)	5	1976	286
1869 (BG-47355)	N-[3-(1-Pyrrolidiny1)propy1]-4- (trichloromethy1)-2-pyrimidinamine, compound with ethanol (1:0.1), hydrate (1:1.3), hydrochloride (1:1.95)	5	1976 	287
1872 (BG-56014)	N,N-Dimethyl-N'-[4-(trichloromethyl)- 2-pyrimidinyl]-1,3-propanediamine, hydrate (1.0:9), hydrochloride (1:1.95)	5 	1976 	288
1877 (BG-56569)	N-(1-Ethyl-3-piperidinyl)-4-(tri- chloromethyl)-2-pyrimidinamine, mono- hydrochloride	5	1976	289
1893 (BG-58250)	N ² ,N ² -Dimethyl-N ¹ -[4-(trichloro- methyl)-2-pyrimidinyl]-1,2-propane- diamine, salt with ethanedioic acid (1:1.05)	 5 	 1976 	290

E. (Aminoalkylamino)anilino(trichloromethyl)pyrimidines

AM Number	Name	Annual Report Number	Year	Page
1800 (BG-22134)	N-(3,4-Dichlorophenyl)-4-(4-methyl- l-piperazinyl)-6-(trichloromethyl)- 2-pyrimidinamine	4	 1975 	 287
1812 (BG-37966)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[3-(1- pyrrolidinyl)propyl]-6-(trichloro- methyl)-2,4-pyrimidinediamine, hydrate (1:0.29)	4	1975 	289



F. 4-(Aminoalkylamino)-2-anilino-6-(trichloromethyl)pyrimidines

AM Number	Name	Annual Report Number	Year	 Page
1854 (BG-46698)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[2-(di- ethylamino)ethyl]-6-(trichloromethyl)- 2,4-pyrimidinediamine, dihydro- chloride	5	 1976 	 291
1855 (BG-46705)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[2-(1- methyl-2-pyrrolidinyl)ethyl]-6- (trichloromethyl)-2,4-pyrimidine- diamine, dihydrochloride, hydrate (1:1.1)	5	 1976 	293
1857 (BG-46723)	N ² -(3,4-Dichloropheny1)-N ⁴ -[2-(di- methylamino)-l-methylethyl]-6-(tri- chloromethyl)-2,4-pyrimidinediamine	5	 1976 	 295
1866 (BG-47328)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[2-(di- methylamino)propyl]-6-(trichloro- methyl)-2,4-pyrimidinediamine, compound with 2-propanone (1:0.2), dihydrochloride	5	1976 	297
1874 (BG-56032)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[3-(di- methylamino)propyl]-6-(trichloro- methyl)-2,4-pyrimidinediamine, dihydrochloride	5	 1976 	 299
1914 (BG-60821)	N ² -(3,4-Dichlorophenyl)-N ⁴ ~(1-ethyl- 3-piperidinyl)-6-(trichloromethyl)- 2,4-pyrimidinediamine, hydrochloride (1:1.9)	5	 1976 	 300
1916 (BG-60849)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[4- (diethylamino)cyclohexyl]-6-(tri- chloromethyl)-2,4-pyrimidinediamine, dihydrochloride, hydrate (1:0.8)	5	 1975 	 301



G. 2-[(Aryl and benzyl)thio]-4-amino-6-(trichloromethyl)-striazines and 2-amino-4-[(aryl and benzyl)thio]-6-(trichloromethyl)pyrimidines

AM Number	Name	Annual Report Number	Year	Page
1823 (BG-37564)	2-[{(4-Chlorophenyl)methyl}thio]-4-methyl-6-(4-methyl-1-piperazinyl)-pyrimidine, compound with ethanedioic acid (1:1)	4	 1975 	291
1842 (BG-44489)	4-Methyl-2-[(4-nitrophenyl)thio]- pyrimidine	4	1975	293
1843 (BG-44498)	4-Methyl-2-[[4-nitro-3-(trifluoro-methyl)phenyl]thio]pyrimidine	4	1975	294
1844 (BG-44505)	2-[[(4-Chlorophenyl)methyl thio]- 4-methylpyrimidine, hydrochloride (1:0.95)	4	1975	295
1848 (BG-44587)	4-[(4-Methyl-2-pyrimidinvl)thio]-2- (trifluoromethyl)benzenamine	5	1976	314
1861 (BG-46769)	4-[(4-Methyl-2-pyrimidinyl)thio- benzenamine	5	1 1976 	315
1864 (BG-46796)	4-(Trichloromethyl)-2-[(4-nitro- phenyl)thio]pyrimidine	5	1976	316
1878 (BG-56578)	N,N-Diethyl-N'-[2-[[4-nitro-3-(tri- fluoromethyl)phenyl]thio]-6-(tri- chloromethyl)-4-pyrimidinyl]-1,2- ethanediamine, monohydrochloride	5	 1976 	317
1879 (BG-56587)	N,N-Diethyl-N'-[6-methyl-2-[[4- nitro-3-(trifluoromethyl)phenyl]thio]- 4-pyrimidinyl]-1,2-ethanediamine, hydrochloride (1:2.1)	5	 1976 	319
1897 (BG-58296)	N,N-Diethyl-N'-[2-[(4-nitrophenyl)- thio]-6-(trichloromethyl)-4- pyrimidinyl]-1,2-ethanediamine, mono- hydrochloride	5	1976 	321
1951 (BG-70989)	N'-[2-[[(4-Chlorophenyl)thio]methyl]- 6-methyl-4-pyrimidinyl]-N,N-diethyl- l,2-ethanediamine, ethanedioate (1:1.9), hydrate (1:0.43)	5	 1976 	323

H. N-oxides of Basically Substituted (Trichloromethyl)heterocycles

AM Number	Name	Annual Report Number	Year	Page
1814 (BG-37984)	N'-[7-Chloro-2-(trichloromethyl)-4- quinazolinyl]-N,N-diethyl-1,2-ethane- diamine, N-oxide, hemihydrate	4	1975	297
1830 (BG-41540)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[2-(di- methylamino)propyl]-6-(trichloro- methyl)-1,3,5-triazine-2,4-diamine, N ^w -oxide compound with dichloromethane (0:0.1)	4	1975	299
1850 (BG-44603)	4,6-Bis-(trichloromethyl)-N-[3-(1- pyrrolidinyl)propyl]-2-pyrimidinamine, N-oxide	5	1976	303
1851 (BG-44612)	N ² -(3,4-Dichlorophenyl)-N ⁴ -[1-(1- ethyl-4-piperidinyl)ethyl]-6-(tri- chloromethyl)-1,3,5-triazine-2,4- diamine, N-oxide, compound with ethyl acetate (1:0.2)	5	1976	305

I. l-(Aminoalkylamino)-4-(trichloromethyl)phthalazines

AM Number	Name	Annual Report Number	Year	 Page
1885 (BG-56649)	l-Methyl-4-(4-methyl-1-piperaziny1)- phthalazine, hydrochloride (1:2.03)	5	1976	307
1970 (BG-74978)	N ² ,N ² -Dimethyl-N ¹ -(4-methyl-1- phthalazinyl)-1,2-propanediamine, dihydrochloride, hydrate (1:0.75)	5	1976	309
1971 (BG-74987)	4-Methyl-N-[3-(1-pyrrolidinyl)propyl]- 1-phthalazinamine, dihydrochloride, hydrate (1:1.25)	5	1976	311
1997 (BG-81848)	N,N-Diethyl-N'-(4-methyl-l- phthalazinyl)-1,2-ethanediamine, dihydrochloride, hydrate (1:1.67)	5	1976	313

VII. Miscellaneous Classes

A. 5,5-Bis(Benzyl)-2-(Aryl and Heterocyclic)-1,4,5,6-tetrahydro-pyrimidines

AM Number	Name	Annual Report Number	Year	Page
995	5,5-Bis(3,4-dichlorobenzyl)-1,4,5,6-tetrahydro-2-(4-pyridyl)pyrimidine, sesquihydrochloride	2	1973	386
1446 (BD-25443)	5,5~Bis(3,4-dichlorobenzyl)tetra- hydro-2(1H)pyrimidinethione	2	1973	389
1462 (BD-09725)	6,6-Bis(3,4-dichlorophenyl)-6,7-di- hydro-3-(o-methoxyphenyl)-5H-thia- zolo[3,2-a]pyrimidine, 1.05 f wt hydrobromide	2	1973	390
1472 (BD-26128)	3-(4-Chlorophenyl)-6,6-bis[(3,4-di-chlorophenyl)methyl]-6,7-dihydro-5H-thiazolo[3,2-a]pyrimidine, 0.7 f wt acetonitrile of crystallization, monohydrobromide	2	1973	392
1561 (BD-57892)	2-[6,6-Bis[(3,4-dichlorophenyl)-methyl]-6,7-dihydro-5R-thiazolo-[3,2-a]pyrimidin-3-yl]phenol, mono-hydrobromide	3	1974	201
1571 (BE-10545)	2,2-Bis[(3,4,5-trimethoxyphenyl)- methyl]propanedinitrile	3	1974	203
1582 (BE-11855)	2,2-Bis(2-naphthalenylmethyl)-1,3- propanediamine	3	1974	204
1596 (BD-99130)	2,2-Bis[(3,4,5-trimethoxyphenyl)- methyl]-1,3-propenediamine, dihydro- chloride	3	1974	205
1598 (BD-99158)	1,4,5,6-Tetrahydro-5,5-bis(2- naphthalenylmethyl)-2-(4-pyridinyl)- pyrimidine, hydrochloride (1:1.9), hydrate (1:1.4)	3	1974	207



AM Number	Name	Annual Report Number	Year	Page
1612 (BE-14570)	2-[[5,5-Bis(3,4-dichlorophenyl)- methyl]-1,4,5,6-tetrahydro-2- pyrimidinyl]pyrazine, dihydrochloride	3	1974	208
1624 (BE-15184)	5,5-Bis[(3,4-dichlorophenyl)methyl]- 1,4,5,6-tetrahydro-2-thienyl- pyrimidine, monohydrochloride, monohydrate	3	1974	209
1625 (BE-16565)	2-(3,4-Dichlorophenyl)-5,5-bis[(3,4-dichlorophenyl)methyl]-1,4,5,6-tetra-hydropyrimidine, monohydrochloride	3	1974	210
1687 (BE-67124)	2-[(4-Chlorophenyl)methyl]-5,5-bis- [(3,4-dichlorophenyl)methyl]-1,4,5,6- tetrahydropyrimidine, monohydro- chloride	4	1975	378



B. Guanidines

1. l-Aryl-3-(1-alkyl-4,5-dioxo-2-imidazolidinylidene)guanidines

AM Number	Name	Annual Report Number	Year	Page
1172 (AY-98947)	l-(p-Chlorophenyl)-3-(l-isopropyl- 4,5-dioxo-2-imidazolidinylidene)- guanidine	1	1972	372
1178 (AY-99551)	l-(3,4-Dichlorophenyl)-3-(1-iso- propyl-4,5-dioxo-2-imidazolidinyl- idene)guanidine	1	1972	374
1562 (BD-59001)	N-(4-Chlorophenyl)-N'-(4,5-dioxo-l- propyl-2-imidazolidinylidene)guanidine	3	1974	178
1577 (BE-11168)	N-(4-Chlorophenyl)-N'-(4,5-dioxo-2- imidazolidinylidene)guanidine	3	1974	180
1578 (BE-11177)	N-(4-Chlorophenyl)-N'-(1-ethyl-4,5- dioxo-2-imidazolidinylidene)guanidine	3	1974	181
1579 (BE-11186)	6-[(4-Chlorophenyl)amino]-4-(n- propylamino)-1,3,5-triazine-2- carboxylic acid, methyl ester	3	1974	183
1584 (BE-12290)	l-(4-Chlorophenyl)-tetrahydro-4,6- diimino-1,3,5-triazin-2(l <u>H</u>)-one	3	1974	184
1585 (BE-12307)	N,N'''-(1,2-Dioxo-1,2-ethanediyl)bis- [N'-(5-chloro-1H-benzimidazo1-2-yl)- guanidine], compound with N,N- dimethylformamide (1:1)	3	1974	185
1586 (BE-12316)	N-(4-Chlorophenyl)-N'-(1,4,5,6-tetra- hydro-4-oxo-2-pyrimidinyl)guanidine	3	1974	186
1587 (BE-12325)	N-(4-Chlorophenyl)-N'-[1,4,5,6-tetra-hydro-l-methyl-4 (and 6) -oxo-2-pyrimidinyl]guanidine	3	1974	187
1588 (BE-12610)	N'-(4-Chlorophenyl)-N,N''-dimethyl- imidodicarbonimidicdiamide, mono- hydrochloride	3	1974	189



				
AM Number	Name	Annual Report Number	Year	Page
1589 (BE-12629)	N-(4-Chlorophenyl)-N'-[imino[(1-methylethyl)amino]methyl]thiourea	3	1974	191
1590 (BE-12638)	N''-(4-Chlorophenyl)-N,N-dimethyl- N'-(1-methylethyl)imidodicarbon- imidodiamide, dihydrochloride	3	1974	193
1592 (BE-12656)	2-[[[(4-Chlorophenyl)amino]imino- methyl]imino]-5,5-diphenyl-4- imidazolidinone	3	1974	194
1600 (BD-99176)	l-(4-Chlorophenyl)tetrahydro-4,6- diimino-3-(1-methylethyl)-1,3,5- triazin-2(1 <u>H</u>)-one	3	1974	195
	or			
1600 (BD-99176)	1-(4-Chlorophenyl)tetrahydro-6- imino-4-[(1-methylethyl)imino]- 1,3,5-triazin-2(1 <u>H</u>)-one	3	1974	195
1601 (BD-99185)	N-(4-Chlorophenyl)-N'-[1 (and 3)- (1-methylethyl)-1 (and 3), 4,5,6- tetrahydro-4-oxo-2-pyrimidinyl]- guanidine	3	1974	196
1602 (BD-99194)	N-(4-Chlorophenyl)-N'-[1 (or 3)- (1-methylethyl)-4-oxo-5,5-diphenyl-2- imidazolidinylidene]guanidine	3	1974	197
1608 (BE-13984)	<pre>l-[(4-Chlorophenyl)]-2-[[(dimethyl- amino)iminomethyl]imino]-4,5- imidazolidinedione</pre>	3	1974	198
1633 (BE-17366)	(p-Methoxyphenyl)guanidine, mono- nitrate	3	1974	200

2. [(Benzylidene)amino]guanidines

		Annual		
AM Number	Name	Report Number	Year	Page
1173 (AY-98956)	1,3-Bis[(p-chlorobenzylidene)amino]- guanidine	1	1972	399
1176 (AY-99533)	<pre>l-[(p-Chlorophenyl)amino]-3-[(p- chlorobenzylidene)amino]guanidine</pre>	1	1972	401
1185 (AY-99622)	1,2,3-Tris[(p-chlorobenzylidene)- amino]guanidine, monohydrate	1	1972	402
1186 (BB-40379)	1,2,3-Tris[(3,4-dichlorobenzylidene)- amino]guanidine	1	1972	404
1865 (BG-47319)	2,2'-Bis[(4-fluorophenyl)methylene]- carbonimidic dihydrazide, monohydro- chloride	5	1976	450
1876 (BG-56050)	2,2'-Bis[1-(4-chlorophenyl)ethyl- idene)carbonimidic dihydrazide, mono- hydrochloride	5	1976	451
1884 (BG-56630)	2,2'-Bis[(4-hydroxyphenyl)methylene]- carbonimidic dihydrazide, monohydro- chloride, monohydrate	5	1976	452
1886 (BG-56658)	2,2'-Bis[1-(4-hydroxyphenyl)ethyl- idene]carbonimidic dihydrazide, compound with ethanol (1:0.67), hydrochloride (1:1.1), hydrate (1:0.1)	5	1976	453
1922 (BG-63484)	2-[(4-Hydroxyphenyl)methylene]carbon- imidic dihydrazide monohydrochloride	5	1976	454
1925 (BG-63519)	2,2'-Bis[1-[4-(dimethylamino)phenyl]- ethylidene]carbonimidic dihydrazide, hydrochloride (1:2.3), hydrate (1:2.6)	5	1976	455
1941 (BG-66930)	2,2'-Bis[[4-(acetylamino)phenyl]- methylene]carbonimidic dihydrazide, monohydrochloride, hydrate (1:1.3)	5	1976	456



C. Benzimidazoles

1. 2-[[(Dialkylamino)alkylamino]phenyl]benzimidazoles

AM Number	Name	Annual Report Number	Year	Page
1655 (BE-19717)	5,6-Dichloro-2-[4-(4-methyl- piperazinyl)phenyl]-lH-benzimidazole	3	1974	281
1663 (BE-50236)	4-[4-(5,6-Dichloro-lH-benzimidazol-2-yl)phenyl]-l-piperazineethanol	3	1974	283
1669 (BE-66672)	N-[4-(5,6-Dichloro-1H-benzimidazol-2-yl)phenyl]-N',N'-diethyl-N-methyl-l,2-ethanediamine	3	1974	285
1670 (BE-66681)	N-[4-(5,6-Dichloro-lH-benzimidazol-2-yl)phenyl]-N',N'-diethyl-N-methyl-l,2-ethanediamine, N'-oxide, dihydro-chloride, dihydrate	3	1974	287
1671 (BE-66690)	5,6-Dichloro-2-[4-[4-(1-pyrrolidinyl)- l-piperidinyl]phenyl]-lH-benz- imidazole, monohydrate	3	1974	289
1672 (BE-66707)	5,6-Dichloro-2-[4-[4-(1-piperidinyl)- l-piperidinyl]phenyl]-lH-benz- imidazole, hydrate (1:0.9)	3	1974	291
1674 (BE-66725)	N-[4-(5,6-Dichloro-lH-benzimidazol- 2-yl)phenyl]-N-methyl-l-piperidine- ethanamine, hydrate (1:0.6)	3	1974	293
1686 (BE-67115)	N'-[4-(5,6-Dichloro-lH-benzimidazol- 2-yl)phenyl]-N,N,N'-trimethyl-1,3- propanediamine, monohydrate	4	1975	316
1700 (BE-58563)	5,6-Dichloro-2-(4-hydroxyphenyl)-1H-benzimidazole-1-methanol, monohydro-chloride	4	1975	318
1701 (BE-58572)	N^{1} -[4-(5,6-Dichloro-1H-benzimidazol-2-yl)phenyl]- N^{1} , N^{2} -trimethyl-1,2-propanediamine, dihydrochloride, dihydrate	4	1975	320



AM Number	Name	Annual Report Number	Year	Page
1702 (BE-58581)	5,6-Dichloro-2-[p-[4-[3-(dimethyl-amino)propyl]-l-piperazinyl]phenyl]-benzimidazole, monohydrate	4	1975	322
1714 (BE-72296)	4-(5,6-Dichloro-lH-benzimidazol-2-yl)- 2-[(diethylamino)methyl]phenol, mono- hydrate	4	1975	324
1721 (BE-76436)	5,6-Dichloro-2-[4-(4-ethyl-1- piperazinyl)phenyl]-lH-benzimidazole, monohydrate	4	1975	326
1738 (BE-85720)	5-Chloro-2-[4-(4-methyl-1-piper- azinyl)phenyl]benzothiazole	4	1975	328
1750 (BE-96385)	4-(5,6-Dichloro-lH-benzimidazol-2-yl)- 2-[(diethylamino)methyl]phenol, Nw- oxide, compound with 3-chlorobenzoic acid (1:1)	4	1975 	329
1764 (BG-03951)	5-Chloro-2-[4-[4-(1-piperidiny1)-1- piperidiny1]pheny1]benzothiazole	4	 1975 	330


2. 2-[(Dialkylaminoalkoxy)phenyl]benzimidazoles

AM Number	Name	Annual Report Number	Year	 Page
1187 (BB-40388)	5(6)-Chloro-2-[p-(2-diethylamino- ethoxy)phenyl]benzimidazole	4	 1975 	 382
1208 (BB-42613)	5-Chloro-2-[p-[2-(diethylamino)- ethoxy]phenyl]benzimidazole, 2'~oxide, dihydrochloride	4	1975 	384

3. (2-Benzimidazolyl)guanidines

AM Number	Name	Annual Report Number	Year	Page
647 (BE-15166)	(5-Methyl-2-benzimidazolyl)guanidine	3	1974	239
1626 (BE-16574)	5,6-Dichloro-2-(trichloromethyl)-lH- benzimidazole, 0.5 mole methanol of crystallization	3	1974	240
1628 (BE-16592)	(5-Chloro-lH-benzimidazol-2-yl)- guanidine, monohydrochloride, hydrate (1:0.65)	3	1974	241
1629 (BE-16609)	(4-Nitro-1H-benzimidazol-2-yl)- guanidine, hydrochloride (1:0.95), hydrate (1:0.33)	3	1974	242
1630 (BE-16618)	(6-Chloro-4-nitro-lH-benzimidazol-2-yl)guanidine, monohydrochloride	3	1974	243
1632 (BE-17357)	(lH-Naphth[2,3-d]imidazol-2-yl)- guanidine, monohydrochloride, hydrate (1:0.4)	3	1974	244
1636 (BE-18167)	(5,6-Dimethyl-lH-benzimidazol-2-yl)- guanidine, dihydrochloride, hydrate (1:0.4)	3	1974	245
1637 (BE-18176)	5,6-Dichloro-2-(4,5-dihydro-lH- imidazol-2-yl)-lH-benzimidazole, hemihydrate	3	1974	246
1661 (BE-40218)	(5-Butyl-1H-benzimidazol-2-yl)- guanidine, hydrochloride (1:1.94)	3	1974	247
1662 (BE-50227)	N-(5,6-Dichloro-lH-benzimidazol-2-yl)- N'(l-methylethyl)guanidine, dihydro- chloride	3	1974	250

AM Number	Name	Annual Report Number	Year	Page
1666 (BE-66421)	(5-Benzoyl-lH-benzimidazol-2-yl)- guanidine, hydrochloride (1:1.15), hydrate (1:1.2)	3	1974	252
1673 (BE-68716)	(lH-Fluoreno[2,3-d]imidazo-2-yl)- guanidine, hydrochloride (1:1.05), hemihydrate	3	1974	254
1761 (BG-03924)	N'-(5,6-Dichloro-lH-benzimidazol-2- yl)-N-methyl-N-(l-methylethyl)- guanidine	4	1975	347



AM Number	Name	Annual Report Number	Year	Page
1607 (BE-13975)	l-p-(Bromophenyl)-2-thiourea	3	1974	212
1613 (BE-14589)	(4-Methoxyphenyl)thiourea	3	1974	213
1614 (BE-14598)	N'-(4-Methoxyphenyl)carbamimidothioic acid, methyl ester	3	1974	214
1615 (BE-14605)	[4-(Dimethylamino)phenyl]thiourea	3	1974	215
1619 (BE-14758)	l-(<u>p</u> -Fluorophenyl)-2-thiourea	3	1974	216
1620 (BE-14767)	N'-(4-Fluorophenyl)carbamimidothioic acid, methyl ester	3	1974	217
1621 (BE-14776)	2,2'~(1,2~Ethanediylidene)bis[N'~(4-bromophenyl)hydrazinecarboximidamide]	3	1974	218
1622 (BE-14785)	2,2'-(1,2-Ethanediylidene)bis[N'-(4-methoxyphenyl)hydrazinecarboximidamide	3	1974	220
1623 (BE-15175)	2,2'-(1,2-Ethanediylidine)bis[N'-(4-fluorophenyl)hydrazinecarboximidamide]	3	1974	222
1635 (BE-17384)	2,2'-(1,2-Ethanediylidene)bis[N'-(3-chloro-4-methylphenyl)hydrazine-carboximidamide]	3	1974	224
1641 (BE-18210)	2,2'-(1,2-Ethanediylidene)bis[N'-[4-bromo-3-(trifluoromethyl)phenyl]-hydrazinecarboximidamide]	3	1974	226
1646 (BE-19119)	2,2'-(1,2-Ethanediylidene)bis[N'-[4- (methylthio)phenyl]hydrazinecarbox- imidamide	3	1974	228
1650 (BE-19155)	2,2'-(1,2-Ethanediylidene)bis[N'- [3-(wethylthio)phenyl]hydrazine- carboximidamide]	3	1974	230



AM Number	Name	Annual Report	Year	Page
		Number	Number	
1651 (BE-19673)	2,2'-(1,2-Ethanediylidine)bis[N'-[4- chloro-3-(trifluoromethyl)phenyl]-	3	1974 	232
	hydrazinecarboximidamide]		j !	
1665 (BE-66412)	2,2'-(1,2-Ethanediylidine)bis[N'- (4-chloro-1-naphthalenyl)hydrazine- carboximidamide]	3	1974	234
1668 (BE-66449)	2,2'-(1,2-Ethanediylidene)bis[N'-(3- fluorophenyl)hydrazinecarboximid- amide]	3	1974	237
1682 (BE-67053)	N',3,5-Tris(4-chlorophenyl)-4,5- dihydro-lH-pyrazole-l-carboximidamide, monohydrochloride	4	1975	332
1690 (BE-57280)	2,2'-(1,2-Ethanediylidene)bis[N'-(3- trifluoromethyl)phenyl]hydrazine- carboximidamide, monohydrate, dihydro- chloride	4	1975	334
1691 (BE-57299)	2,2'-(1,2-Ethanediylidene)bis[N'- [4-(trifluoromethyl)phenyl]hydrazine- carboximidamide], dihydrate, dihydro- chloride	4	1975	336
1713 (BE-72287)	2-[(4-Chlorophenyl)amino]-N-(4-chloro- phenyl)-4,5-dihydro-lH-imidazole-l- carboximidic acid, hydrazide	4	1975 	338 338
1722 (BE-79722)	N-(3-Fluorophenyl)-2,4-dihydro-3 <u>H</u> - l,2,4-triazole-3-imine	4	1975	340
1746 (BE-96349)	2,2'-(1,2-Ethanediylidene)bis[N,N-dimethyl-N'-(4-chlorophenyl)hydrazine-carboximidamide	4	1975	341
1747 (BE-96358)	2,2'-(1,2-Ethanediylidene)bis[2',2'- dimethyl-N-(4-chlorophenyl)-carbon- imidic dihydrazide	4	1975 	343
1749 (BE-96376)	2,2'-(1,2-Ethanediylidene)bis[N'- (4-bromophenyl)-N-methylhydrazine- carboximidamide	4	1975	345

E. 1,3-Bis[[4-(hydroxy or alkoxy)-3-(aminomethyl)benzylidene]amino]guanidines, 1,3-bis[[p-{(dialkylamino)alkoxy}benzylidene]amino]guanidines, and 1,3-bis[[4-(aminoalkylamino)benzylidene]amino]guanidines

AM Number	Name	Annual Report Number	Year	Page
1717 (BE-76392)	2,2'-Bis[[4-[3-(diethylamino)propoxy]- phenyl]methylene]carbonimidic dihydrazide	4	1975	348
1726 (BE-79768)	2,2'-Bis[[4-[3-(dimethylamino)-2-methyl]propoxy]phenyl]methylene]-carbonimidic dihydrazide	4	1975	349
1737 (BE-85711)	2,2'-Bis[[4-methoxy-3-[(1-piperidiny1)methyl]phenyl]methylene]-carbonimidic dihydrazide, sesqui-hydrochloride, monohydrate	4	1975	350
1748 (BE-96367)	2,2'-Bis[[4-[2-(dimethylamino)-1-methylethoxy]phenyl]methylene]-carbonimidic dihydrazide, compound with 2-hydroxybenzoic acid (1:3), hydrate (1:1.2)	4	1975	352
1752 (BG-01037)	2,2'-Bis[[4-(4-methyl-1-piperazinyl)-phenyl]methylene]carbonimidic dihydrazide, hydrate (1:0.4)	4	1975	354
1754 (BG-01055)	2,2'-Bis[[4-[3-(1-piperidinyl)- propoxy]phenyl]methylene]carbonimidic dihydrazide	4	1975	356
1765 (BG-03960)	2,2'-Bis[[4-[4-(1-piperidiny1)-1-piperidiny1]phenyl]methylene]-carbonimidic dihydrazide, hydrate (1:0.2)	4	1975	358

AM Number	Name	Annual Report Number	Year	Page
1767 (BG-10616)	2,2'-Bis[[4-[2-(1-pyrrolidinyl)- ethoxy]phenyl]methylene]carbonimidic dihydrazide, sesquihydrate	4	1975	359
1774 (BG-11542)	2,2'-Bis[[3-[(diethylamino)methyl]- 4-hydroxyphenyl]methylene]carbonimidic dihydrazide	4	1975	361
1787 (BG-14392)	N-[[4-Methoxy-3-(1-piperidinylmethyl)-phenyl]methylene]-4H-1,2,4-triazol-4-amine	4	1975	362
1816 (BG-38007)	2,2'-Bis[[4-[[2-(Diethylamino)ethyl]- methylamino]phenyl]methylene]carbon- imidic dihydrazide	4	1975	363
1819 (BG-37528)	2,2'-Bis[[4-[methyl-[2-(1-piper-idinyl)ethyl]amino]phenyl]methylene]-carbonimidic dihydrazide	4	1975	364

F. N, N'-Bis(Dialkylaminoalkyl)-N, N'-dialkyl-p-phenylenediamines

AM Number	Name	Annual Report Number	Year	Page
1181 (AY~99588)	N,N'-Bis[(2-diethylamino)ethyl]-N,N'-dimethyl-p-phenylenediamine, dihydro-chloride	1	1972	386
1191 (BB~40422)	N,N'-Bis[(2-dibutylamino)ethyl]-N,N'-dimethyl-p-phenylenediamine, dihydro-chloride	1	1972	388
1194 (BB-40459)	N,N'-Bis[(3-dimethylamino)propyl]- N,N'-dimethyl-p-phenylenediamine, dihydrochloride	1	1972	390
1202 (BB-41830)	3,3'-[p-Phenylenebis(methylimino)]- bis[l-ethylpiperidine], dihydro- chloride	1	1972	392
1203 (BB-41849)	N,N'-Bis{2-(diethylamino)-l-methyl- ethyl]-N,N ^l -dimethyl- <u>p</u> -phenylene- diamine, 2.33 hydrochloride, 0.6 hydrate	1	1972	394
1209 (BB-42622)	N,N'-Bis[(2-diethylamino]ethyl]-N,N'-dimethyl-p-phenylenediamine, 2'2''-dioxide, tetrahydrochloride	1	1972	396
1223 (BB-44822)	4-[[2-(Diethylamino)ethyl]methyl- amino]-7-nitrobenzofuran	1	1972	398

G. Ureas

1. Amidinoureas

AM Number	Name	Annual Report Number	Year	Page
1233 (BB-44920)	l-Amidino-3-(3-chloro-4-cyanophenyl)- urea, salt with l f wt ethanesulphonic acid	1	1972	375
1297 (BB-49210)	l-Amidino-3-(4-bromo-a,a,a-trifluoro- m-tolyl)urea, monoethanesulfonate	1	1972	377



2. Thioureas

AM Number	Name	Annual Report Number	Year	Page
1255 (BB-46522)	1-Methyl-3-(2-thiazolyl)-2-thiourea	1	1972	406
1258 (BB-47592)	l,1-Diethyl-3-(2-thiazolyl)-2-thio- urea	1	1972	407

3. l-Alkyl-3-(2-thiazolyl)-2-thioureas

AM Number	Name	Annual Report Number	Year	Page
1365 (BC-08581)	l,l-Dipropyl-3-(2-thiazolyl)-2-thio- urea	2	1973	377
1376 (BC-08894)	N-2-Thiazolylthio-l-pyrrolidine- carboxamide	2	1973	378
1377 (BC-08901)	l-[3-(Dimethylamino)propyl]-l-methyl- 3-(2-thiazolyl)-2-thiourea	2	1973	379
1387 (BC-09417)	l-Ethyl-1-(2-hydroxyethyl)-3-(2- thiazolyl)-2-thiourea	2	1973	380
1390 (BC-57002)	4-Methyl-N-2-thiazolylthio-l-piper- azine-carboxamide	2	1973	381
1391 (BC-57011)	l-Butyl-l-methyl-3-(2-thiazolyl)-2-thiourea	2	1973	382
1401 (BC-57128)	1-(3,4-Dichloropheny1)-3-(2- thiazolyl)-2-thiourea	2	1973	383


H. Quinolone Analogs

AM Number	Name	Annual Report Number	Year	Page
2002 (BG-89255)	6-Chloro-1,4-dihydro-1-hydroxy-2- methyl-4-oxo-3-quinolinecarboxylic acid, ethyl ester	5	1976	426
2008 (BG-89317)	3-Acetyl-6-chloro-1-hydroxy-2-methyl- 4(lH)quinolinone, hydrochloride (1:0.23)	5	1976	427
2009 (BG-89326)	3-Acetyl-2-[(acetyloxy)methyl]-6- chloro-4(l <u>H</u>)quinolinone	5	1976	428
2016 (BG-89184)	4-Methylbenzenesulfonic acid, 2-[1- (6-chloro-2,4-dihydro-1-hydroxy-2- methyl-4-oxo-3-quinolinyl)ethylidene]- hydrazide	5	1976	430
2020 (BG-94747)	6-Chloro-1-hydroxy-2-methyl-3-[1- (methylhydrazono)ethyl]-4(1H)- quinolinone, hydrochloride (1:0.1)	5	1976	432
2025 (BG-94792)	3-Acetyl-6-chloro-2-ethyl-1-hydroxy- 4(1H)-quinolinone and 6-chloro-1- hydroxy-2-methyl-3-(1-oxopropyl)- 4(1H)quinolinone	5	1976	433
2036 (BH-07785)	6-Chloro-2-ethyl-l-hydroxy-3-(1-oxo- propyl)-4(1 <u>H</u>)quinolinone	6	1977	403
2037 (BH-07794)	6-Chloro-1-hydroxy-3-(1-oxobuty1)-2- propyl-4(1 <u>H</u>)quinolinone	6	1977	404

I. Intermediates

AM Number	Name	Annual Report Number	Year	Page
1177 (AY-99542)	2-(p-Chlorobenzyl)piperidine	1	1972	410
1274 (BB-48348)	5-Amino-2-[(p-chlorophenyl)thio]- pyridine	1	1972	411
1279 (BB-48811)	2,6-Dimethyl-4(3 <u>H</u>)quinazolinone	1	1972	412
1290 (BB-48928)	p-Chloro-N-propylbenzylamine	1	1972	413
1291 (BB-48937)	3,4-Dichloro-N-methylbenzylamine	1	1972	415
1292 (BB-48946)	p-Chloro-N-ethylbenzylamine	1	1972	416
1298 (BB-49229)	N-Cyclopropyl-p-fluorobenzylamine	1	1972	417
1306 (BC~29357)	m-Bromo-N-methylbenzylamine	1	1972	418
1349 (BC-08125)	3-Chloro-4-oxo- α -phenyl-2,5-cyclo-hexadiene- Δ^1 , α -acetonitrile, oxime	1	1972	419
1358 (BC~50165)	m-Amino-N, N-dimethylbenzamide	2	1973	393
1411 (BC-58492)	N-Methyl-l-naphthalenemethylamine	2	1973	395
1412 (BC-58509)	N-Methyl-2-naphthalenemethylamine	2	1973	396
1464 (BD-26048)	3,4,5-Trimethoxy-N-methylbenzylamine, 0.25 hydrate	2	1973	397

AM Number	Name	Annual Report Number	Year	Page
1516 (BD-55307)	3,4-Dichloro-N-(2-methoxyethyl)- benzenemethanamine	2	1973	398
1532 (BD-55469)	2-Methoxy-N-methyl-l-naphthalene- methanamine	2	1973	399
1534 (BD-55487)	4-Methoxy-N-methyl-l-naphthalene- methanamine	2	1973	400
1539 (BD-57267)	N-Methyl-9H-fluorene-2-methanamine	2	1973	401
1542 (BD-57285)	N-Methyl-9-anthracenemethanamine	2	1973	402
1547 (BD-57338)	N-Methyl-9-phenanthrenemethanamine	2	1973	403
1549 (BD-57570)	3,4-Dichloro-N-(2,2,2-trifluoroethyl)-benzenemethanamine, monohydrochloride	2	1973	404
1548 (BD-57561)	2-[(4-Chlorophenyl)methylene]hydra- zinecarboximidamide, mononitrate	2	1973	405
1389 (BC-56998)	5-Amino-9-nitro-lH-pyrimido[4,5,6-de]-quinazoline	2	1973	406
1564 (BD-59029)	N-(3,4,5-Trimethoxyphenyl)benzene- methanamine, monohydrochloride	3	1974	299
1604 (BD-99210)	N-Methyl-3-(trifluoromethyl)benzene- methanamine, monohydrochloride	3	1974	300




- AM-1170 Thiocarbonic Acid, O-ethyl-S-purin-6-yl ester
- AM-1171 Thiocarbonic Acid, O-methyl-S-purin-6-yl ester
- AM-1172 l-(p-Chlorophenyl)-3-(l-isopropyl-4,5-dioxo-2-imidazolidinylidene)guanidine
- AM-1173 1,3-Bis (p-chlorobenzylidene) amino] guanidine
- AM-1174 Thiocarbonic Acid, O-n-propyl-S-purin-6-yl ester
- AM-1175 Thiocarbonic Acid, O-phenyl-S-purin-6-yl ester
- AM-1176 l-[(p-Chlorobenzyl)amino]-3-[(p-chlorobenzylidene)amino]guanidine
- AM-II77 2-(p-Chlorobenzyl)piperidine
- AM-1178 1-(3,4-Dichlorophenyl)-3-(1-isopropyl-4,5-dioxo-2-imidazolidinylidene)guanidine
- AM-1179 Dithiocarbonic acid, S-ethyl-S-6-purinyl ester
- AM-1180 Thiocarbonic acid, O-n-heptyl-S-purin-6-yl ester
- AM-1181 N,N'-Bis[(2-diethylamino)ethyl]-N,N'-dimethyl-p-phenylenediamine, dihydro-chloride
- AM-1182 2,6-Dibromo-3-nitropyridine
- AM-1183 2,6-Dichloro-3-nitropyridine
- AM-1184 Thiocarbonic acid, 0-3-chloropropyl-Spurin-6-yl ester
- AM-1185 1,2,3-Tris[(p-chlorobenzylidene)amino]guanidine, monohydrate

- AM-1186 1,2,3-Tris[(3,4-dichlorobenzylidene)-amino]guanidine
- AM-1187 5(6)-Chloro-2-[p-(2-diethylaminoethoxy)-phenyl]benzimidazole
- AM-1188 p-[(3-Cyano-4-nitrophenyl)thio]benzoic acid
- AM-1189 2,7-Diaminopyrimido[4,5-d]pyrimidine
- AM-1190 2-Chloro-3-[2-(p-chlorobenzyl)piperidino]-6-nitrobenzonitrile
- AM-1191 N,N'-Bis[(2-dibutylamino)ethyl]-N,N'-dimethyl-p-phenylenediamine, dihydro-chloride
- AM-1192 6-[(3,4-Dichlorobenzyl)methylamino]-3nitropicolinonitrile
- AM-1193 6-(2-Naphthylthio)-3-nitropicolinonitrile
- AM-1194 N,N'-Bis[(3-dimethylamino)propyl]-N,N'-dimethyl-p-phenylenediamine, dihydro-chloride
- AM-1195 2,4,7-Triaminopyrimido[4,5-d]pyrimidine, 1.2 hydr/chloride, 1.4 hydrate
- AM-1196 9-8-D-Arabinofuranosyl-9H-purine-6thiol, triacetate ester
- AM-1197 1,5-bis-2-Dibenzothienylbiguanide, monohydrochloride
- AM-1198 6-Methylpyrido[3,2-d]pyrimidine-2,4-diol, 0.05 hydrate
- AM-1199 6-[(3,4-Dichlorobenzyl)amino]-3-nitropicolinonitrile
- AM-1200 <u>p-[(4-Amino-3-cyanophenyl)thio]benzoicacid</u>
- AM-1201 3-Amino-6-(2-naphthylthio)picolinonitrile
- AM-1202 3,3'-[p-Phenylenebis(methylimino)]bis-[1-ethylpiperidine], dihydmochloride
- AM-1203 N,N'-Bis[2-(diethylamino)-1-methylethyl]-N,N'-dimethyl-p-phenylenediamine, 2.33 hydrochloride, 0.6 hydrate
- AM-1204 2-Chloro-3-[(1,6-dibromo-2-naphthy1)-oxy]-6-nitrobenzonitrile

- AM-1205 (-Chloro-5-[(1,6-dibromo-2-naphthy1)-oxy]anthranilonitrile
- AM-1206 2,4-Diamino-6-(2-naphthylthio)pyrido-[3,2-d]pyrimidine
- AM-1207 p-[(2,4-Diamino-6-quinazoliny1)thio]benzoic acid, monohydrate
- AM-1208 5-Chloro-2-[p-[2-(diethylamino)ethoxy]phenyl]benzimidazole, 2'-oxide, dihydrochloride
- AM-1209 N,N'-Bis[(2-diethylamino)ethyl]-N,N'-dimethyl-p-phenylenediamine, 2',2"-dioxide, tetrahydrochloride
- AM-1210 3-Amino-6-chloropicolinonitrile
- AM-1211 3-Amino-6-[(3,4-dichlorobenzyl)amino]picolinonitrile
- AM-1212 6-(2-Naphthylthio)-2,4(1H,3H)-quinazolinedithione
- AM-1213 2,4-Diamino-6-[(3,4-dichlorobenzyl)-methylamino]pyrido[3,2-d]pyrimidine
- AM-1214 6-(2-Benzylpiperidino)-2,4(1H,3H)-quinazolinedithione
- AM-1215 p-[(2,4-Diamino-6-quinazoliny1)thio]benzoic acid, methyl ester, 0.75 hydrate
- AM-1216 6-[(3,4-Dichlorobenzyl)methylamino]pyrido[3,2-d]pyrimidine-2,4(1H,3H)dithione
- AM-1217 2,4-Diamino-5-chloro-6-[(1,6-dibromo-2-naphthyl)oxy]quinazoline, diacetate
- AM-1218 4-[(7-Chloro-4-quinoly1)amino]- α , α '-bis(diethylamino)-2,6-xylenol
- AM-1219 2,4-Diamino-6-[(p-chlorophenyl)thio]pyrido[3,2-d]pyrimidine
- AM-1220 N', N'"-[6-(2-Naphthylthio)-2,4-quinazolinediyl]-bis[N,N-dimethylformamidine]
- AM-1221 2,4-Diamino-6-[[p-(dimethylamino)-phenyl]thio]pyrido[3,2-d]pyrimidine

- AM-1222 3-Amino-(-[lp-(dimethylamino)phenyl]thio]picolinonitrile
- AM-1223 4-[[2-(Diethylamino)ethyl]methylamino]-7-nitrobenzofurazan
- AM-1224 2,4-Diamino-6-(2-naphthylsulfonyl)pyrido[3,2-d]pyrimidine, 0.86 hydrate
- AM-1225 2,4-Diamino-5-(methylamino)-6-nitro-quinazoline
- AM-1226 p-Chloro-N-(2,4-diamino-6-quinazolinyl)benzamide
- AM-1227 6-[(p-Chlorobenzyl)isopropylamino]-3nitropicolinonitrile
- AM-1228 5-[2-(p-Chlorobenzyl)-1-pyrrolidinyl]-2-nitrobenzonitrile
- AM-1229 6-[2-(p-Chlorobenzyl)piperidino]-3nitropicolinonitrile
- AM-1230 N',N'"-[6-(2-Naphthylsulfonyl)-2,4-quinazolinediyl]-bis[N,N-dimethyl-formamidine], 1/3 f. wt. N,N-dimethyl-formamide of crystallization
- AM-1231 2,4-Diamino-6-[(1,6-dibromo-2-naphthyl)cxy]pyrido[3,2-d]pyrimidine, 0.62 hydrate
- AM-1232 3-(2,4-Diamino-6-quinazolinyl)-3,4dihydro-1,2,3-benzotriazine, 1.5 H₂0
- AM-1233 l-Amidino-3-(3-chloro-4-cyanophenyl)urea, salt with l f. wt. ethanesulphonic acid
- AM-1234 3,4-Dichloro-N-(2,4-diamino-6-quinazolinyl)benzamide, 1/2 f. wt. N,N-dimethylformamide of crystallization, monohydrate
- AM-1235 N'-[2-Amino-6-(2-naphthylthio)-4-quinazolinyl]-N,N-dimethylformamidine, 1/3 f. wt. N,N-dimethylformamide of crystallization
- AM-1236 2-(p-Chlorobenzyl)pyrrolidine, monoacetate

SYNTHESIS OF NEW AGENTS FOR DRUG-RESISTANT MALARIAS(U)
WARNER-LAMBERT CO ANN ARBOR MI L M MERBEL DEC 83
DAND17-79-C-9115 AD-A175 171 UNCLASSIFIED F/G 6/15 NŁ



- AM-1257 2,4-Diamino-5-(dimethylamino)-(-nitroquinazoline
- AM-1238 N'-[2-Amino-6-[(3,4-dichlorophenyl)sulfonyl]-4-quinazolinyl]-N,N-dimethylformamidine
- AM-1239 N', N'"-[6-[(3,4-Dichlorophenyl)sulfonyl]-2,4-quinazolinediyl]bis[N,N-dimethylformamidine]
- AM-1240 2,4-Diamino-6-chloropyrido[3,2-d]pyrimidine, hemihydrate
- AM-1241 2,4-Diamino-6-nitro-5-quinazoline thiol, 0.4 hydrate
- AM-1242 1-(2,4-Diamino-6-quinazolinyl)-3-ethyl-2-thiourea, 0.33 hydrate
- AM-1243 N'-[2-Amino-6-(2-naphthylsulfonyl)-4-quinazolinyl]-N,N-dimethylformamidine
- AM-1244 2,4,6-Ţriamino-5-(dimethylamino)quinazoline, 0.6 hydrate
- AM-1245 N'-[2-Amino-6-[$(\alpha,\alpha,\alpha$ -trifluoro-m-toly1)-thio]-4-quinazoliny1]-N, N-dimethylform-amidine
- AM-1246 3,4-Dichloro-N-(2,4-diamino-5-chloro-6-quinazolinyl)benzamide
- AM-1247 2,4-Diamino-6-nitro-5-quinazoline thiol, sodium salt, 2.3 hydrate
- AM-1248 2,4-Diamino-6-[(p-chlorobenzyl)isopropylamino]pyrido[3,2-d]pyrimidine, l f. wt. acetonitrile of crystallization
- AM-1249 3-(2,4-Diamino-6-quinazolinyl)-1-ethyl-2-methyl-2-thiopseudourea, monohydriodide
- AM-1250 p-Chloro-N-(2,4-diamino-5-chloro-6-quin-azolinyl)benzamide
- AM-1251 2,4-Diamino-6-[(3,4-dichlorobenzyl)amino]-5-(dimethylamino)quinazoline
- AM-1252 6-(2-Benzylpiperidino)-3-nitropicolinonitrile
- AM-1253 N', N'"-(5-Piperonyl-2, 4-pyrimidinediyl)-bis[N, N-dimethylformamidine]

- AM-1254 N', N'''-[6-[(α , α , α -Trifluoro-m-toly1)thio]-2,4-quinazolinediyl]bis[N, N-dimethylform-amidine]
- AM-1255 1-Methyl-3-(2-thiazolyl)-2-thiourea
- AM-1256 2,4-Diamino-6-[2-(p-chlorobenzyl)piperidino]pyrido[3,2-d]pyrimidine, 1 f. wt. ethanol of crystallization, 0.2 hydrate
- AM-1257 2,4,5-Triamino-6-nitroquinazoline, 0.1 hydrate
- AM-1258 1,1-Diethyl-3-(2-thiazolyl)-2-thiourea
- AM-1259 2,4-Diamino-6-(2-benzylpiperidino)pyrido-[3,2-d]pyrimidine, 0.33 hydrate
- AM-1260 8-Bromoadenine
- AM-1261 2,4-Diamino-6-piperidinopteridine, monohydrochloride, 1.8 hydrate
- AM-1262 2,4-Diamino-6-[(3,4-dichlorobenzyl)amino]-pyrido[3,2-d]pyrimidine, 0.18 hydrate
- AM-1263 N-(2,4-Diaminopyrido[3,2-d]pyrimidin-6-yl-N-(3,4-dichlorobenzyl)formamide
- AM-1264 4-Amino-7-(β-D-ribofuranosyl)-7H-pyrrolo-[2,3-d]pyrimidine; Tubercidin
- AM-1265 N-Furfuryladenosine
- AM-1266 9-β-D-Arabinofuranosyl-6-chloro-9H-purine, triacetate
- AM-1267 9-β-D-Arabinofuranosyl-N⁶-cyclohexyladenine
- AM-1268 2,4-Diamino-6- $[(\alpha,\alpha,\alpha-\text{trifluoro-m-tolyl})-\text{thio}]$ pyrido[3,2-d]pyrimidine
- AM-1269 2,4-Diamino-6-[(3,4-dichlorobenzyl)methyl-amino]pteridine
- AM-1270 N-[p-[2,4-Diamino-6-quinazoliny1)thio]-benzoyl]-L-glutamic acid, diethyl ester
- AM-1271 9-β-D-Arabinofuranosyl-N-ethyladenine
- AM-1272 N-Allyl-9-β-D-arabinofuranosyladenine, 0.1 hydrate
- AM-1273 2,4,5,6-Tetraaminoquinazoline, dihydrochloride

- AM-1274, 5-Amino-2-[(p-chlorophenyl)thio]pyridine
- AM-1275 2,4-Diamino-6-[$(\alpha,\alpha,\alpha-\text{trifluoro-m-toly1})-\text{sulfiny1}$]pyrido[3,2-d]pyrimidine, 0.8 hydrate
- AM-1276 2,4-Diamino-6-[$(\alpha,\alpha,\alpha-\text{trifluoro-m-tolyl})$ sulfonyl]pyrido[3,2-d]pyrimidine, 0.2 f. wt. ethanol of crystallization
- AM-1277 N-Furfuryl-N-nitrosoadenosine
- AM-1278 2,4-Diamino-6-[(3,4-dichloro-N-methyl-anilino)methyl]quinazoline, 1 f. wt. dimethylformamide of crystallization
- AM-1279 2,6-Dimethyl-4(3H)-quinazolinone
- AM-1280 2,4-Diamino-6-piperidinopyrido[3,2-d]pyrimidine
- AM-1281 9-B-D-Arabinofuranosyl-N-ethyl-N-nitroso-adenine
- AM-1282 9-β-D-Arabinofuranosyl-N,N-dimethyladenine
- AM-1283 9-B-D-Arabinofuranosyl-N-furfuryladenine
- AM-1284 9-8-D-Arabinofuranosyl-N-cyclohexyl-N-nitrosoadenine
- AM-1285 2,4-Diamino-5-chloro-6-[$(\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)thio]quinazoline
- AM-1286 2,4-Diamino-6-(4-phenyl-2-thiazolyl)quinazoline, 1.5 f.wt. of N,N-dimethylformamide of crystallization, 0.2 hydrate
- AM-1287 N'-{2-Amino-6-[(α , α , α -trifluoro-m-toly1)_thio]pyrido[3,2-d]pyrimidin-4-y1 $\sqrt{-N}$,N-dimethylformamidine
- AM-1288 2,4-Diamino-6-[[(3,4-dichlorobenzyl)methylamino]methyl]quinazoline
- AM-1289 3-Nitro-6-[(4-phenyl-2-thiazolyl)thio]-picolinonitrile
- AM-1290 p-Chloro-N-propylbenzylamine
- AM-1291 3,4-Dichloro-N-methylbenzylamine
- AM-1292 p-Chloro-N-ethylbenzylamine
- AM-1293 Thiocarbonic acid, O-benzyl-S-purin-6-yl

- AM-1294 1-(2,4-Diamino-6-quinazoliny1)-3-(3,4-di-chloropheny1)-2-thiourea, monohydrate
- A: 295 2,4-Diamino-6-[(p-bromo-N-methylanilino)-methyl]quinazoline, 0.7 f.wt. of N,N-dimethylformamide of crystallization
- AM-1296 2,4-Diamino-6-[(3,1-dichlorobenzy1)nitrosamino]-5-(dimethylamino)quinazoline
- AM-1297 l-Amidino-3-(4-bromo- α , α , α -trifluoro-m-tolyl) urea, monoethanesulfonate
- AM-1298 N-Cyclopropyl-p-fluorobenzylamine
- AM-1299 N-Allyl-9-8-D-arabinofuranosyl-N-nitrosoadenine
- AM-1300 9-B-D-Arabino furano syl-N-furfuryl-N-nitro soadenine
- AM-1301 N-[2,4-Diamino-5-(dimethylamino)-6-quinazolinyl]-N-(3,4-dichlorobenzyl) formamide
- AM-1302 N-(3-Methyl-2-butenyl)-N-nitrosoadenosine
- AM-1303 2,4-Diamino-6-methylpyrido[3,2-d]pyrimidine
- AM-1304 N-Methyl-N-nitrosoadenine
- AM-1305 9-8-D-Arabinofuranosyl-N-cyclopropyladenine
- AM-1306 m-Bromo-N-methylbenzylamine
- AM-1307 N, N-Dimethyladenosine
- AM-1308 N-Benzyl-N-nitrosoadenosine
- AM-1309 2,4-Diamino-6-(anilinomethyl)quinazoline, monoacetate, 0.6 hydrate
- AM-1310 N-Methyl-N-nitrosoadenosine
- AM-1311 Thiocarbonic acid, 0-p-methoxyphenyl-S-purin-6-yl ester
- AM-1312 2,4-Diamino-5-chloro-6- $[(\alpha,\alpha,\alpha-\text{trifluoro-m-tolyl})$ sulfinyl]quinazoline
- AM-1313 8-Bromoadenosine, triacetate ester
- AM-1314 2,4-Diamino-6-[4-(p-chloropheny1)-2-thia-zoly1)quinazoline, 1.7 f. wt of N,N-dimethyl-formamide of crystallization

- AM-1915 B-Bromondenosine
- AM-1316 2,4-Diaminothio-6-quinazolinecarboxamide, 0.3 f. wt. N,N-dimethylformamide of crystallization, 1.4 f. wt. hydrochloride
- AM-1317 2-β-D-Arabinofuranosyladenine, 1-oxide
- AM-1318 2,4-Diamino-6-[2-(p-chlorobenzyl)piperidino]quinazoline, 0.3 f. wt. methanol of crystallization
- AM-1319 9-B-D-Arabinofuranosyl-N-methyl-N-ntirosoadenine, 2' (or 3'), 5'-dibenzoate ester
- AM-1320 2,4-Diamino-6-[[(3,4-dichlorophenyl)thio]-methyl]quinazoline, 0.2 hydrate
- AM-1321 N,N'-[6-[[(3,4-Dichlorophenyl)thio]methyl]-2,4-quinazolinediyl]bisbenzamide
- AM-1322 N',N'''-[6-[3,4-Dichloro-N-methylanilino)-methyl]-2,4-quinazolinediyl]bis[N,N-dimethyl-formamidine]
- AM-1323 2,3-Dichloro-6-[(p-chlorobenzyl)thio]benzonitrile
- AM-1324 2,4-Diamino-6-[(3,4-dichlorophenyl)thio]-pyrido[3,2-d]pyrimidine
- AM-1325 2,4-Dismino-5-chloro-6-[(α,α,α-trifluorom-tolyl) sulfonyl]quinazoline
- AM-1326 9-β-D-Arabino furs no syl-N-methyl-N-nitrosoadenine, 5'-p-toluene sulfonate ester, 0.7 f. wt ethanol of crystallization
- AM-1327 9-8-D-Arabino fursnosyl-N-methyl-N-nitrosoadenine, 5'-p-snisate ester
- AM-1328 N-[p-[(2,4-Dismino-6-quinazoliny1) thio]benzoy1]-L-glutamic acid, 0.25 f. wt hydrochloride, 1.3 hydrate
- AM-1329 2,4-Diamino-5-chloro-6-[(p-chlorobenzy1)-thio]quinazoline
- AM-1330 2,4-Dismino-6-[(4-phenyl-2-thiszolyl)sulfonyl]quinszoline
- AM-1331 N,N'-(6-Methylpyrido[3,2-d]pyrimidine-2,4-diyl)bisbenzamide
- AM-1332 2,4-Diamino-6-[(3,4-dichlorophenyl)thio]pteridine

AM-1333 2,4-Diamino-6-(2-naphthylthio)pteridine

- AM-1334 2,4-Diamino-6-[(3,4-dichlorophenyl)sulfinyl]-pyrido[3,2-d]pyrimidine
- AM-1335 9-β-D-Arabino furano syl-N-methyl-N-nitrosoadenine, 2' (or 3'), 5'-bis(3,4,5-trimethoxybenzoate ester)
- AM-1336 2,4-Diamino-6-[(p-fluorophenyl)thio]pyrido [3,2-d]pyrimidine
- AM-1337 N',N'''-[6-[(4-Phenyl-2-thiazolyl)sulfonyl]-2,4-quinazolinediyl]bis[N,N-dimethylfor-mamidine]
- AM-1338 N',N'''-[6-[(4-Phenyl-2-thiazolyl)thio]-2,4-quinazolinediyl]bis[N,N-dimethylformamidine], 0.25 f. wt. acetonitrile of crystallization
- AM-1339 2,4-Diamino-6- $[(\alpha,\alpha,\alpha-\text{trifluoro-m-toly1})-\text{thio}]$ pteridine
- AM-1340 2,4-Diamino-6-[(p-chloro-N-ethylanilino)-methyl]quinazoline, monoacetate, 1.3 hydrate
- AM-1341 2,4-Diamino-6-[(3,4-dichlorophenyl)sulfonyl]pyrido[3,2-d]pyrimidine
- AM-1342 2,4-Diamino-5-chloro-6-[(p-chlorobenzyl) sulfinyl]quinazoline
- AM-1343 2,4-Diamino-5-chloro-6-[(p-chlorobenzyl)-sulfonyl]quinazoline
- AM-1344 2,4-Diamino-6-[(5-bromo-4-phenyl-2-thia-zolyl)thio]quinazoline
- AM-1345 2,4-Diamino-6-(1-naphthylthio)pyrido[3,2-d]-pyrimidine
- AM-1346 2,4-Diamino-6-[[(p-chlorophenyl)thio]methyl]-quinazoline
- AM-1347 1-Adamantanecarboxylic acid, 5'-ester with 9-β-D-srabinofuranosyl-N-methyl-N-nitrosoadenine
- AM-1348 Palmitic acid, 5'-ester with 9-β-D-arabinofuranosyl-N-methyl-N-nitrosaodenine
- AM-1349 3-Chloro-4-oxo- α -phenyl-2,5-cyclohexadiene- $\Delta^{1,\alpha}$ -acetonitrile, oxime

- AM-1350 9-β-D-Arabinofuranosyl-N-isopropyladenine
- AM-1351 9-B-D-Arabinofuranosyl-N-methyl-N-nitrosoadenine
- AM-1752 2,4-Diamino-6-[(p-fluorophenyl)sulfinyl]pyrido[3,2-d]pyrimidine
- AM-1353 6-Chloro-5-(phenylsulfonyl)-o-anisonitrile
- AM-1354 1-Buty1-3-(2,4-diamino-6-quinazoliny1)-2thiourea, monohydrochloride, monohydrate
- AM-1355 2,4-Diamino-6-[(5-bromo-4-phenyl-2-thia-zolvl)sulfonyl]quinazoline
- AM-1356 2,4-Diamino-6-[(p-chlorobenzyl)methylamino]pyrido[3,2-d]pyrimidine
- AM-1357 N-Methyl-N-nitroso-9-(5-0-trityl-β-D-arabinofuranosyl) adenine
- AM-1358 m-Amino-N, N-dimethylbenzamide
- AM-1359 2,4-Diamino-6-[(p-chlorobenzyl)ethylamino]pyrido[3,2-d]pyrimidine
- AM-1360 2,4-Diamino-6-[(p-chlorobenzyl)propylamino]pyrido[3,2-d]pyrimidine
- AM-1361 9-B-D-Arabinofuranosyl-N-methyladenine, 1-oxide
- AM-1362 2,4-Diamino-6-[(o-chlorophenyl)thio]pteridine
- AM-1363 2,4-Diamino-5-chloro-6-(phenylthio)quinazoline
- AM-1364 3-(2,4-Diamino-6-quinazolinyl)-1-(3,4-dichlorophenyl)-2-methyl-2-thiopseudoures, monohydroiodide
- AM-1365 1, l-Dipropyl-3-(2-thiazolyl)-2-thiourea
- AM-1366 4-[(7-Chloro-4-quinoly1)amino]- α , α '-bis(diethylamino)-2,6-xylenol, 1'-oxide
- AM-1367 2,4-Diamino-6-(1-naphthylthio)pteridine
- AM-1368 2,4-Diamino-6-[[(α , α , α -trifluoro-m-tolyl)-thio]methyl]quinazoline

- AM-1369 9-(2,6-Dichlorobenzyl) adenine
- AM-1370 2,4-Diamino-6-[(m-bromobenzy1)methylamino]pyrido[3,2-d]pyrimidine
- AM-1371 6-Chloro-9-(tetrahydro-2H-pyran-2-y1)-9H-purine
- AM-1372 N-Methyl-9-(tetrahydro-2H-pyran-2-yl)adenine
- AM-1373 9-(2,6-Dichlorobenzyl) adenine, 1-oxide
- AM-1374 2,4-Diamino-5-chloro-6-(phenylsulfinyl)quinazoline
- AM-1375 2,4-Diamino-6-[(p-chlorobenzyl)methylamino]-pteridine
- AM-1376 N-2-Thiazolylthio-1-pyrrolidinecarboxamide
- AM-1377 1-[3-(Dimethylamino)propyl]-1-methyl-3-(2-thiazolyl)-2-thioures
- AM-1378 2,4-Diamino-6-[(p-bromo-N-ethylanilino)methyl] quinazoline, 1.8 f. wt. hydrochloride, 1.2 hydrate
- AM-1379 2,4-Diamino-6-[(2-naphthylthio)methyl]quinazoline
- AM-1380 2,4-Diamino-6-[(2,4,5-trichlorophenyl)thio]-pteridine
- AM-1381 2'-Deoxy-N-methyladenosine
- AM-1382 4-(Methylamino-7-β-D-ribofuranosyl-7H-pyrrolo-[2,3-d]pyrimidine
- AM-1383 2,4-Diamino-5-chloro-6-(phenylsulfonyl)quinazoline
- AM-1384 2,4-Diamino-6-[(p-fluorophenyl)sulfonyl]pyrido[3,2-d]pyrimidine
- AM-1385 9-(2,6-Dichlorobenzyl)-N-methyladenine
- AM-1386 2,4-Diamino-5-piperidino-6-[(p-piperidino-phenyl)sulfonyl]quinazoline
- AM-1387 1-Ethyl-1-(2-hydroxyethyl)-3-(2-thiazolyl)-2-thioures
- AM-1388 2,4-Diamino-6-(phenylsulfonyl)-5-piperidinoquinazoline
- AM-1389 5-Amino-9-nitro-1H-pyrimido[4,5,6-de]quinezoline

- AM-1390 4-Methyl-N-2-thiazolylthio-l-piperazine-carboxamide
- $\Delta M = 15/1$ 1-Butyl-1-methyl-3-(2-thiszolyl)-2-thiourea
- AM-1392 9-(5-Azido-5-deoxy-β-D-arabinofuranosyl)-N-methyl+N-nitrosoadenine
- AM-1393 2,4-Diamino-6-[(p-chlorophenyl)sulfonyl]pyrido[3,2-d]pyrimidine, hemihydrate
- AM-1394 2,4-Diamino-6-[2-(p-chloropheny1)-1-pyrrolidiny1]pteridine
- AM-1395 2,4-Diamino-6-[(3,4-dichloro-α-methylbenzyl)-methylamino]pyrido[3,2-d]pyrimidine
- AM-1396 m-[[(2,4-Diamino-6-quinazoliny1)methyl]amino]-N,N-dimethylbenzamide, 0.1 hydrate
- AM-1397 N-[(2,4-Diamino-5-chloro-6-quinazolinyl)-methyl]acetamide, 0.3 hydrate
- AM-1398 9-(2,6-Dichlorobenzyl)-N-methyl-N-nitrosoadenine
- AM-1399 4-(Methylnitrosamino)-7-β-D-ribofuranosyl-7Hpyrrolo[2,3-d]pyrimidine
- AM-1400 2,4-Diamino-5-chloro-6-[(o-chlorophenyl)-thio]quinazoline
- AM-1401 1-(3,4-Dichlorophenyl)-3-(2-thiazolyl)-2-thiourea
- AM-1402 N-Methyl-N-nitroso-9-(tetrahydro-2H-pyran-2-yl)adenine
- AM-1403 2,4-Diamino-5-chloro-N,N-diethyl-6-quinazolinesulfonamide
- AM-1404 2,4-Diamino-5-chloro-N,N-dimethyl-6-quinazolinesulfonamide
- AM-1405 2,4-Diamino-N,N,5-trimethyl-6-quinazolinesulfonamide
- AM-1406 2,4-Diamino-6-[(p-methoxypheny1)thio]-pteridine
- AM-1407 2,4-Diamino-6-[(2-naphthylsulfinyl)methyl]-quinazoline, hemihydrate
- AM-1408 2,4-Diamino-6-chloropteridine

- AM-1409 N,N'''-[6-[(3,4-Dichlorophenyl)thio]-2,4-pteridinediyl]bis[N,N-dimethylformamidine]
- AM-1410 2,4-Diamino-6-[(3,4-dichloro-N-propylanilino)methyl]quinazoline, 1.66 hydrochloride
- AM-1411 N-Methyl-1-naphthalenemethylamine
- AM-1412 N-Methyl-2-naphthalenemethylamine
- AM-1413 2,4-Diamino-6-[(<u>m</u>-bromobenzyl)methylamino]pteridine
- AM-1414 2,4-Diamino-6-[[(3,4-dichlorophenyl)sulfonyl]-methyl]quinazoline, hemihydrate
- AM-995 5,5-Bis(3,4-dichlorobenzyl)-1,4,5,6-tetrahydro-2-(4-pyridyl)pyrimidine, sesquihydrochloride
- AM-1415 2,4-Diamino-6-[(2,4,5-trichlcrophenyl)thio]-pyrido[3,2-d]pyrimidine
- AM-1416 2,4-Diamino-6-(benzylethylamino)pyrido[3,2-d]-pyrimidine
- AM-1417 N''-(p-Chlorobenzyl)-N,N',N''-(pyrido[3,2-d]-pyrimidine-2,4,6-triyl)trisacetamide
- AM-1418 2,4-Diamino-6-[(3,4-dichloro-N-isopropylanilino)methyl]quinazoline, O.1 hydrate
- AM-1419 2,4-Diamino-6-[(o-chlorobenzyl)methylamino]pteridine
- AM-1420 8-Bromo-N-methyladenosine
- AM-1421 8,10-Diamino-2,3-dimethylpyrazino[2,3- \underline{f}]-quinazoline
- AM-1422 2,4-Diamino-6-[(m-chlorobenzyl)methylamino]pyrido[3,2-d]pyrimidine
- AM-1423 2,4-Diamino-6-[methyl(1-naphthylmethy1)-amino]pteridine
- AM-1424 2,4-Diamino-6-[[(3,4-dichlorophenyl)sul-finyl]methyl]quinazoline, 0.33 hydrate
- AM-1425 8,10-Diamino-2,3-diphenylpyrazino[2,3-f]-quinazoline, 0.3 hydrate

- AM-1426 2,4-Diamino-5-chloro-6-[(o-chlorophenyl)-sulfinyl]quinazoline
- AM-1427 2,4-Diamino-6-[methyl(2-naphthylmethyl)-amino]pteridine
- AM-1428 8-Bromo-N-methyl-N-nitrosoadenosine
- AM-1429 2,4-Diamino-6-[(p-fluoro-N-methylanilino)-methyl]quinazoline
- AM-1430 9-8-D-Arabinofuranosyl-N-hydroxyadenine
- AM-1431 N-Methyladenosine, 1-oxide
- AM-1432 13,15-Diaminodipyrido[3,2-a:2',3'-c]pyrimido-[5,4-h]phenazine, 1.05 f. wt. hydrochloride, 1.2 hydrate
- AM-1433 13,15-Diaminodibenzo[a,c]pyrimido[5,4-h]phenazine, 0.15 f. wt. dimethylsulfoxide of
 crystallization, 0.7 hydrate
- AM-1434 2,4-Diamino-6-[(2-naphthylsulfonyl)methyl]-quinazoline, 1.0 f. wt. of acetonitrile of crystallization
- AM-1435 N-9-Dimethyladenine
- AM-1436 2,4-Diamino-6-[(N-methyl- α , α , α -trifluoro-m-toluidino)methyl]quinazoline, 1.1 f. wt. acetate, 0.6 hydrate
- AM-1437 o-[(2,4-Diamino-6-quinazolinyl)thio]benzoic acid, methyl ester, l.l f. wt. of N,N-dimethylformamide of crystallization, 0.l hydrate
- AM-1438 N-Cyclohexyladenosine
- AM-1439 2,4-Diamino-N-isopropyl-N-methyl-6-quina-zolinesulfonamide
- AM-1440 2,4-Diamino-6-[(m-chloro-N-methylanilino)-methyl]quinazoline
- AM-1441 2,4-Diamino-6-(piperidinosulfonyl)quinazoline
- AM-1442 N,9-Dimethyl-N-nitrosoadenine
- AM-1443 2,4-Diamino-6-(1-pyrrolidinylsulfonyl)quinazoline, 0.2 hydrate
- AM-1444 2,4-Diamino-6-(1,4'-bipiperidin-1'-ylsulfonyl)quinazoline, 0.2 hydrate

- AM-1445 2,4-Diamino-6-[[[2-(diethylamino)ethyl]-methylamino]sulfonyl]quinazoline, 0.2 hydrate
- AM-1446 5,5-Bis(3,4-Dichlorobenzyl)tetrahydro-2-(1H)pyrimidinethione
- AM-1447 2,4-Diamino-6-(morpholinosulfonyl)quinazoline
- AM-1448 4-Amino-5-bromo-2-(methylthio)pyrimidine
- AM-1449 2,4-Diamino-6-(thiomorpholinosulfonyl)quinazoline
- AM-1450 2,4-Diamino-6-[(4-methyl-1-piperazinyl)sulfonyl)quinazoline
- AM-1451 2,4-Diamino-6-[(3,4-dichloroanilino)methyl]-pyrido[2,3-d]pyrimidine
- AM-1452 4-[(2,4-Diamino-6-quinazolinyl)sulfonyl]-1piperazinecarboxylic acid ethyl ester
- AM-1453 2,4-Diamino-6-[(N-ethyl-<u>p</u>-anisidino)methyl]-quinazoline
- AM-1454 N-Cyclohexyl-N-nitrosoadenosine
- AM-1455 1,3-Diamino-2(and/or8)H-indeno[1',2'(and/or2',1'):5,6]pyrazino[2,3-f]quinazolin-12-(and/or8)-one, monoacetate, monohydrochloride
- AM-1456 N-(p-Chlorophenyl)glycine,2-[2,4-diamino-5-[(p-chlorophenyl)azo]-6-pyrimidinyl]hydrazide, hemihydrate
- AM-1457 3',4'-Dichloro-N-[(2,4-diaminopyrido[2,3-d]-pyrimidin-6-y1)methyl]formanilide
- AM-1458 2,4-Diamino-6-[(2-benzylpiperidino)sulfonyl]-quinazoline
- AM-1459 2,4-Diamino-6-[(4-chloro-α,α,α-trifluoro-m-toluidino)methyl]pyrido[2,3-d]pyrimidine
- AM-1460 2,4-Diamino-6-[(p-chloro-N-methylanilino)-methyl]quinazoline, 1.33 f. wt. acetate, monohydrate
- AM-1461 4'-Chloro-N-[(2,4-diaminopyrido[2,3-d]-pyrimidin-6-yl)methyl]- α , α , α -trifluoro-m-formotoluidide, 0.6 hydrate
- AM-1462 6,6-Bis(3,4-dichlorobenzy1)-6,7-dihydro-3-(o-methoxypheny1)-5H-thiazolo[3,2-a]pyrimidine, 1.05 f. wt hydrobromide

- AM-1463 2,4-Diamino-6-[(p-fluorobenzyl)methylamino]pteridine, 0.2 hydrate
- AM-1464 3,4,5-Trimethoxy-N-methylbenzylemine, 0.25 hydrate
- AM-1465 2,4-Dismino-6-(1-indolinylmethyl)quinszoline
- AM-1466 6-[[(4-Chloro-1-naphthalenyl)amino]methyl]pyrido[2,3-d]pyrimidine-2,4-diamine, 0.5
 f. wt. N,N-dimethylformamide of crystallization
- AM-1467 6-[[Ethyl(4-methylphenyl)amino]methyl]-2,4-quinazolinediamine, 0.25 hydrate
- AM-1468 6-[[(3,4-Dichlorophenyl)nitrosomino]methyl]pyrido[2,3-d]pyrimidine-2,4-dismine
- AM-1469 N-[(2,4-Diaminopyrido[2,3-d]pyrimidin-6-y1)methy1]-N-(3,4-dichlorophenyl)acetamide, 0.4 hydrate
- AM-1470 6-[[(2-Chloro-4-methylphenyl)methylamino]-methyl]-2,4-quinazolinediamine, 0.9 hydrate
- AM-1471 N-(4-Chloro-1-naphthalenyl)-N-[(2,4-diamino-pyrido[2,3-d]pyrimidin-6-yl)methyl]form-amide
- AM-1472 3-(4-Chlorophenyl)-6,6-bis[(3,4-dichlorophenyl)methyl]-6,7-dihydro-5H-thiazolo[3,2-a]pyrimidine, 0.7 f. wt. acetonitrile of crystallization, monohydrobromide
- AM-1473 2(and 3)-methyl-3(and 2)-phenylpyrazino-[2,3-f]quinazoline-8,10-diamine
- AM-1474 6-[[4-Chloro-3-(trifluoromethyl)phenyl]-nitrosoamino]methyl]pyrido[2,3-d]pyrimi-dine-2,4-diamine
- AM-1475 2-[(2,4-Diamino-6-quinazoliny1)thio]benzoic acid, 1.2 f. wt. N,N-dimethylformamide of crystallization
- AM-1476 6-[Methyl(2-phenylethyl)amino]-2,4-pteridinediamine, 1.6 hydrate
- AM-1477 6-[[(2,5-Dichlorophenyl)methylamino]methyl]2,4-quinazolinediamine, 1.1 f. wt. acetate,
 0.8 hydrate

AM-1478 6-[Methyl[(3,4,5-trimethoxyphenyl)methyl]-amino]-2,4-pteridinediamine

STATE OF THE PROPERTY OF THE P

- AM-1479 6-[(1,2,3,4-Tetrahydro-1-quinoliny1)methyl]-2,4-quinazolinediamine
- AM-1480 1,3(or 2,4)-Diamino-12H(or 11H)-[1]benzothio-pyrano[3,2-f (or 2,3-g)]quinazolin-12(or 11)-one, 0.2 hydrate
- AM-1481 2(and/or 3)-Phenylpyrazino[2,3- \underline{f}]quinazoline-8,10-diamine, 0.3 hydrate
- AM-1482 6-[[(3,4-Dichlorophenyl)ethylamino]methyl]-2,4-quinazolinediamine
- AM-1483 3-(6-Amino-9H-purin-9-yl)-1,2-propanediol, 0.3 hydrate
- AM-1484 6-[[(3-Bromophenyl)amino]methyl]pyrido-[2,3-d]pyrimidine-2,4-diamine
- AM-1485 N⁶-Methyl-N⁶-[[4-(trifluoromethyl)phenyl]methyl]pyrido[3,2-d]pyrimidine-2,4,6triamine
- AM-1486 6-(3,4-Dihydro-2(1H)-isoquinolinyl)pteridine-2,4-diamine, 0.2 hydrate
- AM-1487 6-[[Ethy1[3-(trifluoromethy1)pheny1]amino]-methy1]-2,4-quinazolinediamine
- AM-1488 6-(4-Phenyl-1-piperidinyl)-2,4-pteridine-diamine, hemihydrochloride, 0.1 hydrate
- AM-1489 N-(3-Bromophenyl)-N-[(2,4-diaminopyrido-[2,3-d]pyrimidin-6-yl)methyl]formamide, 0.2 hydrate
- AM-1490 [1,2,3]Oxadiazolo[3,4-d]pyrimidine-5,7-diamine
- AM-1491 6-(1-Piperidinyl)pyrido[3,2-d]pyrimidine-2,4-diamine-5-oxide
- AM-1492 2,4-Diamino-6-quinazolinemethanol, monoacetate
- AM-1493 6-[[(3,4-Dichlorophenyl)methylamino]methyl]- . 2,4-pteridinediamine, 8-oxide
- AM-1494 6-[[(4-Chlorophenyl)(1-methylethyl)amino]-methyl-2,4-quinazolinediamine, 0.15 hydrate

AM. 1495 6-[[(4-Chlorophenyl)thio]methyl]-2,4pteridinediamine, 8-oxide

- AM-1496 6-[[(4-Chlorophenyl)thio]methyl]-2,4pteridinediamine
- AM-1497 6-[[(3-Rromophenyl)nitrosomino]methyl]pyrido[2,3-d]pyrimidine-2,4-diamine
- AM-1498 6-[[(3,4-Dichlorophenyl)methylamino]methyl]-2,4-pteridinediamine
- AM-1499 6-[[(3,4-Dichlorophenyl)amino]methyl]-2,4-pteridinediamine, 8-oxide
- AM-1500 6-[[[3,5-bis(Trifluoromethyl)phenyl]methyl-amino]methyl]-2,4-quinazolinediamine
- AM-1501 6-[[(3,4-Dichlorophenyl)amino]methyl]-2,4-pteridinediamine, 0.3 f. wt. N,N-dimethyl-formamide
- AM-1502 6-[[(4-Chlorophenyl)amino]methyl]-5-ethyl-2,4-quinazolinediamine, 0.1 hydratė
- AM-1503 6-[[(4-Chlorophenyl)sulfinyl]methyl]-2,4pteridinediamine, 0.8 hydrate
- AM-1504 6-[[(4-Chlorophenyl)sulfonyl]methyl]-2,4pteridinediamine, 0.3 f. wt. N,N-dimethylformamide of crystallization
- AM-1505 6-[[(3,4-Dichlorophenyl)(1-methylethyl)-amino]methyl]-2,4-pteridinediamine
- AM-1506 6-[[(3,4-Dichlorophenyl)(1-methylethyl)amino]methyl]-2,4-pteridinediamine, 8-oxide
- AM-1507 3,3'-[1,3-Propanediylbis(oxy)]bis[6-nitrobenzaldehyde]
- AM-1508 6-[(2,3-Dihydro-1H-indo1-1-y1)methy1]-2,4pteridinediamine, 8-oxide
- AM-1509 6-[(3,4-Dihydro-1(2H)-quinolinyl)methyl]-2,4-pteridinediamine,8-oxide, 0.9 f. wt. N,N-dimethylformamide of crystallization


AM-1510 N-| (2, 4-Diamino-G-pteridinyl)methyl]-N(3,4-dichlorophenyl) formamide

- AM-1511 6-[[(4-Chlorophenyl)ethylamino]methyl]-2,4pteridinediamine
- AM-1512 6-[[(4-Chlorophenyl)ethylamino]methyl]-2,4pteridinediamine, 8-oxide
- AM-1513 N-Methyl-2',3'-0-(1-methylethylidene)-N-nitrosoadenosine
- AM-1514 6-[(3,4-Dihydro-1(2H)-quinoliny1)methy1]-2,4-pteridinediamine
- AM-1515 6-[[(4-Chlorophenyl)methyl]thio]-2,4pteridinediamine
- AM-1516 3,4-Dichloro-N-(2-methoxyethyl)benzenemethanamine
- AM-1517 6-[(4-Chlorophenyl)sulfonyl]pyrido[3,2-d]-pyrimidine-2,4-diamine-1,5-dioxide, 0.71 hydrate
- AM-1518 6-[(2-Phenyl-1-piperidinyl)methyl]-2,4-pteridinediamine, 8-oxide
- AM-1519 6-[[(4-Chloropheny1)methylamino]methyl]-2,4-pteridinediamine
- AM-1520 6-[[(4-Chlorophenyl)methylamino]methyl]-2,4-pteridinediamine, 8-oxide
- AM-1521 N⁶-Methyl-N⁶-(phenylmethyl)-2,4,6-pteridinetriamine, monohydrochloride, monohydrate
- AM-1522 6-[(2,3-Dihydro-1H-indo1-1-y1)methy1]-2,4-pteridinediamine
- AM-1523 6-[[(3,4-Dichlorophenyl)propylamino]methyl]-2,4-pteridinediamine
- AM-1524 6-[[(3,4-Dichlorophenyl)propylamino]methyl]-2,4-pteridinediamine, 8-oxide
- AM-1525 6-[[(4-Chlorophenyl)(1-methylethyl)amino]methyl]-2,4-pteridinediamine, 0.5 f. wt. N,Ndimethylformamide of crystallization
- AM-1526 6-[[(4-Chloropheny1)(1-methylethy1)amino]-methy1]-2,4-pteridinediamine, 8-oxide
- AM-1527 6-[(2-Naphthalenylthio)methyl]-2,4-pteridine-diamine, 8-oxide

- AM-1528 6-[(2-Naphthalenylthio)methy1]-2,4pteridinediamine
- AM-1529 6-[(2-Phenyl-1-piperidinyl)methyl]-2,4pteridinedismine, 0.2 f. wt. N,N-dimethylformamide of crystallization
- AM-1530 6-[[2-(Phenylmethyl)-1-piperidinyl]methyl]-2,4-pteridinediamine, 0.9 f. wt. N,Ndimethylformamide of crystallization
- AM-1531 6-[[2-(Phenylmethyl)-l-piperidinyl]methyl]-2,4-pteridinediamine, 8-oxide, 1 f. wt. N,N-dimethylformamide of crystallization
- AM-1532 2-Methoxy-N-methyl-l-naphthalenemethanamine
- AM-1533 2,2'-Trimethylenebis[2-thiopseudourea], dihydrobromide
- AM-1534 4-Methoxy-N-methyl-l-naphthalenemethanamine
- AM-1535 6,6'-[1,3-Propenediylbis(oxy)]bis[2,4-quinazolinedismine], hemihydrate
- AM-1536 6,6'-[1,5-Pentanediylbis(oxy)]bis[2,4-quinazolinediamine], hemihydrate
- AM-1537 3,8-D-Ribofuranosyldiimidazo[1,2-c;4',5'-e]-pyrimidine, monohydrochloride
- AM-1538 2,2'-Pentamethylenebis[2-thiopseudourea], dihydrobromide
- AM-1539 N-Methyl-9H-fluorene-2-methanamine
- AM-1540 5,6,7,8-Tetrahydro-6-phenylphosphorino-[4,3-d]pyrimidine-2,4-diamine
- AM-1541 6-(1-Methylhydrazino)-9-8-D-ribofuranosyl)-9H-purine
- AM-1542 N-Methyl-9-anthracenemethanamine
- AM-1543 N⁶-[(4-Methoxy-1-napthhalenyl)methyl]-N⁶-methyl-2,4,6-pteridinetriamine
- AM-1544 N-(4-Chlorophenyl)glycine, 2-(5-amino[1,2,5]-oxadiazolo[3,4-d]pyrimidin-7-yl)hydrazide
- AM-1545 N-(3,4-Dichlorophenyl)glycine, 2-(5-amino-[1,2,5]oxadiazolo[3,4-d]pyrimidin-7-yl)hydrazide

- AM-1546 N-[3-(Trifluoromethyl)phenyl]glycine,2-(5-amino[1,2,5]oxadiazolo[3,4-d]pyrimidin-7yl)hydrazide
- AM-1547 N-Methyl-9-phenanthrenemethanamine
- AM-1548 2-[(4-Chlorophenyl)methylene]hydrazinecarboximidamide, mononitrate
- AM-1549 3,4-Dichloro-N-(2,2,2-trifluoroethyl)benzenemethanamine, nonohydrochloride
- AM-1550 3-[6-(Methylnitrosoamino)-9H-purin-9-yl]-1,2-propanediol
- AM-1551 3,8-D-Arabinofuranosyldiimidazo[1,2-c: 4',5'-e]pyrimidine, monohydrochloride
- AM-1552 N⁶-[(2-Methoxy-1-naphthalenyl)methyl]-N⁶-methyl-2,4,6-pteridinetriamine, 0.8 hydrate
- AM-1553 6-[[Ethyl(4-methoxyphenyl)amino]methyl]-2,4pteridinediamine
- AM-1554 6-[[Ethy1(4-methoxypheny1)amino]methy1]-2,4-pteridinediamine, 8-oxide, 0.25 hydrate

STRUCTURE AM BN 647 BE-15166 BE-17348 894 ĊНз BD-57838 1555 BD-57847 1556 CH2OCH3 1557 BD-57856 BD-57865 1558 BD-57874 1559



1571 BE-10545
$$H_3 \infty$$
 CN OCH_3 OCH_3 OCH_3 OCH_3 OCH_3 OCH_3 OCH_3

1573 BE-10563

1574 BE-10572

1575 BE-10581

1576 BE-11159

$$\begin{array}{c|c} H_{2}N & N & N \\ N & N & N \\ N & N \\ N & N \\ \end{array}$$

1577 BE-11168

1578 BE-11177

1579 BE-11186

1590 BE-12638
$$H_3C_{N}$$
CH₃

$$C1 - N = CN + CN + CN + CH_3$$

$$NH$$

$$NH$$

1596 BD-99130

1598 BD-99158



1610 BE-14007

1611 BE-14016

1612 BE-14570

1613 BE-14589

1614 BE-14598

$$H_3 \infty$$
 $N = CN H_2$

1615 BE-14605

1616 BE-14614

$$R = C$$

$$R = C$$

$$RO$$

$$RO$$

$$RO$$

$$RO$$

1624 BE-15184

* (1)

1625 BE-16565


1626 BE-16574

1627 BE-16583

1628 BE-16592

1629 BE-16609

1630 BE-16618



1639 BE-18194
$$c1 - (N-N) - N$$

1651 BE-19673
$$C1 \xrightarrow{\text{NH}_2 \text{NH}_2} \text{NH}_2 \xrightarrow{\text{NH}_2} \text{CC1}$$

$$CF_3 \xrightarrow{\text{CF}_3} \text{CF}_3$$

: \.

1657 BE-19735
$$C1 \longrightarrow N \longrightarrow N - NHCH_2CH_2N(C_2H_5)_2$$

1659 BE-19753 N NHCH₂CH₂N(
$$C_2H_5$$
)₂

1676 BE-66743
$$H_3C \xrightarrow{\text{N HCH}_2} \text{NHCH}_2$$

$$CH_3$$

1679 BE-66770 CH₃0
NH
(CH₂)₃CHCH₃
NH₂

bother moneyeaster, representation

AM BN

STRUCTURE

$$C1 \longrightarrow NH(CH_2)_3N(C_2H_5)_2$$

$$\begin{array}{c|c} C1 & \stackrel{N}{\longrightarrow} & \stackrel{CH_3}{\longrightarrow} & \stackrel{CH_3}$$

$$\begin{bmatrix} c_1 & & & \\ &$$

1688 BE-57262

1689 BE-57271

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & \\ & & \\ &$$

1690 BE-57280

1691 BE-57299

1692 BE-57306

1706 BE-58723
$$N N N CH_3$$

$$C1 - \left(\begin{array}{c} N \\ N \\ \end{array} \right) - N - \left(\begin{array}{c} C1 \\ N \\ \end{array} \right) - C1$$

$$C1 \longrightarrow N \longrightarrow N (C_2H_5)_2$$

H≥NN HC=N

$$0_2N$$

$$N \rightarrow CC1_3$$

$$NH(CH_2)_3N(CH_3)_2$$

$$(C_2H_5)_2N(CH_2)_3O \longrightarrow CH=NNHCN+N=CH \longrightarrow O' CH_2)_3N(C_2H_5)_2$$

1718 BE-76409

1716-2B BE-85702

1722 BE-79722

1723 BE-79731

$$C1 - N N N CH_2 CH_2 CH_3)_2$$

1727 BE-79820 C1
$$C1 \longrightarrow N \longrightarrow N \longrightarrow N \longrightarrow CH_3$$

$$CH(CH_3)_2$$

1731 BE-79866
$$CC1_3$$
 $NH(CH_2)_2N(C_2H_5)_2$

1734 BE-79893
$$CC1_3$$
 N $N+CH_2-NC_2H_5$

1735 BE-79900
$$CC1_3$$
 $NH(CH_2)_2N(C_2H_5)_2$

1736 BE-79919
$$CC1_3$$
 NH(CH_2)₃N(C_2H_5)₂

1743 BE-85775

1745 BE-96330

1754 BG-01055

$$\begin{array}{c|c}
 & \text{N(CH}_{2})_{3}0 - \\
 & \text{CH=NNHCN+IN=CH-}
\end{array}$$


1759 BG-03906
$$CH_3S - N \longrightarrow N$$
 SCH_3


1760 BG-03915
$$H_3C-CH(CH_2)_3N(C_2H_5)_2$$
NH 0

1762 BG-03933 CC1₃

$$F_3C NH(CH_2)_3N(CH_3)_2$$

1765 BG-03960





$$\begin{array}{c}
H & H \\
N-N
\end{array}$$

$$S = \langle \qquad \rangle = S$$

$$\begin{array}{c}
N-N \\
H & H
\end{array}$$

$$H_3CS \leftarrow N - N \rightarrow N(CH_3)_2$$

$$C1 \xrightarrow{C1} CH_2S \xrightarrow{N-N} SCH_2 \xrightarrow{C1} C1$$

$$C1 \longrightarrow CH_2S \longrightarrow SCH_2 \longrightarrow C1$$

$$C1 \longrightarrow CH_2S \longrightarrow N \longrightarrow N (CH_3)_2$$

PHO CH=NNHCNHN=CH CH₂

$$CH_2$$
 $N(C_2H_5)_2$
 $N(C_2H_5)_2$
 $N(C_2H_5)_2$

1777 BG-11579

C1 NH
$$\langle N = N \rangle$$
 N(CH₃)₂

$$C1 \xrightarrow{C1} CH_2NH \xrightarrow{N-N} SCH_3$$

1781 BG-11613 C1
$$CH_2NH - N = N \\ N = N \\ N = N \\ N (CH_3)_2$$

1782 BG-12067 $O_{\parallel} C - NHN = CHCF_3$

1788 BG-14409

C1-NH-N-NHCH

1789 BG-14418

1790

$$\begin{array}{c|c} Br & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\$$

1791

$$C1 \xrightarrow{CH_2} CH_2 \xrightarrow{N} \xrightarrow{N} N (CH_3)_2$$

$$H_3 \infty$$

$$NH(CH_2)_8NHCH(CH_3)_2$$

$$\bigcap_{N} \bigcap_{CH_3} N - CH_3$$

STATES CANADA

$$C1 \xrightarrow{C1} NH \xrightarrow{N-N} NH_2$$

$$\begin{array}{c|c}
\hline
 & \text{NH} & \text{OCH}_3 \\
\hline
 & \text{CH}_2 \, \text{N} (\, \text{C}_2 \, \text{H}_5)_2
\end{array}$$

$$C1 \xrightarrow{N-N} NH \xrightarrow{CH_2N(C_2H_5)_2} OCH_3$$

C1 NH
$$\langle N \rangle$$
 NH(CH₂)₃-N CC1₃

$$\begin{array}{c} 0^{-} \\ \text{NHCH}_{2}\text{CH}_{2}\text{N}^{+}(C_{2}\text{H}_{5})_{2} \\ \\ \text{C1} \\ \end{array}$$

$$H_3CS \leftarrow N \rightarrow NH \rightarrow OCH_3$$
 $CH_2N(C_2H_5)_2$

$$(CH_3)_2N$$
 \longrightarrow $N=N$ \longrightarrow NH \longrightarrow OCH_3 $CH_2N(C_2H_5)_2$



$$H_3 \infty$$

$$\begin{array}{c}
CH_3 \\
NH \\
(CH_2)_{\Theta}N(C_2H_5)_2 \\
0
\end{array}$$

$$C1 \longrightarrow N \setminus N \setminus CH_3)_2$$

STRUCTURE

1847 BG-44578

1848 BG-44587

1849 BG-44596

1850 BG-44603

1851 BG-44612

1852 BG-44621

1854 BG-46698

1855 BG-46705

1856 BG-46714

1857 BG-46723

1859 BG-46741

1860 BG-46750

1861 BG-46769

1862 BG-46778

1863 BG-46787

1864 BG-46796

1872 BG-56014

1873 BG-56023

1874 BG-56032

1875 BG-56041

$$(CH_3)_2N$$
 $C-SCH_2\omega_2H$

1876 BG-56050

1879 BG-56587


$$\begin{array}{c|c} & \text{NH(CH2)_2N(C_2H_5)_2} \\ & & \text{NH_3C} & \text{NH_3C} \\ \end{array}$$

1880 BG-56596

1881 BG-56603

1882 BG-56612

$$H_3 \infty$$
 S
 $C-SCH_2 \infty_2 H$
 $H_3 \infty$





PARTIES REPORTED BEAUTY

1894 BG-58289

1895 BG-58278

$$C1 \xrightarrow{N-N} CH_3$$

$$C-N-(CH_2)_3CH_3$$

1896 BG-58287

$$\begin{array}{c} \text{CH}_3\text{O} \\ \text{CH}_3\text{O} \\ \text{CH}_3\text{O} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{C} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{C} \\ \text{N} \\ \text{C} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{C} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{C} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N} \\ \text{N} \\ \text{N} \end{array} \begin{array}{c} \text{N$$

1897 BG-58296

$$CH_3O$$
 CH_3O
 $N = N$
 CH_3O
 CH_3O
 CH_3O
 CH_3O

$$C1 \longrightarrow C_{N-N}^{N-N} C-NH(CH_2)^3N(CH_3)^5$$

• H₂0

ACCRECA PERSONAL PROPERTY PROPERTY (PROPERTY DESPRESS)

$$CH^{2}O - (N - N) - N - N + CH^{3}$$

1919 BG-60876
$$CH_{3} - CH_{3} - CH_{3} - CH_{4} - CH_{5}$$
 $CH_{2}N(C_{2}H_{5})_{2}$

1921 BG-63475 CC1₃ NHCH₂CH₂N(
$$C_2H_5$$
)₂

1924 BG-63500

N=N

NH-OCH₈

$$CH_{2}N(C_{2}H_{5})_{2}$$

· 2.3нс1

1926 BG-63528
$$C1 - CN - N - N - CH_2 CH_3$$
 $C1 - CN - CH_2 CH_3$

1927 BG-63537
$$CH_3O - CH_3O $

· HC1

1928 BG-63546 CC1₃ CH₃0
$$\longrightarrow$$
 N \longrightarrow N CH₂CH₂N(C₂H₅)₂ CH₃

1929 BG-63555
$$CH_3O$$
 CH_3O

· H20

· HC1

1931 BG-63573
$$N = N$$
 $CH_2N (C_2H_5)_2$

$$C1 \longrightarrow C_{N=N}^{N-N} C-NH \longrightarrow OCH_3$$

$$CH_2N(C_2H_5)_2$$

$$CC1_3$$
 F_3C
 $NHCH_2CH_2N(C_2H_5)_2$





1948 BG-70952
$$0_2N - C' C-N(CH_3)_2$$

1956 BG-72410

1957 BG-72429

1958 BG-72438

1959 BG-72447

1960 BG-72456

$$F - N + CC1_3$$

$$N + CH_2 CH(CH_3)N(CH_3)_2$$

$$F_3C$$
 NHCH₂CH₂N(C_2H_5)₂

1963 BG-72483

1964 BG-72492

1965 BG-72509

1968 BG-74950

1969 BG-74969

$$F - NH(CH_2) M(CH_3)^2$$

1970 BG-74978

1971 BG-74987

1972 BG-78930

$$C1 - N = N - CH_2 CH_2 N (C_2 H_5)_2$$

$$Br - (CH_9)_2$$

Br - N-N-NHCH₀

1981 BG-81473

 $F_3 C - \bigcirc - \langle \bigcirc - \rangle - N H_2$

1982 BG-81482

F3C - NHCH3

1983 BG-81491

 $F_3C - \bigcirc \bigvee_{N=N} \bigvee_{N=N} \bigvee_{N} \bigvee_{N} (CH_3)_2$

1984 BG-81508

1985 BG-81517

1986 BG-81526

1987 BG-81535

$$F_3C$$
 \longrightarrow NH \longrightarrow OCH_3 $CH_2N(C_2H_5)_2$



CONTRACTOR DESCRIPTION

6%



%

$$F = \bigvee_{N = N} C - NH^{6}$$

$$F = C'' C-N(CH_3)_2$$

870-1L BG-89219 BG-81786 1991 BG-81795 1992 BG-81802 1993 BG-81811 1994 BG-81820 1995 1996 BG-81839

1998 BG-81857

$$\bigcup_{N=N} \vdash \mathsf{N}(\mathsf{CH}^3)^3$$

1999 **BG-**81866

$$\begin{array}{c|c}
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& &$$

2000 BG-81875

2001 BG-89246

$$(CH_3)_2N$$
 C $CH_3)_2$

2002 BG-89255

2005 BG-89282

2006 BG-89291

2007 BG-89308

2008 BG-89317

2016 BG-89184

2017 BG-89193

2018 BG-89200

2019 3G-94738

2020 BG-94747

2023 BG-94774


2024 BG-94783

2025 BG-94792

2026 BG-94809

$$O_2N \xrightarrow{CH_2N} CH_2N \xrightarrow{NH_2} N \rightarrow NH_2$$







AM	BN	STRUCTURE
2017-28	вн-09092	C1 · H ₂ 0 · 2HC1 NH NHCH ₂ CH ₂ N(C ₂ H ₅) ₂
2031	вн-07730	HN N CH ₃ C1
2032	вн-07749	CF ₃ ·2HC1 NH ·0.3H ₂ 0 N NH S N-C ₂ H ₅
2033	вн-07758	HN N-CH ₂ C1
2034	вн-07767	NH _e

2035 вн-07776

2036 BH-07785


2037 ВН-07794

2038 вн-07801

2039 BH-09172

204**6** BH-09109

SYNTHESIS OF NEW AGENTS FOR DRUG-RESISTANT MALARIAS(U)
WARNER-LAMBERT CO ANN ARBOR MI L M MERBEL DEC 83
DAND17-79-C-9115 RO-A175 171 UNCLASSIFIED F/G 6/15





2041 BH-09118

2042

BH-09²⁷

2043

вн-09136

2044

BH-09145

2045

BH-09154

2046 BH-09163

2047 BH-10568

2048 BH-10577

2049 BH-10586

2050 BH-10595

2051 ВН-10602



2053 BH-10620

2054 вн-10639

2055 BH-10648

2057 ВН-10666

2058 BH-10675

2059 BH-10684

2060 BH-10693

$$\begin{array}{c|c} OH & CH_{2}N(C_{2}H_{5})_{2} \\ \hline \\ C1 & NH \end{array}$$



1873 BH-13532

2018 BH-13381

AG.

2065 BH-13434

2066 BH-13443

2067 BH-13452

2068 BH-13461

2069 BH-13470

2072 BH-13505

2073 BH-13514

2074 BH-13541

2075 BH-13550

H₃C CH₂N(C₂H₅)₂
NH
C1

2083 BH-16177

2084 BH-16186

2085 BH-16195

2086 BR-16202



helicided beeneded decided

2089 BH-17709

2090 BH-17718

2091 BH-17727

2092 BH-17736

2095 88-17763

2102 BH-23896

1/1/

2107 BH-27287

2108 BH-27296

2109 581-27303

2110 84-27312

2111 BH-27321

·1.4H20



2112	вн-27330	C1 C1 ·0.2H ₂ O
2113	BH-273 49	C1
2114	вн-27358	H ₃ CO NHCH-(CH ₂) ₃ NH ₂ CH ₃
2115	вн-27367	0 N(CH ₂) ₃ N(CH ₃) ₂ 0.3 H ₂ O 0H Br
2116	вн-27376	H_3CO $O=N-N(CH_2)_0N(C_2H_5)_2$
2117	вн-27385	OCH ₃ CH ₂ N(C ₂ H ₅) ₂ NH
		C1

--- -175

2119 BH-27401

2120 BH-27410

2121 BH-27429

10 Te.

2124 BH-30131

2125 BH-30140

2126 BH-30159

2127 BH -30168

2129 BH - 30186

2130 BH-30668

2131 BH-30677

2132 **BH-306**86

2135 BH-30711

2136 BH-30720

2137 BH-34791

2138 вн-34808

BH-34826

2141

BH-34835

$$\begin{array}{c|c} NH & & N(CH_3)_2 \\ \hline & N & & 0.7 \text{ H}_20 \\ \hline & NH & & S & N(CH_3)_2 \\ \hline \end{array}$$

2142

BH-34844

2143

BH-35172

2144

BH-35181

2145

BH-35207

2147

BH-35216

2148

BH-35225


2149

BH-35163

2150

BH-35921

2151



BH-35949

2153

BH-35958

2154

BH-35967

2155

BH-35976

2156

BH-35985

 $\bigoplus_{\mathbf{H^3} \text{NC}(\, \mathbf{CH^3} \,)^{\mathbf{2}} \mathbf{CH^5} \text{NHCH}(\, \mathbf{CH^3} \,)^{\mathbf{2}}$

2157

2159 вн-36017

899 BH-30097

946 **BH-30828**

2161 BH-36240

2162 BH-36259

2163 BR-36268

2164 вн-36277


OR

2166 вн-36295

2167 BH-38155

2168 BH-38164

2169 вн-38173



2173 BH-38217

2174 вн-38226

2175 BH-38235

2177 вн-38299

respected to property assessment to be a property and the property of the prop

2178 вн-38306

.H50

2180 BH-38324

2181 вн-38333

2184 вн-38995

2185 BH-39009

2188 вн-39036

2189 BH-39045

2190 BH-39054

2192 вн-47958

OR

·0.8EC1

2195 вн-47967

2194 BH-47976

2195 BH-47985

2198 вн-48017

2199 вн-48026

2200 вн-38035

2203 Вн-49265

2204 BH-49274

2205 BH-49283

2208 BH-49318

2209 Вн-49327

2210 Вн-49336

AM BN

STRUCTURE

2211 BH-50044

2212 BH-50053

2213 BH-50062

2214 BH-50071

2215 BH-50080

2217 BH-50106

2218 BH-57105

2219 BH-57114

2222 BH-57141

2223 BH-57150

2224 BH-57169

2225 BH-57178

2226 BH-57187

2229 BH-58184

2230 ВН-58193

2231 BH-58200

2232 BH-58219

2233 BH-58228

2234 вн-58237

2235 вн-58246

2236 BH-58602

2237 Вн-58611

2238 вн-58620

$$s = \bigvee_{H}^{H} CO_2Et$$

2241 BH-58657

2242 вн-58666

2243 BH-58675



AM BN

STRUCTURE

2246 BH-65456

2247 BH-65465

2248 BH-65474

C1 OH OH OH OF S



C1 N(CH₂)₃N(CH₃)₂

2251 вн-65509

K N C N

2252 вн-67361

HO OH CONH2

2253 BH-67370

HO OH

2254 BH-67389

C1 NH O


•:

2256 BH-67405

2257 BH-67414

2258 BH-67423





$$s = \begin{pmatrix} H \\ N \\ H \end{pmatrix}$$

2278 BH-70180

2279 84-72693

2210 BH-72700

2231 BH-72719

2283 BH-

3284 BH-72746

2295 BH-72755

2286 BH-72764



<u>AM</u>	BN	STRUCTURE
2288	вн-73136	C1 C1
2289	вн -73145	CF3
2290	вн-73154	C1 N(CH2)3N(CH3)2
2291	вн-73163	C1 C1 C1
329 2	BH-73172	C ₂ H ₅ C _{F3}
229 3	вн-73181	CI CH2CH2CH2 CF3

2295 BH-73421

2296 BH-73430

2297 BH-73449

2298 BH-73458



1869

2300 BH-73476

2301 BH-73495

2302 BH-73494

2303 BH-73501

2304 BH-73510



2307 BH-74017

2308 BH-74026

2309 BH-74035

2310 BH-74044

2312 BH-76217

2313 BH-76226

2314 BH-76235

2317 вн-76262

2318 вн-76271

2319 BH-81549

2322 BH-81576

2323 BH-81585

232= BH-21594

2330 вн-81361

2332 вн-34040

2333 BH-84059

2334 3H-84068

2337 BH-84335

2338 BH-84344

2339 BH-84353

23-0 BH-84362

23-1 BH-84371

Personal Reserve

AM BN STRUCTURE

2350 вн-36606

2355 BH-89152

2356 BH-89750

2359 BH-89797

2360 BH-89796

2364 BH-96246

2365 вн-96255

2367 BH-96273

2368 BH-96282

AM BN STRUCTURE

2371 BJ-01671

2372 BJ-01680

23"73 BJ-01699

2374 3J-01706

2575 BJ-01715

2376 BJ-02025

2377 BJ-02034

2378 BJ-02043

2379 BJ-02052

2390 3J-02061

2381 3J-020T0

2362 BJ-02069

2×33 BJ-0626=

2384 BJ-0627-


2365 BJ-06263

23²6 3J-05232

2787 BJ-05309

2389 BJ-06327

2390 BJ-06336



2395 BJ-07520

23.96 BJ-07539

2397 BJ-0754A



AM NO BN NO STRUCTURE

2398 в 309588

C1 O SCH

2399 BJ095 97 C1

2400 BJ09604 0 N(CH₂)₃N(CH₃)₂

SCH³

0 N(CH₂)3N(CH₃)0

C1 No2

2402 8J09613

C1 C2Hs CF.

2403 BJ21717

2104 BJ21726

2405 BJ21735

2406 3J21744

2407 BJ21753

AM NO BN NO STRUCTURE

24**08** BJ21762

.0.2H20

CI

Cl

2409 BJ21771

C1 N(CH₂)₃N(CH₃)₂
CH₃
C1

2410 BJ21780

2411 BJ21799

2412 BJ23604

AM NO BN NO

STRUCTURE

2413 BJ23613

2414 BJ23622

2415 BJ23631

2416 8J23640







AM NO	вм мо	STRUCTURE
2418	BJ28369	
2419	G I C I	CH _Q CH _Q C1
24 20	BJ28387	C1 N(CH2)3N(CH3)2
2421	8J28396 C1	OH CH3/3N(CH3/5
24 22	BJ28403	0 N(CH ₂ 2N(C ₂ H ₅) ₂ C1 C1



AM NO BN NO STRUCTURE





AM NO NO STRUCTURE

2438 BJ34278

2439 BJ36889

2440 BJ36898

2441 вј36905

AM NO BM NO STRUCTURE

2443 8,736923

2444 BJ36932

2445 **B**J36941

2446 BJ36950

2447 BJ36969

0.1 (CH3 \2NCHO

AM NO BM NO STRUCTURE

2448 **BJ**36978

2449 вј36987

2450 BJ39415

2451

AM NO BM NO STRUCTURE

2453 8138442

2454 BJ39451

2455 3J39460

AM NO. BJ NO.

STRUCTURE

2465

2466

5r·98

2469

2470

 $\mathcal{N}_{\mathcal{F}}$

2473


2474

2477

2478

AM NO. BJ NO.

STRUCTURE



BN NO. AM. NO.

STRUCTURE

2491

(X)

BJ51715

2492 BJ51724

2493 BJ51733

2494 BJ51742



STRUCTURE



AM NO. BN NO. STRUCTURE

2502 BJ57075

AM NO BN NO

STRUCTURE

2504

BJ57806

2505 BJ57815

2506 BJ57824

$$H_3CO$$


$$(CH_2)_2$$


$$H_3C$$

$$CH_3$$



2509 BJ58330







BN NO

STRUCTURE

2513

BJ58362

2514

BJ58385

2515

BJ58394

2516

BJ58401

2517



 $(\frac{1}{2})^{2}$

trans



AM NO	BN NO	STRUCTURE
2523	B.159275	



AM NO BN NO

STRUCTURE

2527

BJ63788

2528 BJ63797

•HC1

AM NO BN NO

tij.

STRUCTURE

2531 BJ63822

2532 BJ63831

2533 BJ64114

2534 BJ64123

2535 ВЈ64132



BN NO

STRUCTURE

2536

BJ72714

2537

BJ72723

2538

BJ72732

2539

BJ72741

2540

AM NO

BN NO

STRUCTURE

2547



rece essesse, appeals country

स्टर्स्टर्स्स स्टर्स्टर्स्स क्रिक्टर्डर्स्स अस्टर्ड्स

S.

AM NO	BN NO	STRUCTURE	
2549	BJ78681 C1	O NH H C1	•0.35 H ₂ O •0.1 DMF
2550	BJ78690 C1	NH NH C1) _{c1}
2551	BJ78707 C1	O NCH,	Cl
2552	BJ78716 C1	NCH,	•0.33H₂0 C1
2553	BJ79035 O N	H C2H9	

AM NO BN NO

STRUCTURE

2554

BJ79044

2555 BJ79**053**

2556 BJ79062

2557 BJ82541

AM NO BN NO STRUCTURE

2559 BJ82569

2560 BJ82854 C1

2561 BJ82863 H₃CO (CH₂)₂ H₃C CH₃

2562 BJ82872 H₃CO (CH₂)₂ (CH₂)₂ (CH₃) CH₃C (CH₃)

2563 BJ82881 H₃CO N CH₂

Service deservant (Special Conservation of the

AM NO	BN NO	STRUCTURE	
2564	BJ82890	H ₃ CO CH ₂	•0.1 H ₂ 0 •1.1 HC1
2565	BJ83353	O S CH,	∷ 5H₂O
2566	BJ83360	H ₂ N N C H ₃	
2567	BJ83379 H	2N NH2 CH3	•0.2HC1
2568	BJ83388 o	HEN TO N-CE:3	•0.2MeOH
2569	3 J 8 3397	H ₂ N C ₂ H ₃	

AM NO BN NO STRUCTURE

2570 BJ83404 H₃CO

H₅C₂ C₂H₅

2571 BJ83413

H₂N CH₃
•0.05HCl

2572 BJ83440

H₅CO (CH₂)₃ (CH₃)


2573 ВЈ83459

(CH₂)₂

2574 BJ83468

ANNOUNCE CONTROL OF SERVICES AND SERVICES CONTROL OF SERVICES

H₃CO (CH₃), (CH₃)





AM NO	AN NO	STRUCTURE
-------	-------	-----------

AM NO BN NO STRUCTURE

AM NO	BN NO	STRUCTURE
-------	-------	-----------



ASSESSED REPORTED BY CONTROL OF PROPERTY OF THE PROPERTY OF TH

1.1	AM NO	BN NO	STRUCTURE
•	<u> 114 - 114 </u>	<u> </u>	

response Personal Massesse Personal Research

2610

BJ-92252

2611

BJ-92261

2612

BJ-92270

2613

BJ-92654

3514 3J-92563

2615 BJ-92672

2617 BJ-92707

2618 BJ-92716

2619 3J-92725

2520 3J-93606

2621 8J-93615

AM NO BN NO STRUCTURE

2622 BJ-93624 H₂N NECH₃

2623 BJ-93633 C1 (CH₂)₃ C1

2624 BJ-93642 C1 (CH₂)₂ C1



STRUCTURE

2422

BK-02771

2463

BK-02780

2625

BK-01970

2626

BK-01989

2627

BK-01998

2628

i

2629 BK-02011

2630 BK-02020

2631 BK-02799

2632 BK-02806

2634 BK-02824

2635 BK-02833

2636 BK-02842

2637 BK-02851

2639 BK-02879

2640 BK-05165

2641 BK-05174

2642 3K-05183

AM NO.	BN NO.	STRUCTURE
--------	--------	-----------

920 BK12473

2648 BK09314

2649 BK09323 I

2650 BK12428

2651 3K12437

2652 BK12446

AM NO BY	N NC

STRUCTURE



2658 BK13005

2659 BK13014

2660 BK13023

2661 BK13032

2562 3K15214

2663 3K15223




AM NO	BN NO	STRUCTURE
2664	BK15232	H ₂ N CH ₃ N (CH ₂) ₁₂



AM NO. BN NO.

STRUCTURE





2672

BK-16284

2673 BK-16293

2674 BK-16300

2675 BK-16319

2676 3K-16926

2677 BK-16935

2678 BK-16944

2679 BK-16953

2680 BK-16962

2681 3K-17183

$$N = CH \longrightarrow B$$

AM NO.	BN NO.	STRUCTURE
2682	BK-17192	H ₂ N NHCH ₂ C1
2683	BK-17209	H ₂ N NHCH ₂ NHCH ₂ Br
2684	BK-21105	CH 3 N C1
2685	BK-21114	CI
2686	3K-21123	C1
2687	BK-21132	CI H NN H

BN	NO.	BN NO.	

STRUCTURE

AM NO.	BN NO.	STRUCTURE

сно

AM NO.	BK NO.	<u>STRUCTURE</u>
2702	21981	H ₂ N CH ₃ NH ₂ N COOH
2703	21990	·HI ·Q.1 H ₂ 0
2705	22013	OCH ₃
2706	22022	NEt ₂
2707	22031	OCH ₂) 2 OCH ₃ OCH ₂) 2 OCH ₃
2708	22406	CH ₂ N Ste ₂

TOTAL TOTAL

AM NO.	BK NO.	STRUCTURE
2709	22522	C1
		·0.4H ₂ O
2710	22504	$\begin{array}{c c} & & \text{HN}(\text{CH}_2)_2 \text{N}(\text{CH}_2 \text{CH}_3)_2 \\ \hline \\ & & \text{(CH}_2)_2 \\ \hline \\ & & \text{(CH}_3 \text{CH}_2)_2 \\ \end{array}$
2711	22513	H ₃ C - CH ₃
2712	23154	CH=N C1
2713	23163	H ₂ N CH=N -Br
2714	23172	CH ₂ NH Br

THE PARTY AND THE PARTY

Ġ.

AM NO.	3K NO.	STRUCTURE
2715	23627	H ₃ C-C H ₃ C H ₃ C (CH ₂) ₂ NEt ₂
2716	23636	CHO (CH ₂) 2 NO 2 NEt ₂
2717	23645	(C ₂ H ₅) ₂
2718	23654	CH ₃ S C:
2719	23663	CH ₃ S N. CH ₃
2720	23672	$H_2C = CH$

`c1

AM NO.	BK NO.	STRUCTURE
2721	39509	(CH ₂) ₂ C1 N (CH ₂ CH ₃) ₂
2722	39518	(CH ₃) ₃ C (CH ₂) ₂ O—N(CH ₂ CH ₃) ₂ C1
2723	39527	NH ₂
2727	51578	C1 N
2728	51587	(CH ₂) ₂ C1 N(CH ₂ CH ₃) ₂
2729	51596	·0.1 H ₂ 0
2730	51603	·1 ⊕ ⊕ CH ₃ CH ₃ ·0.04 H ₂ 0

AM NO.	BK NO.	STRUCTURE
2731	51612	N N N N N N N N N N N N N N N N N N N
2624	45981 •	Pd-C C1 (CH ₂) ₂ C1 N (CH ₂ CH ₃) ₂
2673	16293	NH ₃ /EtOH H ₂ N CH ₃ 185°, 16hr NH ₂
2674	16300	H ₂ N CH ₃ NH ₂ N CONH-CH-CO ₂ Et CH ₂ CH ₂ CO ₂ Et
2679	16953	H ₂ N CH ₃ NH ₂ N COOH

AM NO.	BK NO.	STRUCTURE
2680	16962	H ₂ N N=c-C1
2681	17183	H ₂ N N=CH Br
2682	17192	H ₂ N C1 NHCH ₂ C1
2683	17209	H ₂ N NHCH ₂ Br
2699	21954	H ₂ N N N N N N N N N N N N N N N N N N N
2700	21963	H ₂ N CH ₂ CH ₂ C1 ·0.8H ₂ O

AM NO.	BK NO.	STRUCTURE
2701	21972	NH ₂ N N-CH ₂ Br
2702	21981	H ₂ N CH ₃ 1.1 Hcl·0.3H ₂ COOH
2712	23154	E ₂ N CH=N C1
2713	23163	H ₂ N CH=N Br
2714	23172	NH ₂ CH ₂ NH— Br
2724	39536	H_2N NH_2 $CH=N$ OCH_3 OCH_3

THE PARTY WHEN DISTRICT STREET STREETS STREETS STREETS STREETS STREETS STREETS

?

AM NO.	BK NO.	STRUCTURE
2725	39545	CH ₂ NH OCH ₃ OCH ₃ OCH ₃ OCH ₃ OCH ₃
903	15581	H_2N NH_2 CH_2NH $C1$ $C1$ $C1$ $C1$ $C1$ $C1$

EMAD A

2 - 8 7

DTIC